

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030917\
 Data File : BF093483.D
 Acq On : 9 Mar 2017 18:54
 Operator : SJ/MA
 Sample : PB97463BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB97463BL

Quant Time: Mar 10 00:03:16 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 07 15:55:22 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	197678	20.00	ng	-0.02
21) Naphthalene-d8	8.04	136	771461	20.00	ng	-0.02
38) Acenaphthene-d10	9.78	164	387855	20.00	ng	-0.02
63) Phenanthrene-d10	11.27	188	735415	20.00	ng	-0.01
75) Chrysene-d12	13.91	240	676869	20.00	ng	-0.01
86) Perylene-d12	15.32	264	590548	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1358990	114.42	ng	0.00
7) Phenol-d6	6.40	99	1659863	110.82	ng	-0.01
23) Nitrobenzene-d5	7.32	82	1108281	79.71	ng	-0.02
41) 2,4,6-Tribromophenol	10.58	330	340435	134.72	ng	-0.01
44) 2-Fluorobiphenyl	9.11	172	1757762	84.30	ng	-0.02
78) Terphenyl-d14	12.86	244	1746904	67.10	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030917\
Data File : BF093483.D
Acq On : 9 Mar 2017 18:54
Operator : SJ/MA
Sample : PB97463BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB97463BL

Quant Time: Mar 10 00:03:16 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 07 15:55:22 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.74 min Scan# 425

Delta R.T. -0.02 min

Lab File: BF093483.D

Acq: 9 Mar 2017 18:54

Instrument :

BNA_F

ClientSampleId :

PB97463BL


Tot Ion:152 Resp: 197678

Ion Ratio Lower Upper

152 100

150 161.2 124.9 187.3




115 65.2 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 114.42 ng

RT: 5.35 min Scan# 303

Delta R.T. -0.00 min

Lab File: BF093483.D

Acq: 9 Mar 2017 18:54


Tgt Ion:112 Resp: 1358990

Ion Ratio Lower Upper

112 100

64 67.6 46.1 69.1



63 34.6 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 110.82 ng

RT: 6.40 min Scan# 395

Delta R.T. -0.01 min

Lab File: BF093483.D

Acq: 9 Mar 2017 18:54

Instrument :

BNA_F

ClientSampleId :

PB97463BL


Tot Ion: 99 Resp: 1659863

Ion Ratio Lower Upper

99 100

42 21.4 15.6 23.4




71 34.0 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.04 min Scan# 538

Delta R.T. -0.02 min

Lab File: BF093483.D

Acq: 9 Mar 2017 18:54

Tgt Ion: 136 Resp: 771461


Ion Ratio Lower Upper

136 100

137 10.8 8.4 12.6

54 8.6 4.5 6.7#

68 6.6 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 79.71 ng
 RT: 7.32 min Scan# 475
 Delta R.T. -0.02 min
 Lab File: BF093483.D
 Acq: 9 Mar 2017 18:54

Instrument :
 BNA_F
 ClientSampleId :
 PB97463BL

Tot Ion: 82 Resp: 1108281
 Ion Ratio Lower Upper
 82 100
 128 38.0 34.6 52.0
 54 60.9 39.5 59.3#




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.78 min Scan# 691
 Delta R.T. -0.02 min
 Lab File: BF093483.D
 Acq: 9 Mar 2017 18:54

Tgt Ion: 164 Resp: 387855
 Ion Ratio Lower Upper
 164 100
 162 103.3 80.2 120.2
 160 45.0 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 134.72 ng
 RT: 10.58 min Scan# 761
 Delta R.T. -0.01 min
 Lab File: BF093483.D
 Acq: 9 Mar 2017 18:54




Instrument :
 BNA_F
 ClientSampleId :
 PB97463BL


Tot Ion:330 Resp: 340435
 Ion Ratio Lower Upper
 330 100
 332 97.1 77.4 116.2
 141 36.9 34.1 51.1



#44
 2-Fluorobiphenyl
 Concen: 84.30 ng
 RT: 9.11 min Scan# 632
 Delta R.T. -0.02 min
 Lab File: BF093483.D
 Acq: 9 Mar 2017 18:54

Tgt Ion:172 Resp: 1757762
 Ion Ratio Lower Upper
 172 100
 171 37.0 29.4 44.0
 170 24.6 20.2 30.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.27 min Scan# 821
Delta R.T. -0.01 min
Lab File: BF093483.D
Acq: 9 Mar 2017 18:54




Instrument :
BNA_F
ClientSampleId :
PB97463BL


Tot Ion:188 Resp: 735415
Ion Ratio Lower Upper
188 100
94 9.9 10.0 15.0#
80 10.4 11.2 16.8#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.91 min Scan# 1052
Delta R.T. -0.01 min
Lab File: BF093483.D
Acq: 9 Mar 2017 18:54

Tgt Ion:240 Resp: 676869
Ion Ratio Lower Upper
240 100
120 11.8 12.9 19.3#
236 26.8 20.9 31.3





#78

Terphenyl-d14

Concen: 67.10 ng

RT: 12.86 min Scan# 960

Delta R.T. -0.01 min

Lab File: BF093483.D

Acq: 9 Mar 2017 18:54

Instrument :

BNA_F

ClientSampleId :

PB97463BL


Tot Ion:244 Resp: 1746904

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2




122 10.7 11.4 17.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.32 min Scan# 1175

Delta R.T. -0.01 min

Lab File: BF093483.D

Acq: 9 Mar 2017 18:54


Tgt Ion:264 Resp: 590548

Ion Ratio Lower Upper

264 100

260 24.8 19.2 28.8

265 21.4 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

