

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030917\
 Data File : BF093493.D
 Acq On : 9 Mar 2017 23:29
 Operator : SJ/MA
 Sample : I2211-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-3-COMP-0-12FT

Quant Time: Mar 10 00:25:24 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 07 15:55:22 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.76	152	178350	20.00	ng	-0.01
21) Naphthalene-d8	8.04	136	741912	20.00	ng	-0.02
38) Acenaphthene-d10	9.78	164	348080	20.00	ng	-0.02
63) Phenanthrene-d10	11.27	188	665076	20.00	ng	-0.01
75) Chrysene-d12	13.91	240	592353	20.00	ng	-0.01
86) Perylene-d12	15.32	264	449701	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1039141	96.97	ng	0.00
7) Phenol-d6	6.40	99	1284106	95.03	ng	-0.01
23) Nitrobenzene-d5	7.33	82	830736	62.13	ng	-0.01
41) 2,4,6-Tribromophenol	10.58	330	228384	100.71	ng	-0.01
44) 2-Fluorobiphenyl	9.11	172	1207054	64.50	ng	-0.02
78) Terphenyl-d14	12.85	244	1021961	44.86	ng	-0.02
Target Compounds						
10) Phenol	6.41	94	94386	5.70	ng	91
49) Dimethylphthalate	9.51	163	153253	6.64	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030917\
Data File : BF093493.D
Acq On : 9 Mar 2017 23:29
Operator : SJ/MA
Sample : I2211-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-3-COMP-0-12FT

Quant Time: Mar 10 00:25:24 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 07 15:55:22 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.76 min Scan# 426

Delta R.T. -0.01 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29

Instrument :

BNA_F

ClientSampleId :

TP-3-COMP-0-12FT


Tot Ion:152 Resp: 178350

Ion Ratio Lower Upper

152 100

150 159.3 124.9 187.3




115 54.7 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 96.97 ng

RT: 5.35 min Scan# 303

Delta R.T. -0.00 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29


Tgt Ion:112 Resp: 1039141

Ion Ratio Lower Upper

112 100

64 57.7 46.1 69.1



63 28.8 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 95.03 ng

RT: 6.40 min Scan# 395

Delta R.T. -0.01 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29

Instrument :

BNA_F

ClientSampleId :

TP-3-COMP-0-12FT


Tot Ion: 99 Resp: 1284106

Ion Ratio Lower Upper




99 100

42 21.0 15.6 23.4

71 33.3 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 5.70 ng

RT: 6.41 min Scan# 396

Delta R.T. -0.02 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29


Tgt Ion: 94 Resp: 94386

Ion Ratio Lower Upper



94 100


65 32.4 21.4 61.4

66 59.7 44.0 84.0



Abundance Ion 94.00 (93.70 to 94.70): BF0
Ion 65.00 (64.70 to 65.70): BF0
Ion 66.00 (65.70 to 66.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.04 min Scan# 538
Delta R.T. -0.02 min
Lab File: BF093493.D
Acq: 9 Mar 2017 23:29




Instrument :
BNA_F
ClientSampleId :
TP-3-COMP-0-12FT


Tot Ion:	136	Resp:	741912
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.4	12.6
54	10.2	4.5	6.7#
68	7.5	3.6	5.4#



#23
Nitrobenzene-d5
Concen: 62.13 ng
RT: 7.33 min Scan# 476
Delta R.T. -0.01 min
Lab File: BF093493.D
Acq: 9 Mar 2017 23:29

Tgt Ion:	82	Resp:	830736
Ion	Ratio	Lower	Upper
82	100		
128	47.5	34.6	52.0
54	51.9	39.5	59.3









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.78 min Scan# 691
Delta R.T. -0.02 min
Lab File: BF093493.D
Acq: 9 Mar 2017 23:29

Instrument :
BNA_F
ClientSampleId :
TP-3-COMP-0-12FT

Tot Ion:164 Resp: 348080
Ion Ratio Lower Upper
164 100
162 101.9 80.2 120.2
160 45.3 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 100.71 ng
RT: 10.58 min Scan# 761
Delta R.T. -0.01 min
Lab File: BF093493.D
Acq: 9 Mar 2017 23:29

Tgt Ion:330 Resp: 228384
Ion Ratio Lower Upper
330 100
332 95.7 77.4 116.2
141 40.7 34.1 51.1



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E





#44

2-Fluorobiphenyl

Concen: 64.50 ng

RT: 9.11 min Scan# 632

Delta R.T. -0.02 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29

Instrument :

BNA_F

ClientSampleId :

TP-3-COMP-0-12FT


Tot Ion:172 Resp: 1207054

Ion Ratio Lower Upper

172 100

171 36.1 29.4 44.0




170 24.3 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#49

Dimethylphthalate

Concen: 6.64 ng

RT: 9.51 min Scan# 667

Delta R.T. -0.02 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29


Tgt Ion:163 Resp: 153253

Ion Ratio Lower Upper

163 100

194 3.3 3.0 4.4



164 10.6 8.0 12.0




Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.27 min Scan# 821
Delta R.T. -0.01 min
Lab File: BF093493.D
Acq: 9 Mar 2017 23:29

Instrument :
BNA_F
ClientSampleId :
TP-3-COMP-0-12FT

Tot Ion:188 Resp: 665076
Ion Ratio Lower Upper
188 100
94 10.8 10.0 15.0
80 11.8 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.91 min Scan# 1052
Delta R.T. -0.01 min
Lab File: BF093493.D
Acq: 9 Mar 2017 23:29

Tgt Ion:240 Resp: 592353
Ion Ratio Lower Upper
240 100
120 11.2 12.9 19.3#
236 26.7 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 44.86 ng

RT: 12.85 min Scan# 959

Delta R.T. -0.02 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29

Instrument :

BNA_F

ClientSampleId :

TP-3-COMP-0-12FT


Tot Ion:244 Resp: 1021961

Ion Ratio Lower Upper

244 100

212 8.1 6.2 9.2




122 15.1 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.32 min Scan# 1175

Delta R.T. -0.01 min

Lab File: BF093493.D

Acq: 9 Mar 2017 23:29


Tgt Ion:264 Resp: 449701

Ion Ratio Lower Upper

264 100

260 24.3 19.2 28.8

265 21.8 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

