

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031017\
 Data File : BF093537.D
 Acq On : 10 Mar 2017 22:14
 Operator : SJ/MA
 Sample : I2172-29
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 D-57

Quant Time: Mar 11 00:14:33 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 07 15:55:22 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	183529	20.00	ng	-0.02
21) Naphthalene-d8	8.02	136	748323	20.00	ng	-0.03
38) Acenaphthene-d10	9.77	164	347591	20.00	ng	-0.03
63) Phenanthrene-d10	11.26	188	663686	20.00	ng	-0.02
75) Chrysene-d12	13.90	240	561317	20.00	ng	-0.02
86) Perylene-d12	15.31	264	394945	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	1405152	127.43	ng	0.01
7) Phenol-d6	6.41	99	1738412	125.01	ng	0.00
23) Nitrobenzene-d5	7.32	82	1229585	91.17	ng	-0.02
41) 2,4,6-Tribromophenol	10.57	330	340466	150.34	ng	-0.02
44) 2-Fluorobiphenyl	9.10	172	1649898	88.29	ng	-0.03
78) Terphenyl-d14	12.85	244	1691465	78.35	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031017\
Data File : BF093537.D
Acq On : 10 Mar 2017 22:14
Operator : SJ/MA
Sample : I2172-29
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
D-57

Quant Time: Mar 11 00:14:33 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 07 15:55:22 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.74 min Scan# 425
Delta R.T. -0.02 min
Lab File: BF093537.D
Acq: 10 Mar 2017 22:14

Instrument :
BNA_F
ClientSampleId :
D-57

Tot Ion:152 Resp: 183529
Ion Ratio Lower Upper
152 100
150 151.8 124.9 187.3
115 53.7 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 127.43 ng
RT: 5.36 min Scan# 304
Delta R.T. 0.01 min
Lab File: BF093537.D
Acq: 10 Mar 2017 22:14

Tgt Ion:112 Resp: 1405152
Ion Ratio Lower Upper
112 100
64 60.0 46.1 69.1
63 30.3 23.8 35.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 125.01 ng

RT: 6.41 min Scan# 396

Delta R.T. -0.00 min

Lab File: BF093537.D

Acq: 10 Mar 2017 22:14

Instrument :

BNA_F

ClientSampled :

D-57


Tot Ion: 99 Resp: 1738412

Ion Ratio Lower Upper

99 100

42 18.0 15.6 23.4




71 31.0 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.02 min Scan# 537

Delta R.T. -0.03 min

Lab File: BF093537.D

Acq: 10 Mar 2017 22:14

Tgt Ion: 136 Resp: 748323


Ion Ratio Lower Upper

136 100

137 11.0 8.4 12.6

54 10.6 4.5 6.7#

68 7.7 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 91.17 ng
 RT: 7.32 min Scan# 475
 Delta R.T. -0.02 min
 Lab File: BF093537.D
 Acq: 10 Mar 2017 22:14

Instrument :
 BNA_F
 ClientSampleID :
 D-57

Tot Ion: 82 Resp: 1229585




Ion	Ratio	Lower	Upper
82	100		
128	42.0	34.6	52.0
54	56.8	39.5	59.3




#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.77 min Scan# 690
 Delta R.T. -0.03 min
 Lab File: BF093537.D
 Acq: 10 Mar 2017 22:14

Tgt Ion: 164 Resp: 347591

Ion	Ratio	Lower	Upper
164	100		
162	102.6	80.2	120.2
160	44.8	36.9	55.3









#41
 2,4,6-Tribromophenol
 Concen: 150.34 ng
 RT: 10.57 min Scan# 760
 Delta R.T. -0.02 min
 Lab File: BF093537.D
 Acq: 10 Mar 2017 22:14

Instrument :
 BNA_F
 ClientSampleId :
 D-57

Tot Ion:330 Resp: 340466
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.4 116.2
 141 40.3 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 88.29 ng
 RT: 9.10 min Scan# 631
 Delta R.T. -0.03 min
 Lab File: BF093537.D
 Acq: 10 Mar 2017 22:14

Tgt Ion:172 Resp: 1649898
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.4 44.0
 170 24.8 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.26 min Scan# 820
Delta R.T. -0.02 min
Lab File: BF093537.D
Acq: 10 Mar 2017 22:14

Instrument :
BNA_F
ClientSampleId :
D-57

Tot Ion:188 Resp: 663686
Ion Ratio Lower Upper
188 100
94 12.0 10.0 15.0
80 12.6 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.90 min Scan# 1051
Delta R.T. -0.02 min
Lab File: BF093537.D
Acq: 10 Mar 2017 22:14

Tgt Ion:240 Resp: 561317
Ion Ratio Lower Upper
240 100
120 14.1 12.9 19.3
236 25.7 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 78.35 ng

RT: 12.85 min Scan# 959

Delta R.T. -0.02 min

Lab File: BF093537.D

Acq: 10 Mar 2017 22:14

Instrument :

BNA_F

ClientSampleId :

D-57


Tot Ion:244 Resp: 1691465

Ion Ratio Lower Upper

244 100

212 7.7 6.2 9.2




122 11.5 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.31 min Scan# 1174

Delta R.T. -0.02 min

Lab File: BF093537.D

Acq: 10 Mar 2017 22:14


Tgt Ion:264 Resp: 394945

Ion Ratio Lower Upper

264 100

260 23.4 19.2 28.8

265 22.0 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

