

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031125\
 Data File : BF141920.D
 Acq On : 11 Mar 2025 17:12
 Operator : RC/JU
 Sample : Q1534-12
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OR-636-COMP-17

Quant Time: Mar 11 17:45:17 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	157014	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	598670	20.000	ng	0.00
39) Acenaphthene-d10	9.910	164	308849	20.000	ng	0.00
64) Phenanthrene-d10	11.398	188	478648	20.000	ng	0.00
76) Chrysene-d12	14.033	240	391748	20.000	ng	0.00
86) Perylene-d12	15.510	264	297064	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1170295	124.395	ng	0.02
7) Phenol-d6	6.504	99	1314838	109.768	ng	0.00
23) Nitrobenzene-d5	7.440	82	1012159	95.145	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	518852	132.422	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	2120758	104.429	ng	0.00
79) Terphenyl-d14	12.986	244	2314558	87.351	ng	0.00
Target Compounds						
77) Benzidine	12.733	184	184752	33.803	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031125\
Data File : BF141920.D
Acq On : 11 Mar 2025 17:12
Operator : RC/JU
Sample : Q1534-12
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OR-636-COMP-17

Quant Time: Mar 11 17:45:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 814
Delta R.T. -0.000 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12




Instrument :
BNA_F
ClientSampleId :
OR-636-COMP-17


Tgt Ion:152 Resp: 157014
Ion Ratio Lower Upper
152 100
150 156.0 127.4 191.2
115 62.5 51.9 77.9



#5
2-Fluorophenol
Concen: 124.395 ng
RT: 5.510 min Scan# 581
Delta R.T. 0.018 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12

Tgt Ion:112 Resp: 1170295
Ion Ratio Lower Upper
112 100
64 56.7 46.5 69.7
63 30.9 25.4 38.2









#7
Phenol-d6
Concen: 109.768 ng
RT: 6.504 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12




Instrument :
BNA_F
ClientSampleId :
OR-636-COMP-17


Tgt Ion: 99 Resp: 1314838
Ion Ratio Lower Upper
99 100
42 17.8 14.6 21.8
71 38.4 30.8 46.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12

Tgt Ion:136 Resp: 598670
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 7.2 5.8 8.8
68 5.0 4.1 6.1









#23
Nitrobenzene-d5
Concen: 95.145 ng
RT: 7.440 min Scan# 90
Delta R.T. -0.006 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12




Instrument :
BNA_F
ClientSampleId :
OR-636-COMP-17

Tgt Ion: 82 Resp: 1012159
Ion Ratio Lower Upper
82 100
128 44.8 36.0 54.0
54 48.9 39.6 59.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.910 min Scan# 1329
Delta R.T. -0.006 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12

Tgt Ion:164 Resp: 308849
Ion Ratio Lower Upper
164 100
162 102.3 81.8 122.6
160 45.9 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 132.422 ng

RT: 10.704 min Scan# 1464

Delta R.T. 0.000 min

Lab File: BF141920.D

Acq: 11 Mar 2025 17:12

Instrument :

BNA_F

ClientSampleId :

OR-636-COMP-17





Tgt Ion:330 Resp: 518852

Ion Ratio Lower Upper

330 100

332 96.6 77.6 116.4

141 30.2 24.7 37.1



#45

2-Fluorobiphenyl

Concen: 104.429 ng

RT: 9.234 min Scan# 1214

Delta R.T. -0.006 min

Lab File: BF141920.D

Acq: 11 Mar 2025 17:12




Tgt Ion:172 Resp: 2120758

Ion Ratio Lower Upper

172 100

171 36.1 29.3 43.9

170 24.0 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12




Instrument :
BNA_F
ClientSampleId :
OR-636-COMP-17


Tgt Ion:188 Resp: 478648
Ion Ratio Lower Upper
188 100
94 8.6 6.8 10.2
80 9.3 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF141920.D
Acq: 11 Mar 2025 17:12

Tgt Ion:240 Resp: 391748
Ion Ratio Lower Upper
240 100
120 9.9 8.4 12.6
236 25.6 20.5 30.7





#77

Benzidine

Concen: 33.803 ng

RT: 12.733 min Scan# 1809

Delta R.T. 0.000 min

Lab File: BF141920.D

Acq: 11 Mar 2025 17:12

Instrument :

BNA_F

ClientSampleId :

OR-636-COMP-17





Tgt Ion:184 Resp: 184752

Ion Ratio Lower Upper

184 100

185 14.6 11.5 17.3

183 12.0 9.7 14.5



#79

Terphenyl-d14

Concen: 87.351 ng

RT: 12.986 min Scan# 1852

Delta R.T. 0.000 min

Lab File: BF141920.D

Acq: 11 Mar 2025 17:12




Tgt Ion:244 Resp: 2314558


Ion Ratio Lower Upper

244 100

212 7.1 6.0 9.0

122 9.4 7.7 11.5





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.510 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BF141920.D
 Acq: 11 Mar 2025 17:12

Instrument :
 BNA_F
 ClientSampleId :
 OR-636-COMP-17

Tgt Ion:264 Resp: 297064
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.1 28.7
 265 21.2 17.5 26.3

