

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031220\
 Data File : BF119396.D
 Acq On : 12 Mar 2020 22:57
 Operator : CG/JU
 Sample : L1852-12
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-2-D

Quant Time: Mar 13 04:03:09 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 06 23:38:46 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	129123	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	509886	20.00	ng	0.00
39) Acenaphthene-d10	9.76	164	288669	20.00	ng	0.00
64) Phenanthrene-d10	11.24	188	558161	20.00	ng	0.00
76) Chrysene-d12	13.90	240	440263	20.00	ng	0.01
87) Perylene-d12	15.33	264	429504	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	934836	120.99	ng	0.02
7) Phenol-d6	6.38	99	1061062	112.92	ng	0.00
23) Nitrobenzene-d5	7.29	82	838154	86.79	ng	0.00
42) 2,4,6-Tribromophenol	10.56	330	465058	123.15	ng	0.00
45) 2-Fluorobiphenyl	9.08	172	1609911	82.16	ng	0.00
79) Terphenyl-d14	12.83	244	2109442	82.49	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.48	163	237513	10.760	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031220\
Data File : BF119396.D
Acq On : 12 Mar 2020 22:57
Operator : CG/JU
Sample : L1852-12
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-2-D

Quant Time: Mar 13 04:03:09 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 06 23:38:46 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.72 min Scan# 788
Delta R.T. 0.00 min
Lab File: BF119396.D
Acq: 12 Mar 2020 22:57

Instrument :
BNA_F
ClientSampled :
TP-2-D

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.1	123.0	184.6
115	61.0	49.5	74.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 120.991 ng
RT: 5.37 min Scan# 558
Delta R.T. 0.02 min
Lab File: BF119396.D
Acq: 12 Mar 2020 22:57

Tgt Ion	Ratio	Lower	Upper
112	100		
64	53.5	45.0	67.4
63	29.4	24.2	36.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 112.917 ng

RT: 6.38 min Scan# 730

Delta R.T. 0.00 min

Lab File: BF119396.D

Acq: 12 Mar 2020 22:57

Instrument :

BNA_F

ClientSampled :

TP-2-D


Tot Ion: 99 Resp: 1061062

Ion Ratio Lower Upper




99 100

42 15.3 12.6 18.8

71 39.8 31.0 46.4



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 1006

Delta R.T. -0.01 min

Lab File: BF119396.D

Acq: 12 Mar 2020 22:57

Tgt Ion: 136 Resp: 509886


Ion Ratio Lower Upper

136 100



137 10.7 8.8 13.2


54 5.2 3.8 5.6

68 5.4 3.9 5.9



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 86.793 ng

RT: 7.29 min Scan# 885

Delta R.T. 0.00 min

Lab File: BF119396.D

Acq: 12 Mar 2020 22:57

Instrument :

BNA_F

ClientSampleId :

TP-2-D


Tot Ion: 82 Resp: 838154

Ion Ratio Lower Upper

82 100

128 47.2 37.9 56.9




54 40.5 33.4 50.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.76 min Scan# 1304

Delta R.T. -0.01 min

Lab File: BF119396.D

Acq: 12 Mar 2020 22:57


Tgt Ion:164 Resp: 288669

Ion Ratio Lower Upper

164 100

162 103.1 81.8 122.8



160 45.1 36.0 54.0




Abundance Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1

Ion 160.00 (159.70 to 160.70): BF1









#42
 2,4,6-Tribromophenol
 Concen: 123.153 ng
 RT: 10.56 min Scan# 1440
 Delta R.T. 0.00 min
 Lab File: BF119396.D
 Acq: 12 Mar 2020 22:57

Instrument :
 BNA_F
 ClientSampled :
 TP-2-D

Tot Ion:330 Resp: 465058
 Ion Ratio Lower Upper
 330 100
 332 98.0 76.0 114.0
 141 31.1 22.9 34.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 82.159 ng
 RT: 9.08 min Scan# 1189
 Delta R.T. -0.01 min
 Lab File: BF119396.D
 Acq: 12 Mar 2020 22:57

Tgt Ion:172 Resp: 1609911
 Ion Ratio Lower Upper
 172 100
 171 36.7 30.6 45.8
 170 24.4 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 10.760 ng

RT: 9.48 min Scan# 1257

Delta R.T. -0.01 min

Lab File: BF119396.D

Acq: 12 Mar 2020 22:57

Instrument :

BNA_F

ClientSampleId :

TP-2-D


Tot Ion:163 Resp: 237513

Ion Ratio Lower Upper

163 100

194 4.2 3.5 5.3




164 9.8 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.24 min Scan# 1557

Delta R.T. 0.00 min

Lab File: BF119396.D

Acq: 12 Mar 2020 22:57


Tgt Ion:188 Resp: 558161

Ion Ratio Lower Upper

188 100

94 8.8 7.1 10.7



80 9.6 7.8 11.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.90 min Scan# 2008
 Delta R.T. 0.01 min
 Lab File: BF119396.D
 Acq: 12 Mar 2020 22:57




Instrument :
 BNA_F
 ClientSampleID :
 TP-2-D


Tot Ion:240 Resp: 440263
 Ion Ratio Lower Upper
 240 100
 120 9.4 8.4 12.6
 236 25.9 21.0 31.4



#79
 Terphenyl-d14
 Concen: 82.491 ng
 RT: 12.83 min Scan# 1827
 Delta R.T. 0.01 min
 Lab File: BF119396.D
 Acq: 12 Mar 2020 22:57

Tgt Ion:244 Resp: 2109442
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.6 10.0
 122 9.7 8.2 12.2






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.33 min Scan# 2252
Delta R.T. 0.02 min
Lab File: BF119396.D
Acq: 12 Mar 2020 22:57

Instrument :
BNA_F
ClientSampleId :
TP-2-D

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.4	29.2
265	21.3	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

