

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031315\
 Data File : BF077744.D
 Acq On : 13 Mar 2015 17:19
 Operator : TP/IZ
 Sample : G1517-05
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW5

Quant Time: Mar 13 23:46:06 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 13 14:04:45 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.17	152	55276	20.00	ng	0.00
21) Naphthalene-d8	8.74	136	226216	20.00	ng	-0.01
38) Acenaphthene-d10	10.91	164	120393	20.00	ng	0.00
63) Phenanthrene-d10	12.75	188	232636	20.00	ng	0.00
75) Chrysene-d12	16.03	240	242624	20.00	ng	0.00
86) Perylene-d12	17.73	264	234033	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	177216	55.96	ng	0.00
7) Phenol-d6	6.74	99	134039	34.26	ng	0.00
23) Nitrobenzene-d5	7.86	82	284700	82.50	ng	0.00
41) 2,4,6-Tribromophenol	11.89	330	131406	114.08	ng	0.00
44) 2-Fluorobiphenyl	10.09	172	652873	79.69	ng	0.00
78) Terphenyl-d14	14.74	244	672156	67.67	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031315\
Data File : BF077744.D
Acq On : 13 Mar 2015 17:19
Operator : TP/IZ
Sample : G1517-05
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW5

Quant Time: Mar 13 23:46:06 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 13 14:04:45 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.17 min Scan# 550

Delta R.T. 0.00 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19

Instrument :

BNA_F

ClientSampleId :

MW5


Tgt Ion:152 Resp: 55276

Ion Ratio Lower Upper

152 100

150 152.9 119.5 179.3



115 51.2 43.0 64.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 55.96 ng

RT: 5.46 min Scan# 400

Delta R.T. 0.00 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19


Tgt Ion:112 Resp: 177216

Ion Ratio Lower Upper

112 100

64 49.7 38.6 57.8



63 25.8 19.3 28.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 34.26 ng

RT: 6.74 min Scan# 512

Delta R.T. 0.00 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19

Instrument :

BNA_F

ClientSampleId :

MW5


Tgt Ion: 99 Resp: 134039

Ion Ratio Lower Upper

99 100

42 13.4 11.0 16.4




71 28.2 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.74 min Scan# 687

Delta R.T. -0.01 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19

Tgt Ion: 136 Resp: 226216


Ion Ratio Lower Upper

136 100

137 11.3 8.7 13.1

54 9.0 4.6 6.8#

68 7.3 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 82.50 ng

RT: 7.86 min Scan# 610

Delta R.T. 0.00 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19

Instrument :

BNA_F

ClientSampleId :

MW5


Tgt Ion: 82 Resp: 284700

Ion Ratio Lower Upper




82 100

128 42.3 32.8 49.2

54 51.0 40.6 60.8



Abundance Ion 82.00 (81.70 to 82.70): BF077744.D (-601) (-)



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.91 min Scan# 877

Delta R.T. 0.00 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19


Tgt Ion: 164 Resp: 120393

Ion Ratio Lower Upper



164 100

162 102.0 82.4 123.6

160 44.0 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): BF077744.D (-868) (-)









#41
 2,4,6-Tribromophenol
 Concen: 114.08 ng
 RT: 11.89 min Scan# 963
 Delta R.T. 0.00 min
 Lab File: BF077744.D
 Acq: 13 Mar 2015 17:19




Instrument :
 BNA_F
 ClientSampleId :
 MW5

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.2	0.0	0.0#
141	39.1	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 79.69 ng
 RT: 10.09 min Scan# 805
 Delta R.T. 0.00 min
 Lab File: BF077744.D
 Acq: 13 Mar 2015 17:19

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.5	42.7
170	23.8	18.8	28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.75 min Scan# 1038
Delta R.T. 0.00 min
Lab File: BF077744.D
Acq: 13 Mar 2015 17:19

Instrument :
BNA_F
ClientSampleId :
MW5

Tgt Ion:188 Resp: 232636
Ion Ratio Lower Upper
188 100
94 8.5 8.7 13.1#
80 9.2 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.03 min Scan# 1325
Delta R.T. 0.00 min
Lab File: BF077744.D
Acq: 13 Mar 2015 17:19

Tgt Ion:240 Resp: 242624
Ion Ratio Lower Upper
240 100
120 7.6 8.2 12.2#
236 25.1 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 67.67 ng

RT: 14.74 min Scan# 1212

Delta R.T. 0.00 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19

Instrument :

BNA_F

ClientSampleId :

MW5


Tgt Ion:244 Resp: 672156

Ion Ratio Lower Upper

244 100

212 7.0 4.9 7.3




122 15.6 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.73 min Scan# 1474

Delta R.T. -0.06 min

Lab File: BF077744.D

Acq: 13 Mar 2015 17:19


Tgt Ion:264 Resp: 234033

Ion Ratio Lower Upper

264 100

260 23.5 18.6 27.8

265 21.1 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

