

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031315\
 Data File : BF077745.D
 Acq On : 13 Mar 2015 17:48
 Operator : TP/IZ
 Sample : G1517-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW6

Quant Time: Mar 13 23:49:22 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 13 14:04:45 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.17	152	58132	20.00	ng	0.00
21) Naphthalene-d8	8.74	136	232557	20.00	ng	-0.01
38) Acenaphthene-d10	10.91	164	124024	20.00	ng	0.00
63) Phenanthrene-d10	12.75	188	245745	20.00	ng	0.00
75) Chrysene-d12	16.03	240	246975	20.00	ng	0.00
86) Perylene-d12	17.78	264	237676	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	190890	57.32	ng	0.00
7) Phenol-d6	6.74	99	147207	35.78	ng	0.00
23) Nitrobenzene-d5	7.86	82	309349	87.20	ng	0.00
41) 2,4,6-Tribromophenol	11.89	330	141096	118.90	ng	0.00
44) 2-Fluorobiphenyl	10.09	172	689287	81.68	ng	0.00
78) Terphenyl-d14	14.75	244	770815	76.24	ng	0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031315\
Data File : BF077745.D
Acq On : 13 Mar 2015 17:48
Operator : TP/IZ
Sample : G1517-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW6

Quant Time: Mar 13 23:49:22 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 13 14:04:45 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.17 min Scan# 550

Delta R.T. -0.00 min

Lab File: BF077745.D

Acq: 13 Mar 2015 17:48

Instrument :

BNA_F

ClientSampleId :

MW6


Tgt Ion:152 Resp: 58132

Ion Ratio Lower Upper

152 100

150 153.5 119.5 179.3




115 52.7 43.0 64.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 57.32 ng

RT: 5.46 min Scan# 400

Delta R.T. -0.00 min

Lab File: BF077745.D

Acq: 13 Mar 2015 17:48


Tgt Ion:112 Resp: 190890

Ion Ratio Lower Upper

112 100

64 48.9 38.6 57.8



63 24.3 19.3 28.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 35.78 ng

RT: 6.74 min Scan# 512

Delta R.T. -0.00 min

Lab File: BF077745.D

Acq: 13 Mar 2015 17:48

Instrument :

BNA_F

ClientSampleId :

MW6


Tgt Ion: 99 Resp: 147207

Ion Ratio Lower Upper

99 100

42 13.6 11.0 16.4




71 27.9 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.74 min Scan# 687

Delta R.T. -0.01 min

Lab File: BF077745.D

Acq: 13 Mar 2015 17:48

Tgt Ion: 136 Resp: 232557


Ion Ratio Lower Upper

136 100

137 11.5 8.7 13.1

54 9.0 4.6 6.8#

68 7.3 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 87.20 ng
 RT: 7.86 min Scan# 610
 Delta R.T. -0.00 min
 Lab File: BF077745.D
 Acq: 13 Mar 2015 17:48

Instrument :
 BNA_F
 ClientSampleId :
 MW6

Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.8	32.8	49.2
54	51.3	40.6	60.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.91 min Scan# 877
 Delta R.T. -0.00 min
 Lab File: BF077745.D
 Acq: 13 Mar 2015 17:48

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.8	82.4	123.6
160	43.5	35.8	53.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 118.90 ng
 RT: 11.89 min Scan# 963
 Delta R.T. -0.00 min
 Lab File: BF077745.D
 Acq: 13 Mar 2015 17:48




Instrument :
 BNA_F
 ClientSampleId :
 MW6


Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.7	0.0	0.0#
141	37.4	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 81.68 ng
 RT: 10.09 min Scan# 805
 Delta R.T. -0.00 min
 Lab File: BF077745.D
 Acq: 13 Mar 2015 17:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	28.5	42.7
170	23.9	18.8	28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.75 min Scan# 1038
Delta R.T. -0.00 min
Lab File: BF077745.D
Acq: 13 Mar 2015 17:48

Instrument :
BNA_F
ClientSampleId :
MW6

Tgt Ion:188 Resp: 245745
Ion Ratio Lower Upper
188 100
94 9.3 8.7 13.1
80 9.0 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.03 min Scan# 1325
Delta R.T. -0.00 min
Lab File: BF077745.D
Acq: 13 Mar 2015 17:48

Tgt Ion:240 Resp: 246975
Ion Ratio Lower Upper
240 100
120 11.5 8.2 12.2
236 25.7 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 76.24 ng
 RT: 14.75 min Scan# 1213
 Delta R.T. 0.01 min
 Lab File: BF077745.D
 Acq: 13 Mar 2015 17:48

Instrument :
 BNA_F
 ClientSampleId :
 MW6

Tgt Ion:244 Resp: 770815
 Ion Ratio Lower Upper
 244 100
 212 6.1 4.9 7.3
 122 7.4 6.2 9.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.78 min Scan# 1478
 Delta R.T. -0.01 min
 Lab File: BF077745.D
 Acq: 13 Mar 2015 17:48

Tgt Ion:264 Resp: 237676
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.6 27.8
 265 21.0 17.3 25.9

