

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031315\
 Data File : BF077746.D
 Acq On : 13 Mar 2015 18:17
 Operator : TP/IZ
 Sample : G1519-09
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GW1

Quant Time: Mar 14 03:16:45 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 13 14:04:45 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.17	152	58503	20.00	ng	0.00
21) Naphthalene-d8	8.74	136	242217	20.00	ng	-0.01
38) Acenaphthene-d10	10.91	164	124147	20.00	ng	0.00
63) Phenanthrene-d10	12.75	188	251367	20.00	ng	0.00
75) Chrysene-d12	16.04	240	249675	20.00	ng	0.01
86) Perylene-d12	17.81	264	239232	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	204978	61.16	ng	0.00
7) Phenol-d6	6.74	99	164060	39.62	ng	0.00
23) Nitrobenzene-d5	7.86	82	292149	79.06	ng	0.00
41) 2,4,6-Tribromophenol	11.89	330	131908	111.05	ng	0.00
44) 2-Fluorobiphenyl	10.09	172	661699	78.33	ng	0.00
78) Terphenyl-d14	14.75	244	782979	76.60	ng	0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031315\
Data File : BF077746.D
Acq On : 13 Mar 2015 18:17
Operator : TP/IZ
Sample : G1519-09
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GW1

Quant Time: Mar 14 03:16:45 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 13 14:04:45 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.17 min Scan# 550

Delta R.T. -0.00 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17

Instrument :

BNA_F

ClientSampleId :

GW1


Tgt Ion:152 Resp: 58503

Ion Ratio Lower Upper

152 100

150 151.2 119.5 179.3




115 49.2 43.0 64.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 61.16 ng

RT: 5.46 min Scan# 400

Delta R.T. -0.00 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17


Tgt Ion:112 Resp: 204978

Ion Ratio Lower Upper

112 100

64 51.0 38.6 57.8



63 25.1 19.3 28.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 39.62 ng

RT: 6.74 min Scan# 512

Delta R.T. -0.00 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17

Instrument :

BNA_F

ClientSampleId :

GW1


Tgt Ion: 99 Resp: 164060

Ion Ratio Lower Upper

99 100

42 13.5 11.0 16.4




71 28.3 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.74 min Scan# 687

Delta R.T. -0.01 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17

Tgt Ion: 136 Resp: 242217


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 9.1 4.6 6.8#

68 6.5 3.7 5.5#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 79.06 ng

RT: 7.86 min Scan# 610

Delta R.T. -0.00 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17

Instrument :

BNA_F

ClientSampleId :

GW1


Tgt Ion: 82 Resp: 292149

Ion Ratio Lower Upper

82 100

128 42.8 32.8 49.2




54 49.5 40.6 60.8



Abundance Ion 82.00 (81.70 to 82.70): BF077746.D (-601) (-)

Ion 128.00 (127.70 to 128.70): BF077746.D (-601) (-)

Ion 54.00 (53.70 to 54.70): BF077746.D (-601) (-)



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.91 min Scan# 877

Delta R.T. -0.00 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17


Tgt Ion: 164 Resp: 124147

Ion Ratio Lower Upper

164 100

162 104.8 82.4 123.6



160 43.9 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): BF077746.D (-868) (-)

Ion 162.00 (161.70 to 162.70): BF077746.D (-868) (-)

Ion 160.00 (159.70 to 160.70): BF077746.D (-868) (-)








#41
 2,4,6-Tribromophenol
 Concen: 111.05 ng
 RT: 11.89 min Scan# 963
 Delta R.T. -0.00 min
 Lab File: BF077746.D
 Acq: 13 Mar 2015 18:17

Instrument :
 BNA_F
 ClientSampleId :
 GW1

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.4	0.0	0.0#
141	38.4	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 78.33 ng
 RT: 10.09 min Scan# 805
 Delta R.T. -0.00 min
 Lab File: BF077746.D
 Acq: 13 Mar 2015 18:17

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.5	42.7
170	23.4	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.75 min Scan# 1038
Delta R.T. -0.00 min
Lab File: BF077746.D
Acq: 13 Mar 2015 18:17

Instrument :
BNA_F
ClientSampleId :
GW1

Tgt Ion:188 Resp: 251367
Ion Ratio Lower Upper
188 100
94 8.6 8.7 13.1#
80 9.2 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.04 min Scan# 1326
Delta R.T. 0.01 min
Lab File: BF077746.D
Acq: 13 Mar 2015 18:17

Tgt Ion:240 Resp: 249675
Ion Ratio Lower Upper
240 100
120 8.3 8.2 12.2
236 25.7 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 76.60 ng

RT: 14.75 min Scan# 1213

Delta R.T. 0.01 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17

Instrument :

BNA_F

ClientSampleId :

GW1


Tgt Ion:244 Resp: 782979

Ion Ratio Lower Upper

244 100

212 6.4 4.9 7.3




122 7.7 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.81 min Scan# 1481

Delta R.T. 0.02 min

Lab File: BF077746.D

Acq: 13 Mar 2015 18:17


Tgt Ion:264 Resp: 239232

Ion Ratio Lower Upper

264 100

260 23.3 18.6 27.8

265 21.7 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

