

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031317\
 Data File : BF093608.D
 Acq On : 13 Mar 2017 15:40
 Operator : SJ/MA
 Sample : PB97540BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB97540BL

Quant Time: Mar 14 01:02:41 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 13 15:05:08 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.71	152	162136	20.00	ng	-0.01
21) Naphthalene-d8	8.00	136	678335	20.00	ng	-0.01
38) Acenaphthene-d10	9.76	164	323003	20.00	ng	0.00
63) Phenanthrene-d10	11.25	188	607390	20.00	ng	0.00
75) Chrysene-d12	13.90	240	434918	20.00	ng	0.01
86) Perylene-d12	15.31	264	301450	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	1307925	134.26	ng	-0.01
7) Phenol-d6	6.37	99	1645212	133.92	ng	-0.01
23) Nitrobenzene-d5	7.28	82	1011941	82.77	ng	-0.02
41) 2,4,6-Tribromophenol	10.55	330	277763	131.99	ng	0.00
44) 2-Fluorobiphenyl	9.08	172	1561445	89.92	ng	-0.01
78) Terphenyl-d14	12.84	244	1300339	77.73	ng	0.01
Target Compounds						
9) Benzaldehyde	6.37	77	2115	Below Cal	#	1
19) n-Nitroso-di-n-propylamine	7.28	70	136610	16.17	ng	# 83
25) Isophorone	7.28	82	967185	39.23	ng	# 65
50) 2,6-Dinitrotoluene	9.76	165	39300	8.36	ng	# 32
56) 2,4-Dinitrotoluene	9.76	165	39302	6.81	ng	# 21
66) 4-Bromophenyl-phenylether	10.55	248	19832	3.09	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031317\
Data File : BF093608.D
Acq On : 13 Mar 2017 15:40
Operator : SJ/MA
Sample : PB97540BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB97540BL

Quant Time: Mar 14 01:02:41 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 13 15:05:08 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.71 min Scan# 422

Delta R.T. -0.01 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40

Instrument :

BNA_F

ClientSampleId :

PB97540BL


Tgt Ion:152 Resp: 162136

Ion Ratio Lower Upper

152 100

150 160.2 124.9 187.3




115 57.8 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 134.26 ng

RT: 5.30 min Scan# 299

Delta R.T. -0.01 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40


Tgt Ion:112 Resp: 1307925

Ion Ratio Lower Upper

112 100

64 67.4 46.1 69.1



63 34.7 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 133.92 ng

RT: 6.37 min Scan# 392

Delta R.T. -0.01 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40

Instrument :

BNA_F

ClientSampleId :

PB97540BL


Tgt Ion: 99 Resp: 1645212

Ion Ratio Lower Upper

99 100

42 20.5 15.6 23.4




71 33.7 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.17 ng

RT: 7.28 min Scan# 472

Delta R.T. 0.14 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40

Tgt Ion: 70 Resp: 136610


Ion Ratio Lower Upper

70 100

42 53.5 49.4 74.0

101 0.0 7.4 11.2#

130 2.1 14.2 21.4#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.00 min Scan# 535
Delta R.T. -0.01 min
Lab File: BF093608.D
Acq: 13 Mar 2017 15:40

Instrument :
BNA_F
ClientSampleId :
PB97540BL

Tgt Ion:136 Resp: 678335
Ion Ratio Lower Upper
136 100
137 10.9 8.4 12.6
54 8.8 4.5 6.7#
68 6.5 3.6 5.4#




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 82.77 ng
RT: 7.28 min Scan# 472
Delta R.T. -0.02 min
Lab File: BF093608.D
Acq: 13 Mar 2017 15:40

Tgt Ion: 82 Resp: 1011941
Ion Ratio Lower Upper
82 100
128 39.0 34.6 52.0
54 58.7 39.5 59.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 39.23 ng

RT: 7.28 min Scan# 472

Delta R.T. -0.27 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40

Instrument :

BNA_F

ClientSampleId :

PB97540BL


Tgt Ion: 82 Resp: 967185

Ion Ratio Lower Upper

82 100

95 0.0 5.6 8.4#




138 0.0 14.6 22.0#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.76 min Scan# 689

Delta R.T. 0.00 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40


Tgt Ion: 164 Resp: 323003

Ion Ratio Lower Upper

164 100

162 102.7 80.2 120.2



160 46.9 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 131.99 ng
 RT: 10.55 min Scan# 758
 Delta R.T. 0.00 min
 Lab File: BF093608.D
 Acq: 13 Mar 2017 15:40

Instrument :
 BNA_F
 ClientSampleID :
 PB97540BL

Tgt Ion:330 Resp: 277763
 Ion Ratio Lower Upper
 330 100
 332 95.7 77.4 116.2
 141 40.5 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.92 ng
 RT: 9.08 min Scan# 629
 Delta R.T. -0.01 min
 Lab File: BF093608.D
 Acq: 13 Mar 2017 15:40

Tgt Ion:172 Resp: 1561445
 Ion Ratio Lower Upper
 172 100
 171 35.7 29.4 44.0
 170 24.6 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
 2,6-Dinitrotoluene
 Concen: 8.36 ng
 RT: 9.76 min Scan# 689
 Delta R.T. 0.19 min
 Lab File: BF093608.D
 Acq: 13 Mar 2017 15:40

Instrument :
 BNA_F
 ClientSampleId :
 PB97540BL

Tgt Ion:165 Resp: 39300
 Ion Ratio Lower Upper
 165 100
 63 2.0 36.2 54.4#
 89 2.1 40.2 60.4#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0






#56
 2,4-Dinitrotoluene
 Concen: 6.81 ng
 RT: 9.76 min Scan# 689
 Delta R.T. -0.22 min
 Lab File: BF093608.D
 Acq: 13 Mar 2017 15:40

Tgt Ion:165 Resp: 39302
 Ion Ratio Lower Upper
 165 100
 63 2.0 40.2 60.4#
 89 2.1 62.5 93.7#
 182 0.0 1.8 2.8#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0
 Ion 182.00 (181.70 to 182.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.25 min Scan# 819
Delta R.T. 0.00 min
Lab File: BF093608.D
Acq: 13 Mar 2017 15:40

Instrument :
BNA_F
ClientSampleId :
PB97540BL

Tgt Ion:188 Resp: 607390
Ion Ratio Lower Upper
188 100
94 11.1 10.0 15.0
80 12.1 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#66
4-Bromophenyl-phenylether
Concen: 3.09 ng
RT: 10.55 min Scan# 758
Delta R.T. -0.24 min
Lab File: BF093608.D
Acq: 13 Mar 2017 15:40

Tgt Ion:248 Resp: 19832
Ion Ratio Lower Upper
248 100
250 210.0 76.9 115.3#
141 677.7 68.2 102.4#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.90 min Scan# 1051

Delta R.T. 0.01 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40

Instrument :

BNA_F

ClientSampleId :

PB97540BL


Tgt Ion:240 Resp: 434918

Ion Ratio Lower Upper

240 100

120 10.4 12.9 19.3#




236 26.4 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 77.73 ng

RT: 12.84 min Scan# 958

Delta R.T. 0.01 min

Lab File: BF093608.D

Acq: 13 Mar 2017 15:40


Tgt Ion:244 Resp: 1300339

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.2



122 12.3 11.4 17.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.31 min Scan# 1174
Delta R.T. 0.02 min
Lab File: BF093608.D
Acq: 13 Mar 2017 15:40

Instrument :
BNA_F
ClientSampleId :
PB97540BL

Tgt Ion: 264 Resp: 301450
Ion Ratio Lower Upper
264 100
260 24.7 19.2 28.8
265 20.4 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

