

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031317\
 Data File : BF093635.D
 Acq On : 14 Mar 2017 4:21
 Operator : SJ/MA
 Sample : I2199-27
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 D-105

Quant Time: Mar 14 06:27:39 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 13 15:05:08 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.71	152	181624	20.00	ng	-0.01
21) Naphthalene-d8	8.00	136	727015	20.00	ng	-0.01
38) Acenaphthene-d10	9.76	164	336689	20.00	ng	0.00
63) Phenanthrene-d10	11.25	188	665732	20.00	ng	0.00
75) Chrysene-d12	13.90	240	485147	20.00	ng	0.01
86) Perylene-d12	15.31	264	184855	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	1660760	152.19	ng	0.00
7) Phenol-d6	6.37	99	2014954	146.42	ng	-0.01
23) Nitrobenzene-d5	7.28	82	1351101	103.11	ng	-0.02
41) 2,4,6-Tribromophenol	10.56	330	400588	182.62	ng	0.01
44) 2-Fluorobiphenyl	9.09	172	2161792	119.43	ng	0.00
78) Terphenyl-d14	12.84	244	1678897	89.97	ng	0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031317\
Data File : BF093635.D
Acq On : 14 Mar 2017 4:21
Operator : SJ/MA
Sample : I2199-27
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
D-105

Quant Time: Mar 14 06:27:39 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 13 15:05:08 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.71 min Scan# 422
Delta R.T. -0.01 min
Lab File: BF093635.D
Acq: 14 Mar 2017 4:21

Instrument :
BNA_F
ClientSampleId :
D-105

Tot Ion:152 Resp: 181624
Ion Ratio Lower Upper
152 100
150 152.6 124.9 187.3
115 55.9 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 152.19 ng
RT: 5.32 min Scan# 300
Delta R.T. 0.00 min
Lab File: BF093635.D
Acq: 14 Mar 2017 4:21

Tgt Ion:112 Resp: 1660760
Ion Ratio Lower Upper
112 100
64 67.8 46.1 69.1
63 34.9 23.8 35.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 146.42 ng

RT: 6.37 min Scan# 392

Delta R.T. -0.01 min

Lab File: BF093635.D

Acq: 14 Mar 2017 4:21

Instrument :





BNA_F

ClientSampleId :

D-105

Tot Ion: 99 Resp: 2014954

Ion	Ratio	Lower	Upper
99	100		
42	24.1	15.6	23.4#
71	35.6	27.5	41.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.00 min Scan# 535




Delta R.T. -0.01 min


Lab File: BF093635.D

Acq: 14 Mar 2017 4:21

Tgt Ion: 136 Resp: 727015

Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.4	12.6
54	9.1	4.5	6.7#
68	6.5	3.6	5.4#





#23

Nitrobenzene-d5

Concen: 103.11 ng

RT: 7.28 min Scan# 472

Delta R.T. -0.02 min

Lab File: BF093635.D

Acq: 14 Mar 2017 4:21

Instrument :

BNA_F

ClientSampleId :

D-105


Tot Ion: 82 Resp: 1351101

Ion Ratio Lower Upper

82 100

128 37.5 34.6 52.0




54 60.9 39.5 59.3#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.76 min Scan# 689

Delta R.T. 0.00 min

Lab File: BF093635.D

Acq: 14 Mar 2017 4:21


Tgt Ion:164 Resp: 336689

Ion Ratio Lower Upper

164 100

162 104.2 80.2 120.2



160 46.5 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 182.62 ng
 RT: 10.56 min Scan# 759
 Delta R.T. 0.01 min
 Lab File: BF093635.D
 Acq: 14 Mar 2017 4:21

Instrument :
 BNA_F
 ClientSampleId :
 D-105

Tot Ion:330 Resp: 400588
 Ion Ratio Lower Upper
 330 100
 332 96.8 77.4 116.2
 141 40.5 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 119.43 ng
 RT: 9.09 min Scan# 630
 Delta R.T. 0.00 min
 Lab File: BF093635.D
 Acq: 14 Mar 2017 4:21

Tgt Ion:172 Resp: 2161792
 Ion Ratio Lower Upper
 172 100
 171 36.7 29.4 44.0
 170 24.6 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.25 min Scan# 819
Delta R.T. 0.00 min
Lab File: BF093635.D
Acq: 14 Mar 2017 4:21

Instrument :
BNA_F
ClientSampleId :
D-105

Tot Ion:188 Resp: 665732
Ion Ratio Lower Upper
188 100
94 12.4 10.0 15.0
80 12.6 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.90 min Scan# 1051
Delta R.T. 0.01 min
Lab File: BF093635.D
Acq: 14 Mar 2017 4:21

Tgt Ion:240 Resp: 485147
Ion Ratio Lower Upper
240 100
120 11.3 12.9 19.3#
236 26.8 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 89.97 ng

RT: 12.84 min Scan# 958

Delta R.T. 0.01 min

Lab File: BF093635.D

Acq: 14 Mar 2017 4:21

Instrument :

BNA_F

ClientSampleId :

D-105


Tot Ion:244 Resp: 1678897

Ion Ratio Lower Upper

244 100

212 8.0 6.2 9.2




122 12.7 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.31 min Scan# 1174

Delta R.T. 0.02 min

Lab File: BF093635.D

Acq: 14 Mar 2017 4:21


Tgt Ion:264 Resp: 184855

Ion Ratio Lower Upper

264 100

260 25.6 19.2 28.8

265 21.5 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

