

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031318\
 Data File : BF103618.D
 Acq On : 13 Mar 2018 21:29
 Operator : SJ/JU
 Sample : J1898-09
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Mar 13 22:07:12 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 09 11:47:13 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	127906	20.00	ng	0.00
21) Naphthalene-d8	8.14	136	565002	20.00	ng	-0.01
38) Acenaphthene-d10	9.90	164	259861	20.00	ng	-0.01
63) Phenanthrene-d10	11.40	188	458527	20.00	ng	0.00
75) Chrysene-d12	14.06	240	271457	20.00	ng	0.00
86) Perylene-d12	15.57	264	233314	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	890896	105.34	ng	0.00
7) Phenol-d6	6.50	99	1225678	118.44	ng	-0.01
23) Nitrobenzene-d5	7.43	82	773474	78.18	ng	-0.01
41) 2,4,6-Tribromophenol	10.70	330	295339	134.27	ng	0.00
44) 2-Fluorobiphenyl	9.21	172	1310077	87.42	ng	-0.01
78) Terphenyl-d14	12.98	244	1293782	114.57	ng	0.00
Target Compounds						
9) Benzaldehyde	6.50	77	1315	Below Cal		Qvalue # 1
19) n-Nitroso-di-n-propylamine	7.43	70	95551	14.836	ng	# 83
25) Isophorone	7.43	82	773474	39.695	ng	# 64
49) Dimethylphthalate	9.62	163	75459	3.620	ng	100
50) 2,6-Dinitrotoluene	9.90	165	31786	7.266	ng	# 25
56) 2,4-Dinitrotoluene	9.90	165	31786	5.745	ng	# 23
64) 4,6-Dinitro-2-methylphenol	10.70	198	569	5.128	ng	# 1
66) 4-Bromophenyl-phenylether	10.70	248	20946	4.385	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031318\
Data File : BF103618.D
Acq On : 13 Mar 2018 21:29
Operator : SJ/JU
Sample : J1898-09
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Mar 13 22:07:12 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 09 11:47:13 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 811
Delta R.T. -0.01 min
Lab File: BF103618.D
Acq: 13 Mar 2018 21:29

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	161.5	124.6	186.8
115	68.5	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 105.344 ng
RT: 5.49 min Scan# 578
Delta R.T. 0.00 min
Lab File: BF103618.D
Acq: 13 Mar 2018 21:29

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.1	47.9	71.9
63	33.2	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 118.441 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 1225678

Ion Ratio Lower Upper

99 100

42 21.5 14.5 21.7




71 32.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 14.836 ng

RT: 7.43 min Scan# 908

Delta R.T. 0.15 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29

Tgt Ion: 70 Resp: 95551


Ion Ratio Lower Upper

70 100

42 53.4 47.5 71.3

101 0.0 7.4 11.2#

130 2.1 16.6 25.0#





Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.14 min Scan# 1029
Delta R.T. -0.01 min
Lab File: BF103618.D
Acq: 13 Mar 2018 21:29

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	136	Resp:	565002
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	10.0	6.6	9.8#
68	6.8	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 78.180 ng
RT: 7.43 min Scan# 908
Delta R.T. -0.01 min
Lab File: BF103618.D
Acq: 13 Mar 2018 21:29

Tgt Ion:	82	Resp:	773474
Ion	Ratio	Lower	Upper
82	100		
128	43.2	36.1	54.1
54	59.4	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 39.695 ng

RT: 7.43 min Scan# 908

Delta R.T. -0.26 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 773474

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.90 min Scan# 1328

Delta R.T. -0.01 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29


Tgt Ion:164 Resp: 259861

Ion Ratio Lower Upper

164 100

162 102.5 86.1 129.1



160 45.3 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 134.271 ng
 RT: 10.70 min Scan# 1464
 Delta R.T. -0.01 min
 Lab File: BF103618.D
 Acq: 13 Mar 2018 21:29

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:330 Resp: 295339
 Ion Ratio Lower Upper
 330 100
 332 104.6 77.0 115.6
 141 47.3 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.420 ng
 RT: 9.21 min Scan# 1211
 Delta R.T. -0.01 min
 Lab File: BF103618.D
 Acq: 13 Mar 2018 21:29

Tgt Ion:172 Resp: 1310077
 Ion Ratio Lower Upper
 172 100
 171 35.6 29.7 44.5
 170 24.1 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.620 ng

RT: 9.62 min Scan# 1280

Delta R.T. -0.01 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29

Instrument :

BNA_F

ClientSampled :





Tot Ion:163 Resp: 75459

Ion Ratio Lower Upper

163 100

194 3.3 2.7 4.1

164 10.3 8.2 12.2



#50

2,6-Dinitrotoluene

Concen: 7.266 ng

RT: 9.90 min Scan# 1328

Delta R.T. 0.19 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29




Tgt Ion:165 Resp: 31786


Ion Ratio Lower Upper

165 100

63 0.0 44.7 67.1#

89 1.8 44.0 66.0#






#56
 2,4-Dinitrotoluene
 Concen: 5.745 ng
 RT: 9.90 min Scan# 1328
 Delta R.T. -0.22 min
 Lab File: BF103618.D
 Acq: 13 Mar 2018 21:29

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	1.8	57.8	86.6#
182	0.0	1.6	2.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1


Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.40 min Scan# 1583
 Delta R.T. -0.01 min
 Lab File: BF103618.D
 Acq: 13 Mar 2018 21:29



Tgt Ion	Ratio	Lower	Upper
188	100		
94	11.2	8.5	12.7
80	11.9	9.2	13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#64
4,6-Dinitro-2-methylphenol
Concen: 5.128 ng
RT: 10.70 min Scan# 1464
Delta R.T. 0.16 min
Lab File: BF103618.D
Acq: 13 Mar 2018 21:29

Instrument :
BNA_F
ClientSampleId :

Tot Ion:198 Resp: 569
Ion Ratio Lower Upper
198 100
51 188.3 37.7 77.7#
105 169.6 36.3 76.3#




Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BF1
Ion 105.00 (104.70 to 105.70): E






#66
4-Bromophenyl-phenylether
Concen: 4.385 ng
RT: 10.70 min Scan# 1464
Delta R.T. -0.24 min
Lab File: BF103618.D
Acq: 13 Mar 2018 21:29

Tgt Ion:248 Resp: 20946
Ion Ratio Lower Upper
248 100
250 194.4 76.9 115.3#
141 611.7 74.4 111.6#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75

Chrvsene-d12

Concen: 20.000 ng

RT: 14.06 min Scan# 2035

Delta R.T. -0.01 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 271457

Ion Ratio Lower Upper

240 100

120 15.3 9.5 14.3#




236 27.0 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 114.570 ng

RT: 12.98 min Scan# 1852

Delta R.T. -0.01 min

Lab File: BF103618.D

Acq: 13 Mar 2018 21:29


Tgt Ion:244 Resp: 1293782

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0



122 13.9 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.57 min Scan# 2292
Delta R.T. 0.00 min
Lab File: BF103618.D
Acq: 13 Mar 2018 21:29

Instrument :
BNA_F
ClientSampleId :

Tot Ion:264 Resp: 233314
Ion Ratio Lower Upper
264 100
260 24.9 19.2 28.8
265 20.2 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

