

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031318\
 Data File : BF103628.D
 Acq On : 14 Mar 2018 4:09
 Operator : SJ/JU
 Sample : J1894-01
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Quant Time: Mar 14 04:58:16 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 09 11:47:13 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	136724	20.00	ng	0.00
21) Naphthalene-d8	8.14	136	605891	20.00	ng	-0.01
38) Acenaphthene-d10	9.90	164	264606	20.00	ng	-0.01
63) Phenanthrene-d10	11.40	188	450054	20.00	ng	0.00
75) Chrysene-d12	14.06	240	264469	20.00	ng	0.00
86) Perylene-d12	15.57	264	244663	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	294151	32.54	ng	0.01
7) Phenol-d6	6.52	99	310709	28.09	ng	0.01
23) Nitrobenzene-d5	7.43	82	1107345	104.37	ng	-0.01
41) 2,4,6-Tribromophenol	10.70	330	189419	84.57	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	1573940	109.76	ng	0.00
78) Terphenyl-d14	12.98	244	1066367	96.93	ng	0.00

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031318\
Data File : BF103628.D
Acq On : 14 Mar 2018 4:09
Operator : SJ/JU
Sample : J1894-01
Misc :
ALS Vial : 31 Sample Multiplier: 1

Quant Time: Mar 14 04:58:16 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 09 11:47:13 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 811
Delta R.T. -0.01 min
Lab File: BF103628.D
Acq: 14 Mar 2018 4:09

Tot Ion	152	Resp	136724
Ion	Ratio	Lower	Upper
152	100		
150	153.0	124.6	186.8
115	63.4	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 32.539 ng
RT: 5.50 min Scan# 580
Delta R.T. 0.01 min
Lab File: BF103628.D
Acq: 14 Mar 2018 4:09

Tgt Ion	112	Resp	294151
Ion	Ratio	Lower	Upper
112	100		
64	64.9	47.9	71.9
63	31.9	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 28.088 ng

RT: 6.52 min Scan# 754

Delta R.T. 0.01 min

Lab File: BF103628.D

Acq: 14 Mar 2018 4:09


Tot Ion: 99 Resp: 310709

Ion Ratio Lower Upper

99 100

42 21.3 14.5 21.7




71 30.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.14 min Scan# 1029

Delta R.T. -0.01 min

Lab File: BF103628.D

Acq: 14 Mar 2018 4:09

Tgt Ion: 136 Resp: 605891


Ion Ratio Lower Upper

136 100

137 10.6 8.9 13.3

54 9.5 6.6 9.8

68 6.8 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 104.373 ng

RT: 7.43 min Scan# 908

Delta R.T. -0.01 min

Lab File: BF103628.D

Acq: 14 Mar 2018 4:09


Tot Ion: 82 Resp: 1107345

Ion Ratio Lower Upper

82 100

128 43.1 36.1 54.1




54 61.2 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.90 min Scan# 1328

Delta R.T. -0.01 min

Lab File: BF103628.D

Acq: 14 Mar 2018 4:09


Tgt Ion: 164 Resp: 264606

Ion Ratio Lower Upper

164 100

162 103.8 86.1 129.1



160 45.7 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1


Ion 160.00 (159.70 to 160.70): BF1








#41
 2,4,6-Tribromophenol
 Concen: 84.572 ng
 RT: 10.70 min Scan# 1464
 Delta R.T. -0.01 min
 Lab File: BF103628.D
 Acq: 14 Mar 2018 4:09

Tot Ion	Ratio	Lower	Upper
330	100		
332	101.5	77.0	115.6
141	49.9	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 109.760 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. -0.01 min
 Lab File: BF103628.D
 Acq: 14 Mar 2018 4:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.7	44.5
170	24.3	19.6	29.4







Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1583
Delta R.T. -0.01 min
Lab File: BF103628.D
Acq: 14 Mar 2018 4:09


Tot Ion:188 Resp: 450054
Ion Ratio Lower Upper
188 100
94 11.3 8.5 12.7
80 11.7 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.06 min Scan# 2035
Delta R.T. -0.01 min
Lab File: BF103628.D
Acq: 14 Mar 2018 4:09





Tgt Ion:240 Resp: 264469
Ion Ratio Lower Upper
240 100
120 14.5 9.5 14.3#
236 27.1 20.7 31.1





#78
 Terphenyl-d14
 Concen: 96.926 ng
 RT: 12.98 min Scan# 1852
 Delta R.T. -0.01 min
 Lab File: BF103628.D
 Acq: 14 Mar 2018 4:09

Tot Ion:244 Resp: 1066367
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.4 8.0
 122 14.3 11.0 16.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.57 min Scan# 2292
 Delta R.T. 0.00 min
 Lab File: BF103628.D
 Acq: 14 Mar 2018 4:09

Tgt Ion:264 Resp: 244663
 Ion Ratio Lower Upper
 264 100
 260 22.6 19.2 28.8
 265 21.4 17.5 26.3

