

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031419\
 Data File : BF113049.D
 Acq On : 14 Mar 2019 15:00
 Operator : JU/SJ
 Sample : K1866-13
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MR-MH-13-COMP

Quant Time: Mar 15 07:06:16 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 13 03:42:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	189197	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	783552	20.00	ng	0.00
39) Acenaphthene-d10	9.76	164	370537	20.00	ng	-0.01
64) Phenanthrene-d10	11.24	188	834293	20.00	ng	0.00
76) Chrysene-d12	13.86	240	797931	20.00	ng	0.00
87) Perylene-d12	15.27	264	826940	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1339425	110.13	ng	0.00
7) Phenol-d6	6.37	99	1774952	116.17	ng	0.00
23) Nitrobenzene-d5	7.29	82	1086277	82.96	ng	-0.01
42) 2,4,6-Tribromophenol	10.55	330	620782	157.81	ng	0.00
45) 2-Fluorobiphenyl	9.09	172	1849501	81.91	ng	0.00
79) Terphenyl-d14	12.82	244	2194950	53.32	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.47	163	217621	7.965	ng	99
75) Fluoranthene	12.44	202	90910	2.044	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031419\
Data File : BF113049.D
Acq On : 14 Mar 2019 15:00
Operator : JU/SJ
Sample : K1866-13
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MR-MH-13-COMP

Quant Time: Mar 15 07:06:16 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 13 03:42:55 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 789
Delta R.T. -0.01 min
Lab File: BF113049.D
Acq: 14 Mar 2019 15:00

Instrument :
BNA_F
ClientSampleId :
MR-MH-13-COMP

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.4	124.2	186.2
115	56.7	48.2	72.4





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 110.125 ng
RT: 5.35 min Scan# 555
Delta R.T. 0.01 min
Lab File: BF113049.D
Acq: 14 Mar 2019 15:00

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.9	47.6	71.4
63	29.2	24.4	36.6






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 116.174 ng

RT: 6.37 min Scan# 729

Delta R.T. -0.00 min

Lab File: BF113049.D

Acq: 14 Mar 2019 15:00

Instrument :

BNA_F

ClientSampleId :

MR-MH-13-COMP


Tot Ion: 99 Resp: 1774952

Ion Ratio Lower Upper




99 100

42 19.0 16.3 24.5

71 32.9 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.01 min Scan# 1007

Delta R.T. -0.01 min

Lab File: BF113049.D

Acq: 14 Mar 2019 15:00

Tgt Ion: 136 Resp: 783552


Ion Ratio Lower Upper

136 100



137 10.6 8.9 13.3


54 7.2 7.3 10.9#

68 5.6 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1








#23
 Nitrobenzene-d5
 Concen: 82.956 ng
 RT: 7.29 min Scan# 884
 Delta R.T. -0.01 min
 Lab File: BF113049.D
 Acq: 14 Mar 2019 15:00

Instrument :
 BNA_F
 ClientSampleId :
 MR-MH-13-COMP

Tot Ion: 82 Resp: 1086277
 Ion Ratio Lower Upper
 82 100
 128 46.5 36.3 54.5
 54 53.6 43.7 65.5




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1





#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.76 min Scan# 1304
 Delta R.T. -0.01 min
 Lab File: BF113049.D
 Acq: 14 Mar 2019 15:00

Tgt Ion: 164 Resp: 370537
 Ion Ratio Lower Upper
 164 100
 162 100.1 80.6 120.8
 160 45.8 36.0 54.0



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 157.811 ng
 RT: 10.55 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF113049.D
 Acq: 14 Mar 2019 15:00

Instrument :
 BNA_F
 ClientSampleId :
 MR-MH-13-COMP

Tot Ion:330 Resp: 620782
 Ion Ratio Lower Upper
 330 100
 332 95.7 76.2 114.4
 141 28.3 27.0 40.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 81.907 ng
 RT: 9.09 min Scan# 1190
 Delta R.T. -0.01 min
 Lab File: BF113049.D
 Acq: 14 Mar 2019 15:00

Tgt Ion:172 Resp: 1849501
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.0 43.4
 170 24.6 20.0 30.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 7.965 ng
RT: 9.47 min Scan# 1256
Delta R.T. -0.02 min
Lab File: BF113049.D
Acq: 14 Mar 2019 15:00




Instrument :
BNA_F
ClientSampleId :
MR-MH-13-COMP


Tot Ion:163	Resp:	217621
Ion Ratio	Lower	Upper
163	100	
194	3.7	3.0 4.4
164	10.1	8.4 12.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1556
Delta R.T. -0.01 min
Lab File: BF113049.D
Acq: 14 Mar 2019 15:00

Tgt Ion:188	Resp:	834293
Ion Ratio	Lower	Upper
188	100	
94	8.7	9.0 13.4#
80	8.8	9.2 13.8#





#75

Fluoranthene

Concen: 2.044 ng

RT: 12.44 min Scan# 1760

Delta R.T. -0.01 min

Lab File: BF113049.D

Acq: 14 Mar 2019 15:00

Instrument :

BNA_F

ClientSampleId :

MR-MH-13-COMP


Tot Ion:202 Resp: 90910

Ion Ratio Lower Upper

202 100

101 12.1 0.0 33.8




203 17.4 0.0 38.4



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.86 min Scan# 2002

Delta R.T. -0.01 min

Lab File: BF113049.D

Acq: 14 Mar 2019 15:00


Tgt Ion:240 Resp: 797931

Ion Ratio Lower Upper

240 100

120 11.5 8.9 13.3



236 27.1 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 53.324 ng
 RT: 12.82 min Scan# 1825
 Delta R.T. -0.00 min
 Lab File: BF113049.D
 Acq: 14 Mar 2019 15:00

Instrument :
 BNA_F
 ClientSampleId :
 MR-MH-13-COMP

Tot Ion:244 Resp: 2194950
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.6 8.4
 122 11.9 10.5 15.7



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.27 min Scan# 2242
 Delta R.T. -0.00 min
 Lab File: BF113049.D
 Acq: 14 Mar 2019 15:00

Tgt Ion:264 Resp: 826940
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.7 28.1
 265 21.3 17.2 25.8

