

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031522\
 Data File : BF127341.D
 Acq On : 15 Mar 2022 23:35
 Operator : CG\JU
 Sample : N1948-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMP-6

Quant Time: Mar 16 05:31:42 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 10 16:51:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	90534	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	352926	20.000	ng	#-0.01
39) Acenaphthene-d10	9.904	164	214021	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	400927	20.000	ng	# 0.00
76) Chrysene-d12	14.045	240	230395	20.000	ng	# 0.00
86) Perylene-d12	15.527	264	218903	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	489950	86.998	ng	0.00
7) Phenol-d6	6.498	99	693705	89.541	ng	0.00
23) Nitrobenzene-d5	7.434	82	485228	56.780	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	161017	69.888	ng	-0.01
45) 2-Fluorobiphenyl	9.222	172	850362	56.174	ng	-0.01
79) Terphenyl-d14	12.986	244	978446	73.128	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031522\
Data File : BF127341.D
Acq On : 15 Mar 2022 23:35
Operator : CG\JU
Sample : N1948-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMP-6

Quant Time: Mar 16 05:31:42 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031022.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 10 16:51:53 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 779
Delta R.T. -0.006 min
Lab File: BF127341.D
Acq: 15 Mar 2022 23:35




Instrument :
BNA_F
ClientSampleId :
COMP-6


Tgt Ion:152 Resp: 90534
Ion Ratio Lower Upper
152 100
150 147.3 128.1 192.1
115 64.5 56.7 85.1



#5
2-Fluorophenol
Concen: 86.998 ng
RT: 5.493 min Scan# 545
Delta R.T. -0.000 min
Lab File: BF127341.D
Acq: 15 Mar 2022 23:35

Tgt Ion:112 Resp: 489950
Ion Ratio Lower Upper
112 100
64 74.6 49.5 74.3#
63 40.1 23.9 35.9#









#7
Phenol-d6
Concen: 89.541 ng
RT: 6.498 min Scan# 716
Delta R.T. -0.006 min
Lab File: BF127341.D
Acq: 15 Mar 2022 23:35




Instrument :
BNA_F
ClientSampleId :
COMP-6


Tgt Ion: 99 Resp: 693705
Ion Ratio Lower Upper
99 100
42 22.9 14.2 21.4#
71 38.6 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 996
Delta R.T. -0.012 min
Lab File: BF127341.D
Acq: 15 Mar 2022 23:35

Tgt Ion: 136 Resp: 352926
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 12.6 7.8 11.6#
68 7.2 6.3 9.5





#23

Nitrobenzene-d5

Concen: 56.780 ng

RT: 7.434 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF127341.D

Acq: 15 Mar 2022 23:35

Instrument :

BNA_F

ClientSampleId :

COMP-6





Tgt Ion: 82 Resp: 485228

Ion Ratio Lower Upper

82 100

128 39.0 32.7 49.1

54 60.1 41.7 62.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.904 min Scan# 1295

Delta R.T. -0.012 min

Lab File: BF127341.D

Acq: 15 Mar 2022 23:35




Tgt Ion: 164 Resp: 214021


Ion Ratio Lower Upper

164 100

162 101.1 81.4 122.0

160 44.3 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 69.888 ng

RT: 10.698 min Scan# 1432

Delta R.T. -0.012 min

Lab File: BF127341.D

Acq: 15 Mar 2022 23:35

Instrument :

BNA_F

ClientSampleId :

COMP-6





Tgt Ion:330 Resp: 161017

Ion Ratio Lower Upper

330 100

332 96.9 76.0 114.0

141 34.3 30.1 45.1



#45

2-Fluorobiphenyl

Concen: 56.174 ng

RT: 9.222 min Scan# 1179

Delta R.T. -0.012 min

Lab File: BF127341.D

Acq: 15 Mar 2022 23:35




Tgt Ion:172 Resp: 850362


Ion Ratio Lower Upper

172 100

171 35.1 28.3 42.5

170 23.7 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127341.D
Acq: 15 Mar 2022 23:35




Instrument :
BNA_F
ClientSampleId :
COMP-6


Tgt Ion:188 Resp: 400927
Ion Ratio Lower Upper
188 100
94 9.3 10.1 15.1#
80 10.4 11.8 17.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 1999
Delta R.T. -0.006 min
Lab File: BF127341.D
Acq: 15 Mar 2022 23:35

Tgt Ion:240 Resp: 230395
Ion Ratio Lower Upper
240 100
120 8.5 14.4 21.6#
236 25.6 20.5 30.7









#79
 Terphenyl-d14
 Concen: 73.128 ng
 RT: 12.986 min Scan# 1819
 Delta R.T. -0.006 min
 Lab File: BF127341.D
 Acq: 15 Mar 2022 23:35

Instrument :
 BNA_F
 ClientSampleId :
 COMP-6

Tgt Ion:244 Resp: 978446
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.0 7.4
 122 8.5 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.527 min Scan# 2251
 Delta R.T. -0.006 min
 Lab File: BF127341.D
 Acq: 15 Mar 2022 23:35

Tgt Ion:264 Resp: 218903
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.2 28.8
 265 20.4 17.4 26.2

