

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031623\
 Data File : BF132820.D
 Acq On : 16 Mar 2023 19:02
 Operator : CG\JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF031623

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 03/17/2023
 Supervised By : Jagrut Upadhyay 03/17/2023

Quant Time: Mar 17 03:38:16 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 17 03:35:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	206197	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	746892	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	399199	20.000	ng	0.00
64) Phenanthrene-d10	11.498	188	743074	20.000	ng	0.00
76) Chrysene-d12	14.151	240	496765	20.000	ng	0.00
86) Perylene-d12	15.674	264	416878	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	948714	77.637	ng	0.00
7) Phenol-d6	6.598	99	1218245	76.808	ng	0.00
23) Nitrobenzene-d5	7.534	82	1129392	77.383	ng	0.00
42) 2,4,6-Tribromophenol	10.798	330	325819	76.778	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1789615	73.642	ng	0.00
79) Terphenyl-d14	13.086	244	2045737	74.361	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.793	88	258721	37.566	ng	99
3) Pyridine	3.575	79	713063	42.072	ng	97
4) n-Nitrosodimethylamine	3.546	42	254199	40.399	ng	99
6) Aniline	6.628	93	771771	42.360	ng	98
8) 2-Chlorophenol	6.751	128	517800	39.710	ng	99
9) Benzaldehyde	6.516	77	225763	34.589	ng	97
10) Phenol	6.610	94	724070	40.185	ng	99
11) bis(2-Chloroethyl)ether	6.698	93	649221	38.960	ng	98
12) 1,3-Dichlorobenzene	6.904	146	554647	39.246	ng	99
13) 1,4-Dichlorobenzene	6.981	146	551989	39.133	ng	99
14) 1,2-Dichlorobenzene	7.134	146	496710	38.593	ng	100
15) Benzyl Alcohol	7.104	79	402622	43.889	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.234	45	647342	39.926	ng	99
17) 2-Methylphenol	7.216	107	470772	39.728	ng	99
18) Hexachloroethane	7.475	117	214321	39.705	ng	98
19) n-Nitroso-di-n-propyla...	7.375	70	338027	37.352	ng	98
20) 3+4-Methylphenols	7.369	107	518863	36.365	ng	97
22) Acetophenone	7.375	105	647846	36.328	ng	99
24) Nitrobenzene	7.551	77	609276	38.613	ng	100
25) Isophorone	7.787	82	1117204	38.939	ng	99
26) 2-Nitrophenol	7.863	139	297320	40.453	ng	96
27) 2,4-Dimethylphenol	7.898	122	446574	39.218	ng	98
28) bis(2-Chloroethoxy)met...	7.987	93	678657	39.381	ng	99
29) 2,4-Dichlorophenol	8.110	162	465489	39.485	ng	99
30) 1,2,4-Trichlorobenzene	8.187	180	486237	38.561	ng	99
31) Naphthalene	8.269	128	1428215	38.117	ng	99
32) Benzoic acid	8.028	122	249617	38.209	ng	97
33) 4-Chloroaniline	8.322	127	685171m	41.943	ng	
34) Hexachlorobutadiene	8.375	225	307740	38.466	ng	99
35) Caprolactam	8.698	113	151853m	42.014	ng	
36) 4-Chloro-3-methylphenol	8.804	107	484386	40.399	ng	98
37) 2-Methylnaphthalene	8.957	142	965334	38.417	ng	99
38) 1-Methylnaphthalene	9.057	142	914667	38.661	ng	100
40) 1,2,4,5-Tetrachloroben...	9.128	216	516238	39.421	ng	99
41) Hexachlorocyclopentadiene	9.110	237	226229	38.262	ng	100
43) 2,4,6-Trichlorophenol	9.239	196	338624	39.713	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031623\
 Data File : BF132820.D
 Acq On : 16 Mar 2023 19:02
 Operator : CG\JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF031623

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 03/17/2023
 Supervised By : Jagrut Upadhyay 03/17/2023

Quant Time: Mar 17 03:38:16 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 17 03:35:59 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.292	196	402630	40.557	ng	99
46) 1,1'-Biphenyl	9.422	154	1126635	38.042	ng	98
47) 2-Chloronaphthalene	9.451	162	907855	38.714	ng	99
48) 2-Nitroaniline	9.551	65	307578	39.939	ng	99
49) Acenaphthylene	9.869	152	1421733	39.452	ng	100
50) Dimethylphthalate	9.722	163	1124071	39.274	ng	100
51) 2,6-Dinitrotoluene	9.792	165	253777	40.100	ng	99
52) Acenaphthene	10.039	154	822851	37.933	ng	99
53) 3-Nitroaniline	9.969	138	287283	40.608	ng	99
54) 2,4-Dinitrophenol	10.075	184	111684	36.198	ng	100
55) Dibenzofuran	10.216	168	1294900	38.834	ng	97
56) 4-Nitrophenol	10.134	139	186143	44.132	ng	97
57) 2,4-Dinitrotoluene	10.198	165	326679	40.410	ng	98
58) Fluorene	10.557	166	999369	37.690	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.334	232	291242	40.479	ng	99
60) Diethylphthalate	10.422	149	1060424	39.096	ng	99
61) 4-Chlorophenyl-phenylether	10.545	204	530398	38.107	ng	99
62) 4-Nitroaniline	10.586	138	234478	37.905	ng	90
63) Azobenzene	10.704	77	1077462	38.855	ng	99
65) 4,6-Dinitro-2-methylph...	10.610	198	195840	43.002	ng	99
66) n-Nitrosodiphenylamine	10.663	169	876659	38.174	ng	100
67) 4-Bromophenyl-phenylether	11.033	248	338111	39.357	ng	100
68) Hexachlorobenzene	11.104	284	355585	39.085	ng	97
69) Atrazine	11.192	200	274616	41.524	ng	96
70) Pentachlorophenol	11.304	266	166296	43.081	ng	98
71) Phenanthrene	11.522	178	1425151	38.103	ng	100
72) Anthracene	11.575	178	1491205	38.920	ng	100
73) Carbazole	11.733	167	1325546	38.532	ng	99
74) Di-n-butylphthalate	12.045	149	1596270	38.948	ng	99
75) Fluoranthene	12.716	202	1586840	38.985	ng	99
77) Benzidine	12.863	184	133522m	43.159	ng	
78) Pyrene	12.951	202	1614011	39.093	ng	100
80) Butylbenzylphthalate	13.551	149	677544	40.114	ng	99
81) Benzo(a)anthracene	14.139	228	1416148	39.384	ng	99
82) 3,3'-Dichlorobenzidine	14.098	252	352800	37.798	ng	99
83) Chrysene	14.180	228	1321241	38.885	ng	99
84) Bis(2-ethylhexyl)phtha...	14.104	149	847185	39.888	ng	99
85) Di-n-octyl phthalate	14.727	149	1328183	39.918	ng	100
87) Indeno(1,2,3-cd)pyrene	17.251	276	1081032	41.368	ng	99
88) Benzo(b)fluoranthene	15.221	252	1121938	41.259	ng	99
89) Benzo(k)fluoranthene	15.257	252	1065281	40.087	ng	99
90) Benzo(a)pyrene	15.616	252	1023828	40.387	ng	100
91) Dibenzo(a,h)anthracene	17.262	278	888094	41.644	ng	100
92) Benzo(g,h,i)perylene	17.733	276	937744	42.084	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Manual Integrations


Quant Time: Mar 17 03:38:16 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 17 03:35:59 2023
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 744
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion:152 Resp: 206197
Ion Ratio Lower Upper
152 100
150 154.8 122.7 184.1
115 58.9 46.2 69.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#2
1,4-Dioxane
Concen: 37.566 ng
RT: 2.793 min Scan# 35
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion: 88 Resp: 258721
Ion Ratio Lower Upper
88 100
58 67.9 53.8 80.8
43 23.6 18.2 27.4





#3
Pyridine
Concen: 42.072 ng
RT: 3.575 min Scan# 169
Delta R.T. -0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion: 79 Resp: 713063
Ion Ratio Lower Upper
79 100
52 62.8 48.5 72.7
51 29.9 23.1 34.7




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#4
n-Nitrosodimethylamine
Concen: 40.399 ng
RT: 3.546 min Scan# 163
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion: 42 Resp: 254199
Ion Ratio Lower Upper
42 100
74 167.1 135.2 202.8
44 6.5 6.0 9.0






#5
2-Fluorophenol
Concen: 77.637 ng
RT: 5.587 min Scan# 510
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623






Tgt Ion:112 Resp: 948714
Ion Ratio Lower Upper
112 100
64 58.8 47.1 70.7
63 30.2 24.4 36.6


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#6
Aniline
Concen: 42.360 ng
RT: 6.628 min Scan# 687
Delta R.T. -0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion: 93 Resp: 771771
Ion Ratio Lower Upper
93 100
66 38.5 30.1 45.1
65 20.2 15.0 22.6





#7
Phenol-d6
Concen: 76.808 ng
RT: 6.598 min Scan# 682
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion: 99 Resp: 1218245
Ion Ratio Lower Upper
99 100
42 15.1 11.9 17.9
71 32.6 26.3 39.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#8
2-Chlorophenol
Concen: 39.710 ng
RT: 6.751 min Scan# 708
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion:128 Resp: 517800
Ion Ratio Lower Upper
128 100
130 32.6 12.4 52.4
64 47.4 28.4 68.4





#9
Benzaldehyde
Concen: 34.589 ng
RT: 6.516 min Scan# 668
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion: 77 Resp: 225763
Ion Ratio Lower Upper
77 100
105 98.7 77.5 117.5
106 94.3 78.5 118.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#10
Phenol
Concen: 40.185 ng
RT: 6.610 min Scan# 684
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion: 94 Resp: 724070
Ion Ratio Lower Upper
94 100
65 27.1 7.7 47.7
66 36.2 16.5 56.5





#11
bis(2-Chloroethyl)ether
Concen: 38.960 ng
RT: 6.698 min Scan# 699
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
Client Sample Id :
ICVBF031623



Tgt Ion: 93 Resp: 649221
Ion Ratio Lower Upper
93 100
63 72.1 50.5 90.5
95 32.1 11.8 51.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#12
1,3-Dichlorobenzene
Concen: 39.246 ng
RT: 6.904 min Scan# 734
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion:146 Resp: 554647
Ion Ratio Lower Upper
146 100
148 65.1 51.8 77.8
75 32.4 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 39.133 ng

RT: 6.981 min Scan# 747

Delta R.T. 0.000 min

Lab File: BF132820.D


Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623



Tgt Ion:146 Resp: 551989

Ion Ratio Lower Upper

146 100

148 64.8 51.2 76.8




111 41.1 33.8 50.6

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/17/2023

Supervised By :Jagrut Upadhyay 03/17/2023



#14

1,2-Dichlorobenzene


Concen: 38.593 ng

RT: 7.134 min Scan# 773

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02





Tgt Ion:146 Resp: 496710


Ion Ratio Lower Upper

146 100

148 64.0 50.9 76.3

111 45.1 35.8 53.8









#15
Benzyl Alcohol
Concen: 43.889 ng
RT: 7.104 min Scan# 70
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :
BNA_F
ClientSampleId :
ICVBF031623

Tgt Ion: 79 Resp: 402622
Ion Ratio Lower Upper
79 100
108 78.6 64.2 96.2
77 64.0 51.4 77.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.926 ng
RT: 7.234 min Scan# 790
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion: 45 Resp: 647342
Ion Ratio Lower Upper
45 100
77 20.9 0.7 40.7
79 17.7 0.0 37.2





#17
2-Methylphenol
Concen: 39.728 ng
RT: 7.216 min Scan# 787
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:107 Resp: 470772
Ion Ratio Lower Upper
107 100
108 116.4 92.6 139.0
77 49.4 38.6 57.8
79 47.5 37.2 55.8

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#18
Hexachloroethane
Concen: 39.705 ng
RT: 7.475 min Scan# 831
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:117 Resp: 214321
Ion Ratio Lower Upper
117 100
119 96.6 77.3 115.9
201 111.7 86.4 129.6





#19
n-Nitroso-di-n-propylamine
Concen: 37.352 ng
RT: 7.375 min Scan# 814
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion: 70 Resp: 338027
Ion Ratio Lower Upper
70 100
42 49.5 40.9 61.3
101 9.5 7.8 11.6
130 19.2 15.8 23.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#20
3+4-Methylphenols
Concen: 36.365 ng
RT: 7.369 min Scan# 813
Delta R.T. -0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:107 Resp: 518863
Ion Ratio Lower Upper
107 100
108 88.2 67.6 107.6
77 115.2 89.1 129.1
79 29.0 9.3 49.3





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 962
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:136 Resp: 746892
Ion Ratio Lower Upper
136 100
137 11.2 9.0 13.6
54 7.8 6.1 9.1
68 6.9 5.2 7.8

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#22
Acetophenone
Concen: 36.328 ng
RT: 7.375 min Scan# 814
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02



Tgt Ion:105 Resp: 647846
Ion Ratio Lower Upper
105 100
71 9.6 7.3 10.9
51 29.5 23.9 35.9
120 21.0 16.2 24.4





#23

Nitrobenzene-d5

Concen: 77.383 ng

RT: 7.534 min Scan# 841

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623

Tgt Ion: 82 Resp: 1129392

Ion Ratio Lower Upper

82 100

128 43.6 34.4 51.6





54 44.5 35.2 52.8

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/17/2023

Supervised By :Jagrut Upadhyay 03/17/2023



#24

Nitrobenzene

Concen: 38.613 ng

RT: 7.551 min Scan# 844

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02




Tgt Ion: 77 Resp: 609276


Ion Ratio Lower Upper

77 100

123 45.6 36.4 54.6


65 13.2 10.3 15.5





#25
Isophorone
Concen: 38.939 ng
RT: 7.787 min Scan# 884
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
Client Sample Id :
ICVBF031623




Tgt Ion: 82 Resp: 1117204
Ion Ratio Lower Upper
82 100
95 6.9 5.7 8.5
138 17.4 13.7 20.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#26
2-Nitrophenol
Concen: 40.453 ng
RT: 7.863 min Scan# 897
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:139 Resp: 297320
Ion Ratio Lower Upper
139 100
109 30.3 25.8 38.8
65 49.8 42.7 64.1





#27
2,4-Dimethylphenol
Concen: 39.218 ng
RT: 7.898 min Scan# 903
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
Client Sample Id :
ICVBF031623




Tgt Ion: 122 Resp: 446574
Ion Ratio Lower Upper
122 100
107 118.7 97.0 145.4
121 58.2 46.4 69.6

Manual Integrations
APPROVED



Reviewed By : Christian Giraldo 03/17/2023
Supervised By : Jagrut Upadhyay 03/17/2023




#28
bis(2-Chloroethoxy)methane
Concen: 39.381 ng
RT: 7.987 min Scan# 918
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02



Tgt Ion: 93 Resp: 678657
Ion Ratio Lower Upper
93 100
95 33.4 26.4 39.6
123 10.5 8.4 12.6






#29
2,4-Dichlorophenol
Concen: 39.485 ng
RT: 8.110 min Scan# 939
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623






Tgt Ion:162 Resp: 465489
Ion Ratio Lower Upper
162 100
164 65.8 44.7 84.7
98 35.8 16.6 56.6


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#30
1,2,4-Trichlorobenzene
Concen: 38.561 ng
RT: 8.187 min Scan# 952
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:180 Resp: 486237
Ion Ratio Lower Upper
180 100
182 95.8 75.9 113.9
145 28.8 23.0 34.4





#31
Naphthalene
Concen: 38.117 ng
RT: 8.269 min Scan# 90
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
Client Sample Id :
ICVBF031623



Tgt Ion:128 Resp: 1428215
Ion Ratio Lower Upper
128 100
129 11.4 9.4 14.2
127 13.7 11.1 16.7




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#32
Benzoic acid
Concen: 38.209 ng
RT: 8.028 min Scan# 925
Delta R.T. -0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion:122 Resp: 249617
Ion Ratio Lower Upper
122 100
105 126.0 110.8 150.8
77 92.2 74.2 114.2









#33
4-Chloroaniline
Concen: 41.943 ng m
RT: 8.322 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :
BNA_F
ClientSampleId :
ICVBF031623

Tgt Ion:	127	Resp:	68517
Ion Ratio	Lower	Upper	
127	100		
129	32.7	25.8	38.6
65	28.2	24.1	36.1
92	18.8	15.3	22.9




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#34
Hexachlorobutadiene
Concen: 38.466 ng
RT: 8.375 min Scan# 984
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion:	225	Resp:	307740
Ion Ratio	Lower	Upper	
225	100		
223	65.4	51.8	77.6
227	64.0	52.2	78.2





#35
 Caprolactam
 Concen: 42.014 ng m
 RT: 8.698 min Scan# 1039
 Delta R.T. -0.006 min
 Lab File: BF132820.D
 Acq: 16 Mar 2023 19:02




Instrument :
 BNA_F
 ClientSampleId :
 ICVBF031623



Tgt Ion:113 Resp: 151853
 Ion Ratio Lower Upper
 113 100
 55 161.1 136.3 176.3
 56 118.3 94.7 134.7




Manual Integrations
 APPROVED


Reviewed By :Christian Giraldo 03/17/2023
 Supervised By :Jagrut Upadhyay 03/17/2023



#36
 4-Chloro-3-methylphenol
 Concen: 40.399 ng
 RT: 8.804 min Scan# 1057
 Delta R.T. 0.000 min
 Lab File: BF132820.D
 Acq: 16 Mar 2023 19:02

Tgt Ion:107 Resp: 484386
 Ion Ratio Lower Upper
 107 100
 144 25.2 20.0 30.0
 142 78.6 61.1 91.7





#37

2-Methylnaphthalene

Concen: 38.417 ng

RT: 8.957 min Scan# 1083

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623

Tgt Ion:142 Resp: 965334

Ion Ratio Lower Upper

142 100





141 87.4 69.3 103.9

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/17/2023

Supervised By :Jagrut Upadhyay 03/17/2023



#38

1-Methylnaphthalene

Concen: 38.661 ng

RT: 9.057 min Scan# 1100

Delta R.T. 0.000 min

Lab File: BF132820.D




Acq: 16 Mar 2023 19:02


Tgt Ion:142 Resp: 914667

Ion Ratio Lower Upper

142 100


141 91.5 73.3 109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.004 min Scan# 1261
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:164 Resp: 399199
Ion Ratio Lower Upper
164 100
162 100.9 80.6 121.0
160 45.2 36.2 54.4

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.421 ng
RT: 9.128 min Scan# 1112
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:216 Resp: 516238
Ion Ratio Lower Upper
216 100
214 79.0 64.3 96.5
179 20.0 16.2 24.4
108 17.2 14.2 21.4





#41
Hexachlorocyclopentadiene
Concen: 38.262 ng
RT: 9.110 min Scan# 1109
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:237 Resp: 226229
Ion Ratio Lower Upper
237 100
235 63.1 43.3 83.3
272 13.0 0.0 32.9

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#42
2,4,6-Tribromophenol
Concen: 76.778 ng
RT: 10.798 min Scan# 1396
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02



Tgt Ion:330 Resp: 325819
Ion Ratio Lower Upper
330 100
332 95.8 77.0 115.6
141 32.8 26.7 40.1





#43
2,4,6-Trichlorophenol
Concen: 39.713 ng
RT: 9.239 min Scan# 1131
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :





ICVBF031623

Tgt Ion:196 Resp: 338624
Ion Ratio Lower Upper
196 100
198 95.8 77.3 115.9
200 30.6 25.0 37.6

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#44
2,4,5-Trichlorophenol
Concen: 40.557 ng
RT: 9.292 min Scan# 1140
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion:196 Resp: 402630
Ion Ratio Lower Upper
196 100
198 95.9 76.8 115.2
97 43.7 36.9 55.3
132 24.8 19.7 29.5





#45
2-Fluorobiphenyl
Concen: 73.642 ng
RT: 9.322 min Scan# 1145
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
Client Sample Id :
ICVBF031623




Tgt Ion:172 Resp: 1789615
Ion Ratio Lower Upper
172 100
171 35.6 28.7 43.1
170 24.5 19.8 29.8

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#46
1,1'-Biphenyl
Concen: 38.042 ng
RT: 9.422 min Scan# 1162
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:154 Resp: 1126635
Ion Ratio Lower Upper
154 100
153 40.7 19.6 59.6
76 13.9 0.0 33.5





#47
2-Chloronaphthalene
Concen: 38.714 ng
RT: 9.451 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion:162 Resp: 907855
Ion Ratio Lower Upper
162 100
127 39.3 32.3 48.5
164 33.4 27.2 40.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#48
2-Nitroaniline
Concen: 39.939 ng
RT: 9.551 min Scan# 1184
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion: 65 Resp: 307578
Ion Ratio Lower Upper
65 100
92 72.6 58.6 88.0
138 104.2 84.4 126.6






#49
Acenaphthylene
Concen: 39.452 ng
RT: 9.869 min Scan# 1238
Delta R.T. -0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623






Tgt Ion:152 Resp: 1421733
Ion Ratio Lower Upper
152 100
151 20.6 16.6 25.0
153 13.7 10.8 16.2


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#50
Dimethylphthalate
Concen: 39.274 ng
RT: 9.722 min Scan# 1213
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02



Tgt Ion:163 Resp: 1124071
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 10.5 8.3 12.5






#51
2,6-Dinitrotoluene
Concen: 40.100 ng
RT: 9.792 min Scan# 1225
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623






Tgt Ion:165 Resp: 253772
Ion Ratio Lower Upper
165 100
63 48.9 39.1 58.7
89 55.7 43.5 65.3

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#52
Acenaphthene
Concen: 37.933 ng
RT: 10.039 min Scan# 1267
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion:154 Resp: 822851
Ion Ratio Lower Upper
154 100
153 110.7 89.4 134.0
152 53.8 43.4 65.2





#53
3-Nitroaniline
Concen: 40.608 ng
RT: 9.969 min Scan# 1255
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:138 Resp: 287283
Ion Ratio Lower Upper
138 100
108 9.8 8.2 12.2
92 116.0 93.3 139.9

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#54
2,4-Dinitrophenol
Concen: 36.198 ng
RT: 10.075 min Scan# 1273
Delta R.T. 0.001 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:184 Resp: 111684
Ion Ratio Lower Upper
184 100
63 58.9 47.2 70.8
154 58.0 46.5 69.7





#55
Dibenzofuran
Concen: 38.834 ng
RT: 10.216 min Scan# 1296
Delta R.T. 0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion:168 Resp: 1294900
Ion Ratio Lower Upper
168 100
139 36.2 31.0 46.6
169 13.6 11.3 16.9




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#56
4-Nitrophenol
Concen: 44.132 ng
RT: 10.134 min Scan# 1283
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion:139 Resp: 186143
Ion Ratio Lower Upper
139 100
109 68.0 53.8 93.8
65 93.1 73.0 113.0





#57
2,4-Dinitrotoluene
Concen: 40.410 ng
RT: 10.198 min Scan# 1294
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion:165 Resp: 326679
Ion Ratio Lower Upper
165 100
63 42.7 34.4 51.6
89 76.6 59.5 89.3
182 2.7 2.0 3.0




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#58
Fluorene
Concen: 37.690 ng
RT: 10.557 min Scan# 1355
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion:166 Resp: 999369
Ion Ratio Lower Upper
166 100
165 93.9 74.3 111.5
167 13.6 11.0 16.4






#59
2,3,4,6-Tetrachlorophenol
Concen: 40.479 ng
RT: 10.334 min Scan# 1317
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623






Tgt Ion:232 Resp: 291242
Ion Ratio Lower Upper
232 100
131 39.7 32.6 48.8
130 2.2 1.7 2.5
166 28.0 22.0 33.0


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#60
Diethylphthalate
Concen: 39.096 ng
RT: 10.422 min Scan# 1332
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:149 Resp: 1060424
Ion Ratio Lower Upper
149 100
177 22.8 18.6 28.0
150 12.2 10.0 15.0





#61
4-Chlorophenyl-phenylether
Concen: 38.107 ng
RT: 10.545 min Scan# 1353
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:204 Resp: 530398
Ion Ratio Lower Upper
204 100
206 34.0 26.6 40.0
141 52.3 41.9 62.9

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#62
4-Nitroaniline
Concen: 37.905 ng
RT: 10.586 min Scan# 1360
Delta R.T. 0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:138 Resp: 234478
Ion Ratio Lower Upper
138 100
92 47.4 34.9 74.9
108 69.9 58.8 98.8





#63
Azobenzene
Concen: 38.855 ng
RT: 10.704 min Scan# 1380
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion: 77 Resp: 1077462
Ion Ratio Lower Upper
77 100
182 23.8 3.8 43.8
105 21.7 1.2 41.2
51 25.7 5.3 45.3




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.498 min Scan# 1515
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02


Tgt Ion:188 Resp: 743074
Ion Ratio Lower Upper
188 100
94 9.9 7.5 11.3
80 10.0 7.5 11.3





#65
4,6-Dinitro-2-methylphenol
Concen: 43.002 ng
RT: 10.610 min Scan# 1364
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:198 Resp: 195840
Ion Ratio Lower Upper
198 100
51 36.6 15.6 55.6
105 42.0 21.5 61.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#66
n-Nitrosodiphenylamine
Concen: 38.174 ng
RT: 10.663 min Scan# 1373
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:169 Resp: 876659
Ion Ratio Lower Upper
169 100
168 67.9 54.2 81.2
167 37.2 29.6 44.4





#67
4-Bromophenyl-phenylether
Concen: 39.357 ng
RT: 11.033 min Scan# 1436
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:248 Resp: 338111
Ion Ratio Lower Upper
248 100
250 98.7 79.1 118.7
141 71.2 57.1 85.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#68
Hexachlorobenzene
Concen: 39.085 ng
RT: 11.104 min Scan# 1448
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02



Tgt Ion:284 Resp: 355585
Ion Ratio Lower Upper
284 100
142 34.7 26.2 39.2
249 32.5 24.9 37.3





#69

Atrazine

Concen: 41.524 ng

RT: 11.192 min Scan# 1463

Delta R.T. 0.006 min

Lab File: BF132820.D


Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623



Tgt Ion:200 Resp: 274616

Ion Ratio Lower Upper

200 100

173 25.5 6.5 46.5




215 51.7 28.0 68.0

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/17/2023

Supervised By :Jagrut Upadhyay 03/17/2023



#70

Pentachlorophenol

Concen: 43.081 ng

RT: 11.304 min Scan# 1482

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02




Tgt Ion:266 Resp: 166296


Ion Ratio Lower Upper

266 100

268 62.9 51.6 77.4


264 62.2 51.0 76.4





#71
Phenanthrene
Concen: 38.103 ng
RT: 11.522 min Scan# 1519
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:178 Resp: 142515
Ion Ratio Lower Upper
178 100
176 20.4 16.3 24.5
179 16.5 13.1 19.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#72
Anthracene
Concen: 38.920 ng
RT: 11.575 min Scan# 1528
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02



Tgt Ion:178 Resp: 1491205
Ion Ratio Lower Upper
178 100
176 19.3 15.7 23.5
179 16.0 12.8 19.2






#73
 Carbazole
 Concen: 38.532 ng
 RT: 11.733 min Scan# 1555
 Delta R.T. 0.000 min
 Lab File: BF132820.D
 Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623






Tgt Ion:167 Resp: 1325546
 Ion Ratio Lower Upper
 167 100
 166 21.8 17.6 26.4
 139 12.9 10.2 15.2


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 03/17/2023
 Supervised By :Jagrut Upadhyay 03/17/2023




#74
 Di-n-butylphthalate
 Concen: 38.948 ng
 RT: 12.045 min Scan# 1608
 Delta R.T. 0.000 min
 Lab File: BF132820.D
 Acq: 16 Mar 2023 19:02




Tgt Ion:149 Resp: 1596270
 Ion Ratio Lower Upper
 149 100
 150 9.6 7.8 11.8
 104 5.1 4.4 6.6





#75
Fluoranthene
Concen: 38.985 ng
RT: 12.716 min Scan# 1722
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion:202 Resp: 1586840
Ion Ratio Lower Upper
202 100
101 11.3 0.0 31.3
203 18.0 0.0 38.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.151 min Scan# 1966
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Tgt Ion:240 Resp: 496765
Ion Ratio Lower Upper
240 100
120 11.7 9.1 13.7
236 26.9 21.2 31.8





#77
Benzidine
Concen: 43.159 ng m
RT: 12.863 min Scan# 1747
Delta R.T. 0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion:184 Resp: 13352
Ion Ratio Lower Upper
184 100
185 17.5 12.6 19.0
183 12.2 8.2 12.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#78
Pyrene
Concen: 39.093 ng
RT: 12.951 min Scan# 1762
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion:202 Resp: 1614011
Ion Ratio Lower Upper
202 100
200 21.3 16.9 25.3
203 18.0 14.6 21.8






#79
 Terphenyl-d14
 Concen: 74.361 ng
 RT: 13.086 min Scan# 1785
 Delta R.T. 0.000 min
 Lab File: BF132820.D
 Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623






Tgt Ion:244 Resp: 204573
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.3 9.5
 122 8.3 6.6 9.8

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 03/17/2023
 Supervised By :Jagrut Upadhyay 03/17/2023



#80
 Butylbenzylphthalate
 Concen: 40.114 ng
 RT: 13.551 min Scan# 1864
 Delta R.T. 0.000 min
 Lab File: BF132820.D
 Acq: 16 Mar 2023 19:02

Tgt Ion:149 Resp: 677544
 Ion Ratio Lower Upper
 149 100
 91 73.1 59.5 89.3
 206 20.1 16.2 24.4





#81

Benzo(a)anthracene

Concen: 39.384 ng

RT: 14.139 min Scan# 1964

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623

Tgt Ion:228 Resp: 1416148

Ion Ratio Lower Upper

228 100

226 28.3 22.2 33.4





229 20.6 16.5 24.7

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/17/2023

Supervised By :Jagrut Upadhyay 03/17/2023



#82

3,3'-Dichlorobenzidine

Concen: 37.798 ng

RT: 14.098 min Scan# 1957

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02




Tgt Ion:252 Resp: 352800


Ion Ratio Lower Upper

252 100

254 64.9 52.2 78.4

126 9.6 7.5 11.3





#83

Chrysene

Concen: 38.885 ng

RT: 14.180 min Scan# 1971

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623

Tgt Ion:228 Resp: 132124





Ion	Ratio	Lower	Upper
228	100		
226	30.8	25.4	38.0
229	20.4	16.1	24.1

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/17/2023

Supervised By :Jagrut Upadhyay 03/17/2023



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.888 ng

RT: 14.104 min Scan# 1958




Delta R.T. 0.000 min


Lab File: BF132820.D

Acq: 16 Mar 2023 19:02

Tgt Ion:149 Resp: 847185


Ion	Ratio	Lower	Upper
149	100		
167	27.3	21.4	32.0
279	3.7	2.9	4.3





#85
Di-n-octyl phthalate
Concen: 39.918 ng
RT: 14.727 min Scan# 2064
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623



Tgt Ion:149 Resp: 1328183
Ion Ratio Lower Upper
149 100
167 1.7 1.3 1.9
43 7.8 6.2 9.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.674 min Scan# 2225
Delta R.T. -0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion:264 Resp: 416878
Ion Ratio Lower Upper
264 100
260 24.2 18.9 28.3
265 21.7 17.4 26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 41.368 ng
RT: 17.251 min Scan# 2494
Delta R.T. -0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Instrument :

BNA_F





ClientSampleId :

ICVBF031623

Tgt Ion:276 Resp: 1081032
Ion Ratio Lower Upper
276 100
138 23.8 18.8 28.2
277 25.1 20.3 30.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/17/2023
Supervised By :Jagrut Upadhyay 03/17/2023



#88
Benzo(b)fluoranthene
Concen: 41.259 ng
RT: 15.221 min Scan# 2148
Delta R.T. 0.000 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02

Tgt Ion:252 Resp: 1121938
Ion Ratio Lower Upper
252 100
253 22.4 18.2 27.4
125 9.4 7.8 11.8





#89

Benzo(k)fluoranthene

Concen: 40.087 ng

RT: 15.257 min Scan# 2154

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02

Instrument :

BNA_F

ClientSampleId :

ICVBF031623

Tgt Ion:252 Resp: 106528

Ion Ratio Lower Upper

252 100

253 22.1 18.2 27.4





125 8.8 7.2 10.8

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/17/2023

Supervised By :Jagrut Upadhyay 03/17/2023



#90

Benzo(a)pyrene

Concen: 40.387 ng

RT: 15.616 min Scan# 2215

Delta R.T. 0.000 min

Lab File: BF132820.D

Acq: 16 Mar 2023 19:02




Tgt Ion:252 Resp: 1023828


Ion Ratio Lower Upper

252 100

253 22.2 17.8 26.6


125 9.4 7.7 11.5





#91
Dibenzo(a,h)anthracene
Concen: 41.644 ng
RT: 17.262 min Scan# 2496
Delta R.T. -0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02




Instrument :
BNA_F
ClientSampleId :
ICVBF031623




Tgt Ion: 278 Resp: 888094
Ion Ratio Lower Upper
278 100
139 15.1 11.8 17.8
279 23.7 19.1 28.7

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 03/17/2023
Supervised By : Jagrut Upadhyay 03/17/2023



#92
Benzo(g,h,i)perylene
Concen: 42.084 ng
RT: 17.733 min Scan# 2575
Delta R.T. 0.006 min
Lab File: BF132820.D
Acq: 16 Mar 2023 19:02



Tgt Ion: 276 Resp: 937744
Ion Ratio Lower Upper
276 100
277 23.2 19.0 28.6
138 20.0 16.8 25.2

