

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031715\
 Data File : BF077770.D
 Acq On : 17 Mar 2015 14:11
 Operator : TP/IZ
 Sample : PB82120BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Quant Time: Mar 18 00:03:26 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 18 00:52:09 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.16	152	51459	20.00	ng	0.00
21) Naphthalene-d8	8.74	136	212330	20.00	ng	0.00
38) Acenaphthene-d10	10.91	164	105687	20.00	ng	0.00
63) Phenanthrene-d10	12.75	188	204624	20.00	ng	0.00
75) Chrysene-d12	16.04	240	221441	20.00	ng	0.01
86) Perylene-d12	17.79	264	211738	20.00	ng	0.05

System Monitoring Compounds

5) 2-Fluorophenol	5.45	112	310735	105.40	ng	0.00
7) Phenol-d6	6.73	99	378412	103.89	ng	0.00
23) Nitrobenzene-d5	7.86	82	224240	69.23	ng	0.00
41) 2,4,6-Tribromophenol	11.89	330	99761	98.66	ng	0.00
44) 2-Fluorobiphenyl	10.09	172	495328	68.88	ng	0.00
78) Terphenyl-d14	14.74	244	575302	63.46	ng	0.00

Target Compounds

						Qvalue
2) 1,4-Dioxane	2.06	88	38115	28.48	ng	# 100
3) Pyridine	2.76	79	95782	26.63	ng	99
4) n-Nitrosodimethylamine	2.68	42	47277	30.19	ng	97
6) Aniline	6.75	93	94950	18.22	ng	# 32
8) 2-Chlorophenol	6.89	128	118568	33.79	ng	95
9) Benzaldehyde	6.60	77	8763	5.87	ng	98
10) Phenol	6.75	94	143556	33.34	ng	91
11) bis(2-Chloroethyl)ether	6.85	93	115551	35.83	ng	96
12) 1,3-Dichlorobenzene	7.08	146	127892	32.77	ng	98
13) 1,4-Dichlorobenzene	7.18	146	128218	31.62	ng	99
14) 1,2-Dichlorobenzene	7.37	146	122294	32.89	ng	98
15) Benzyl Alcohol	7.34	79	93144	32.76	ng	95
16) 2,2'-oxybis(1-Chloropropan	7.53	45	145027	33.37	ng	98
17) 2-Methylphenol	7.49	107	95158	33.31	ng	97
18) Hexachloroethane	7.78	117	42970	32.31	ng	93
19) n-Nitroso-di-n-propylamine	7.68	70	76791	30.48	ng	91
20) 3+4-Methylphenols	7.69	107	123351	32.91	ng	93
22) Acetophenone	7.68	105	161774	34.42	ng	# 91
24) Nitrobenzene	7.88	77	117970	33.81	ng	# 82
25) Isophorone	8.18	82	210400	32.16	ng	97
26) 2-Nitrophenol	8.27	139	57845	33.86	ng	90
27) 2,4-Dimethylphenol	8.34	122	105508	33.90	ng	95
28) bis(2-Chloroethoxy)methane	8.46	93	139239	35.07	ng	99
29) 2,4-Dichlorophenol	8.57	162	98833	33.31	ng	96
30) 1,2,4-Trichlorobenzene	8.67	180	102839	30.98	ng	98
31) Naphthalene	8.76	128	344157	31.56	ng	99
32) Benzoic acid	8.45	122	56817	33.71	ng	94
33) 4-Chloroaniline	8.84	127	88222	19.93	ng	# 95
34) Hexachlorobutadiene	8.92	225	58899	31.31	ng	98
35) Caprolactam	9.26	113	30620	35.32	ng	99
36) 4-Chloro-3-methylphenol	9.45	107	99348	33.28	ng	# 82
37) 2-Methylnaphthalene	9.62	142	235886	32.20	ng	98
39) 1,2,4,5-Tetrachlorobenzene	9.82	216	101072	32.06	ng	# 100
40) Hexachlorocyclopentadiene	9.81	237	102780	65.72	ng	99


Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031715\
 Data File : BF077770.D
 Acq On : 17 Mar 2015 14:11
 Operator : TP/IZ
 Sample : PB82120BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Quant Time: Mar 18 00:03:26 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 18 00:52:09 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	9.97	196	70943	32.49	ng	97
43) 2,4,5-Trichlorophenol	10.02	196	77235	32.74	ng #	85
45) 1,1'-Biphenyl	10.20	154	269317	31.88	ng	97
46) 2-Chloronaphthalene	10.22	162	221332	32.24	ng	96
47) 2-Nitroaniline	10.36	65	58336	34.21	ng #	73
48) Acenaphthylene	10.73	152	360548	31.58	ng	99
49) Dimethylphthalate	10.59	163	255017	32.53	ng	99
50) 2,6-Dinitrotoluene	10.67	165	57373	35.31	ng #	78
51) Acenaphthene	10.94	154	203687	31.12	ng	98
52) 3-Nitroaniline	10.86	138	44874	23.78	ng #	78
53) 2,4-Dinitrophenol	11.00	184	45880	77.18	ng #	81
54) Dibenzofuran	11.16	168	320633	33.02	ng	95
55) 4-Nitrophenol	11.09	139	105420	75.42	ng	95
56) 2,4-Dinitrotoluene	11.16	165	78759	37.17	ng #	82
57) Fluorene	11.59	166	253667	31.47	ng	99
58) 2,3,4,6-Tetrachlorophenol	11.32	232	61884	34.07	ng #	100
59) Diethylphthalate	11.47	149	241410	31.61	ng	96
60) 4-Chlorophenyl-phenylether	11.60	204	117369	31.90	ng #	89
61) 4-Nitroaniline	11.62	138	58189	30.94	ng	79
62) Azobenzene	11.79	77	234264	32.09	ng	91
64) 4,6-Dinitro-2-methylphenol	11.67	198	32032	34.48	ng #	74
65) n-Nitrosodiphenylamine	11.75	169	219707	32.25	ng	99
66) 4-Bromophenyl-phenylether	12.20	248	71029	32.53	ng #	85
67) Hexachlorobenzene	12.26	284	74092	30.88	ng #	86
68) Atrazine	12.42	200	68481	35.86	ng	92
69) Pentachlorophenol	12.51	266	83263	66.78	ng	96
70) Phenanthrene	12.77	178	378225	32.20	ng	99
71) Anthracene	12.84	178	394767	34.01	ng	100
72) Carbazole	13.05	167	372829	33.77	ng	99
73) Di-n-butylphthalate	13.51	149	400572	32.36	ng	100
74) Fluoranthene	14.25	202	422885	32.64	ng	93
76) Benzidine	14.43	184	163930	29.80	ng	99
77) Pyrene	14.53	202	458808	32.95	ng	100
79) Butylbenzylphthalate	15.37	149	178950	32.59	ng	99
80) Benzo(a)anthracene	16.02	228	420417	32.03	ng	99
81) 3,3'-Dichlorobenzidine	16.01	252	105974	24.47	ng	97
82) Chrysene	16.07	228	409586	34.70	ng	99
83) Bis(2-ethylhexyl)phthalate	16.09	149	244807	29.44	ng #	93
84) Di-n-octyl phthalate	16.90	149	427012	30.03	ng	99
85) Indeno(1,2,3-cd)pyrene	19.19	276	367250	24.93	ng #	100
87) Benzo(b)fluoranthene	17.33	252	442091	31.98	ng	98
88) Benzo(k)fluoranthene	17.37	252	371718	34.43	ng #	96
89) Benzo(a)pyrene	17.72	252	395549	34.30	ng #	97
90) Dibenzo(a,h)anthracene	19.22	278	371527	32.48	ng	99
91) Benzo(g,h,i)perylene	19.61	276	380489	32.67	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.16 min Scan# 549

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:152 Resp: 51459

Ion Ratio Lower Upper

152 100

150 153.5 119.5 179.3




115 57.3 43.0 64.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 28.48 ng

RT: 2.06 min Scan# 103

Delta R.T. 0.02 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion: 88 Resp: 38115

Ion Ratio Lower Upper

88 100

58 75.9 0.0 0.0#



43 27.5 0.0 0.0#




Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0





#3

Pyridine

Concen: 26.63 ng

RT: 2.76 min Scan# 164

Delta R.T. 0.03 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion: 79 Resp: 95782

Ion Ratio Lower Upper

79 100

52 64.9 51.1 76.7




51 31.7 26.1 39.1



Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 52.00 (51.70 to 52.70): BF0

Ion 51.00 (50.70 to 51.70): BF0



#4

n-Nitrosodimethylamine

Concen: 30.19 ng

RT: 2.68 min Scan# 157

Delta R.T. 0.02 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion: 42 Resp: 47277

Ion Ratio Lower Upper

42 100

74 144.7 119.3 178.9



44 7.1 5.4 8.2



Abundance Ion 42.00 (41.70 to 42.70): BF0

Ion 74.00 (73.70 to 74.70): BF0

Ion 44.00 (43.70 to 44.70): BF0





#5

2-Fluorophenol

Concen: 105.40 ng

RT: 5.45 min Scan# 399

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion: 112 Resp: 310735

Ion Ratio Lower Upper

112 100

64 55.6 38.6 57.8




63 28.4 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#6

Aniline

Concen: 18.22 ng

RT: 6.75 min Scan# 513

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion: 93 Resp: 94950

Ion Ratio Lower Upper

93 100

66 79.3 30.8 46.2#



65 51.6 16.0 24.0#




Abundance Ion 93.00 (92.70 to 93.70): BF0

Ion 66.00 (65.70 to 66.70): BF0

Ion 65.00 (64.70 to 65.70): BF0





#7

Phenol-d6

Concen: 103.89 ng

RT: 6.73 min Scan# 511

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :


BNA_F

ClientSampleId :




PB82120BSD

Tgt Ion: 99 Resp: 378412

Ion	Ratio	Lower	Upper
99	100		
42	17.5	11.0	16.4#
71	33.2	23.4	35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#8

2-Chlorophenol

Concen: 33.79 ng

RT: 6.89 min Scan# 525


Delta R.T. 0.00 min

Lab File: BF077770.D



Acq: 17 Mar 2015 14:11


Tgt Ion: 128 Resp: 118568

Ion	Ratio	Lower	Upper
128	100		
130	32.0	12.0	52.0
64	50.0	24.9	64.9



Abundance Ion 128.00 (127.70 to 128.70): E
Ion 130.00 (129.70 to 130.70): E
Ion 64.00 (63.70 to 64.70): BF0





#9

Benzaldehyde

Concen: 5.87 ng

RT: 6.60 min Scan# 500

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion: 77 Resp: 8763

Ion Ratio Lower Upper

77 100

105 98.3 78.8 118.8




106 90.0 73.7 113.7



Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 105.00 (104.70 to 105.70): BF0

Ion 106.00 (105.70 to 106.70): BF0



#10

Phenol

Concen: 33.34 ng

RT: 6.75 min Scan# 513

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion: 94 Resp: 143556

Ion Ratio Lower Upper

94 100

65 34.1 18.8 58.8



66 52.3 39.9 79.9



Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#11
bis(2-Chloroethyl)ether
Concen: 35.83 ng
RT: 6.85 min Scan# 522
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11




Instrument :
BNA_F
ClientSampleId :
PB82120BSD


Tgt Ion: 93 Resp: 115551
Ion Ratio Lower Upper
93 100
63 73.7 49.5 89.5
95 32.3 13.5 53.5



#12
1,3-Dichlorobenzene
Concen: 32.77 ng
RT: 7.08 min Scan# 542
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion: 146 Resp: 127892
Ion Ratio Lower Upper
146 100
148 62.6 50.9 76.3
75 28.5 21.4 32.2









#13
 1,4-Dichlorobenzene
 Concen: 31.62 ng
 RT: 7.18 min Scan# 551
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:146 Resp: 128218
 Ion Ratio Lower Upper
 146 100
 148 65.4 51.9 77.9
 111 37.2 29.2 43.8




Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E






#14
 1,2-Dichlorobenzene
 Concen: 32.89 ng
 RT: 7.37 min Scan# 567
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:146 Resp: 122294
 Ion Ratio Lower Upper
 146 100
 148 64.2 52.3 78.5
 111 39.1 30.6 45.8



Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E









#15
Benzyl Alcohol
Concen: 32.76 ng
RT: 7.34 min Scan# 565
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion: 79 Resp: 93144
Ion Ratio Lower Upper
79 100
108 74.4 65.0 97.4
77 64.9 53.0 79.6




Abundance Ion 79.00 (78.70 to 79.70): BF0
Ion 108.00 (107.70 to 108.70): BF0
Ion 77.00 (76.70 to 77.70): BF0






#16
2,2'-oxybis(1-Chloropropane)
Concen: 33.37 ng
RT: 7.53 min Scan# 581
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion: 45 Resp: 145027
Ion Ratio Lower Upper
45 100
77 14.3 0.0 35.2
79 11.5 0.0 32.0



Abundance Ion 45.00 (44.70 to 45.70): BF0
Ion 77.00 (76.70 to 77.70): BF0
Ion 79.00 (78.70 to 79.70): BF0









#17
2-Methylphenol
Concen: 33.31 ng
RT: 7.49 min Scan# 578
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:107 Resp: 95158
Ion Ratio Lower Upper
107 100
108 113.3 89.8 134.8
77 45.6 32.6 48.8
79 44.2 32.8 49.2




Abundance Ion 107.00 (106.70 to 107.70): E
Ion 108.00 (107.70 to 108.70): E
Ion 77.00 (76.70 to 77.70): BF0
Ion 79.00 (78.70 to 79.70): BF0








#18
Hexachloroethane
Concen: 32.31 ng
RT: 7.78 min Scan# 603
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:117 Resp: 42970
Ion Ratio Lower Upper
117 100
119 95.8 79.2 118.8
201 76.1 69.8 104.6



Abundance Ion 117.00 (116.70 to 117.70): E
Ion 119.00 (118.70 to 119.70): E
Ion 201.00 (200.70 to 201.70): E





#19

n-Nitroso-di-n-propylamine

Concen: 30.48 ng

RT: 7.68 min Scan# 594

Delta R.T. -0.01 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD

Tgt Ion: 70 Resp: 76791





Ion Ratio Lower Upper

70 100

42 63.4 44.5 66.7

101 8.2 7.4 11.2

130 17.0 15.3 22.9



#20

3+4-Methylphenols

Concen: 32.91 ng

RT: 7.69 min Scan# 595

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Tgt Ion:107 Resp: 123351


Ion Ratio Lower Upper


107 100

108 86.5 73.2 113.2

77 33.1 10.7 50.7

79 25.7 9.6 49.6









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.74 min Scan# 687
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:	136	Resp:	212330
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.7	13.1
54	6.4	4.6	6.8
68	5.1	3.7	5.5




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0





#22
Acetophenone
Concen: 34.42 ng
RT: 7.68 min Scan# 594
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:	105	Resp:	161774
Ion	Ratio	Lower	Upper
105	100		
71	7.0	0.6	1.0#
51	21.0	21.6	32.4#
120	22.4	16.1	24.1



Abundance Ion 105.00 (104.70 to 105.70): E
Ion 71.00 (70.70 to 71.70): BF0
Ion 51.00 (50.70 to 51.70): BF0
Ion 120.00 (119.70 to 120.70): E









#23
 Nitrobenzene-d5
 Concen: 69.23 ng
 RT: 7.86 min Scan# 610
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD


Tgt Ion: 82 Resp: 224240
 Ion Ratio Lower Upper
 82 100
 128 52.3 32.8 49.2#
 54 44.5 40.6 60.8



#24
 Nitrobenzene
 Concen: 33.81 ng
 RT: 7.88 min Scan# 612
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion: 77 Resp: 117970
 Ion Ratio Lower Upper
 77 100
 123 55.4 32.6 49.0#
 65 12.5 10.9 16.3





#25

Isophorone

Concen: 32.16 ng

RT: 8.18 min Scan# 638

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD





Tgt Ion: 82 Resp: 210400

Ion Ratio Lower Upper

82 100

95 6.8 5.8 8.6

138 19.0 16.3 24.5



#26

2-Nitrophenol

Concen: 33.86 ng

RT: 8.27 min Scan# 646

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11




Tgt Ion: 139 Resp: 57845


Ion Ratio Lower Upper

139 100

109 28.0 20.1 30.1

65 47.0 31.5 47.3








#27
 2,4-Dimethylphenol
 Concen: 33.90 ng
 RT: 8.34 min Scan# 652
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD


Tgt Ion:122 Resp: 105508
 Ion Ratio Lower Upper
 122 100
 107 112.8 84.7 127.1
 121 59.2 46.6 69.8



#28
 bis(2-Chloroethoxy)methane
 Concen: 35.07 ng
 RT: 8.46 min Scan# 663
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion: 93 Resp: 139239
 Ion Ratio Lower Upper
 93 100
 95 32.1 25.5 38.3
 123 11.2 8.6 13.0









#29
2,4-Dichlorophenol
Concen: 33.31 ng
RT: 8.57 min Scan# 672
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:162 Resp: 98833
Ion Ratio Lower Upper
162 100
164 63.2 42.8 82.8
98 40.7 14.5 54.5




Abundance Ion 162.00 (161.70 to 162.70): E
Ion 164.00 (163.70 to 164.70): E
Ion 98.00 (97.70 to 98.70): BF0






#30
1,2,4-Trichlorobenzene
Concen: 30.98 ng
RT: 8.67 min Scan# 681
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:180 Resp: 102839
Ion Ratio Lower Upper
180 100
182 95.6 77.6 116.4
145 31.5 23.4 35.2



Abundance Ion 180.00 (179.70 to 180.70): E
Ion 182.00 (181.70 to 182.70): E
Ion 145.00 (144.70 to 145.70): E





#31

Naphthalene

Concen: 31.56 ng

RT: 8.76 min Scan# 689

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:128 Resp: 344157

Ion Ratio Lower Upper

128 100

129 10.6 8.9 13.3




127 12.9 10.4 15.6



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#32

Benzoic acid

Concen: 33.71 ng

RT: 8.45 min Scan# 662

Delta R.T. -0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion:122 Resp: 56817

Ion Ratio Lower Upper

122 100

105 115.6 99.9 139.9



77 84.2 73.7 113.7



Abundance Ion 122.00 (121.70 to 122.70): E

Ion 105.00 (104.70 to 105.70): E

Ion 77.00 (76.70 to 77.70): BF0








#33
4-Chloroaniline
Concen: 19.93 ng
RT: 8.84 min Scan# 696
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampled :
PB82120BSD

Tgt Ion:	127	Resp:	88222
Ion	Ratio	Lower	Upper
127	100		
129	31.2	25.3	37.9
65	27.3	17.6	26.4
92	17.9	13.1	19.7




Abundance Ion 127.00 (126.70 to 127.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 65.00 (64.70 to 65.70): BF0
Ion 92.00 (91.70 to 92.70): BF0






#34
Hexachlorobutadiene
Concen: 31.31 ng
RT: 8.92 min Scan# 703
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:	225	Resp:	58899
Ion	Ratio	Lower	Upper
225	100		
223	61.0	47.9	71.9
227	61.4	50.1	75.1



Abundance Ion 225.00 (224.70 to 225.70): E
Ion 223.00 (222.70 to 223.70): E
Ion 227.00 (226.70 to 227.70): E








#35
 Caprolactam
 Concen: 35.32 ng
 RT: 9.26 min Scan# 733
 Delta R.T. -0.01 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD


Tgt Ion:113 Resp: 30620
 Ion Ratio Lower Upper
 113 100
 55 165.9 145.9 185.9
 56 123.3 101.0 141.0



#36
 4-Chloro-3-methylphenol
 Concen: 33.28 ng
 RT: 9.45 min Scan# 749
 Delta R.T. -0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:107 Resp: 99348
 Ion Ratio Lower Upper
 107 100
 144 22.2 23.3 34.9#
 142 72.2 72.6 109.0#









#37
 2-Methylnaphthalene
 Concen: 32.20 ng
 RT: 9.62 min Scan# 764
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD


Tgt Ion:142 Resp: 235886
 Ion Ratio Lower Upper
 142 100
 141 88.2 71.9 107.9
 115 33.9 25.4 38.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.91 min Scan# 877
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:164 Resp: 105687
 Ion Ratio Lower Upper
 164 100
 162 104.1 82.4 123.6
 160 45.3 35.8 53.6









#39
 1,2,4,5-Tetrachlorobenzene
 Concen: 32.06 ng
 RT: 9.82 min Scan# 782
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:	216	Resp:	101072
Ion	Ratio	Lower	Upper
216	100		
214	77.5	0.0	0.0#
179	22.1	0.0	0.0#
108	21.0	0.0	0.0#




Abundance Ion 216.00 (215.70 to 216.70): E
 Ion 214.00 (213.70 to 214.70): E
 Ion 179.00 (178.70 to 179.70): E
 Ion 108.00 (107.70 to 108.70): E





#40
 Hexachlorocyclopentadiene
 Concen: 65.72 ng
 RT: 9.81 min Scan# 781
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:	237	Resp:	102780
Ion	Ratio	Lower	Upper
237	100		
235	62.2	42.0	82.0
272	11.7	0.0	33.4



Abundance Ion 236.80 (236.50 to 237.50): E
 Ion 234.90 (234.60 to 235.60): E
 Ion 271.75 (271.45 to 272.45): E









#41
 2,4,6-Tribromophenol
 Concen: 98.66 ng
 RT: 11.89 min Scan# 963
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:330 Resp: 99761
 Ion Ratio Lower Upper
 330 100
 332 94.8 0.0 0.0#
 141 36.5 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#42
 2,4,6-Trichlorophenol
 Concen: 32.49 ng
 RT: 9.97 min Scan# 795
 Delta R.T. -0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:196 Resp: 70943
 Ion Ratio Lower Upper
 196 100
 198 92.9 76.3 114.5
 200 29.9 25.6 38.4



Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 200.00 (199.70 to 200.70): E









#43
 2,4,5-Trichlorophenol
 Concen: 32.74 ng
 RT: 10.02 min Scan# 799
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:196 Resp: 77235
 Ion Ratio Lower Upper
 196 100
 198 93.3 79.4 119.0
 97 56.2 26.8 40.2#
 132 33.7 18.6 28.0#




Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 97.00 (96.70 to 97.70): BF0
 Ion 132.00 (131.70 to 132.70): E





#44
 2-Fluorobiphenyl
 Concen: 68.88 ng
 RT: 10.09 min Scan# 805
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:172 Resp: 495328
 Ion Ratio Lower Upper
 172 100
 171 35.1 28.5 42.7
 170 23.6 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#45
 1,1'-Biphenyl
 Concen: 31.88 ng
 RT: 10.20 min Scan# 815
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:154 Resp: 269317
 Ion Ratio Lower Upper
 154 100
 153 39.9 20.7 60.7
 76 14.6 0.0 30.9



#46
 2-Chloronaphthalene
 Concen: 32.24 ng
 RT: 10.22 min Scan# 817
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:162 Resp: 221332
 Ion Ratio Lower Upper
 162 100
 127 37.6 26.9 40.3
 164 33.5 26.8 40.2









#47
 2-Nitroaniline
 Concen: 34.21 ng
 RT: 10.36 min Scan# 829
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion: 65 Resp: 58336
 Ion Ratio Lower Upper
 65 100
 92 83.5 59.1 88.7
 138 157.5 93.9 140.9#



#48
 Acenaphthylene
 Concen: 31.58 ng
 RT: 10.73 min Scan# 861
 Delta R.T. -0.01 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion: 152 Resp: 360548
 Ion Ratio Lower Upper
 152 100
 151 19.4 15.9 23.9
 153 13.3 10.6 16.0









#49
Dimethylphthalate
Concen: 32.53 ng
RT: 10.59 min Scan# 849
Delta R.T. -0.01 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11




Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:163 Resp: 255017
Ion Ratio Lower Upper
163 100
194 2.9 2.7 4.1
164 10.6 8.2 12.2



#50
2,6-Dinitrotoluene
Concen: 35.31 ng
RT: 10.67 min Scan# 856
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:165 Resp: 57373
Ion Ratio Lower Upper
165 100
63 37.6 44.1 66.1#
89 41.4 44.3 66.5#





#51

Acenaphthene

Concen: 31.12 ng

RT: 10.94 min Scan# 880

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:154 Resp: 203687

Ion Ratio Lower Upper

154 100

153 115.4 90.0 135.0




152 53.9 42.6 63.8



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#52

3-Nitroaniline

Concen: 23.78 ng

RT: 10.86 min Scan# 873

Delta R.T. -0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion:138 Resp: 44874

Ion Ratio Lower Upper

138 100

108 10.8 7.3 10.9



92 118.4 76.6 114.8#




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BF0









#53
 2,4-Dinitrophenol
 Concen: 77.18 ng
 RT: 11.00 min Scan# 885
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD


Tgt Ion:184 Resp: 45880
 Ion Ratio Lower Upper
 184 100
 63 61.2 69.2 103.8#
 154 60.0 53.3 79.9



#54
 Dibenzofuran
 Concen: 33.02 ng
 RT: 11.16 min Scan# 899
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:168 Resp: 320633
 Ion Ratio Lower Upper
 168 100
 139 37.9 27.3 40.9
 169 13.5 10.6 16.0









#55
4-Nitrophenol
Concen: 75.42 ng
RT: 11.09 min Scan# 893
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:139 Resp: 105420
Ion Ratio Lower Upper
139 100
109 61.1 37.7 77.7
65 74.9 49.9 89.9




Abundance Ion 139.00 (138.70 to 139.70): E
Ion 109.00 (108.70 to 109.70): E
Ion 65.00 (64.70 to 65.70): BF0





#56
2,4-Dinitrotoluene
Concen: 37.17 ng
RT: 11.16 min Scan# 899
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:165 Resp: 78759
Ion Ratio Lower Upper
165 100
63 52.2 52.4 78.6#
89 72.0 72.4 108.6#
182 2.2 2.0 3.0



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 89.00 (88.70 to 89.70): BF0
Ion 182.00 (181.70 to 182.70): E





#57

Fluorene

Concen: 31.47 ng

RT: 11.59 min Scan# 936

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:166 Resp: 253667

Ion Ratio Lower Upper

166 100

165 99.8 79.0 118.4




167 13.4 10.3 15.5



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#58

2,3,4,6-Tetrachlorophenol

Concen: 34.07 ng

RT: 11.32 min Scan# 913

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Tgt Ion:232 Resp: 61884


Ion Ratio Lower Upper

232 100

131 45.4 0.0 0.0#

130 2.1 0.0 0.0#

166 31.6 0.0 0.0#






Abundance Ion 232.00 (231.70 to 232.70): E

Ion 131.00 (130.70 to 131.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 166.00 (165.70 to 166.70): E









#59
Diethylphthalate
Concen: 31.61 ng
RT: 11.47 min Scan# 926
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11




Instrument :
BNA_F
ClientSampleId :
PB82120BSD


Tgt Ion:149 Resp: 241410
Ion Ratio Lower Upper
149 100
177 19.9 18.3 27.5
150 12.6 9.8 14.8



#60
4-Chlorophenyl-phenylether
Concen: 31.90 ng
RT: 11.60 min Scan# 937
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:204 Resp: 117369
Ion Ratio Lower Upper
204 100
206 30.9 26.6 39.8
141 67.9 45.2 67.8#









#61
4-Nitroaniline
Concen: 30.94 ng
RT: 11.62 min Scan# 939
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11




Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:138 Resp: 58189
Ion Ratio Lower Upper
138 100
92 53.4 16.7 56.7
108 69.7 37.6 77.6



#62
Azobenzene
Concen: 32.09 ng
RT: 11.79 min Scan# 954
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion: 77 Resp: 234264
Ion Ratio Lower Upper
77 100
182 19.0 6.5 46.5
105 21.4 3.8 43.8
51 28.3 5.5 45.5









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.75 min Scan# 1038
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.2	8.7	13.1#
80	8.1	9.3	13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#64
4,6-Dinitro-2-methylphenol
Concen: 34.48 ng
RT: 11.67 min Scan# 943
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion	Ratio	Lower	Upper
198	100		
51	28.6	28.8	68.8#
105	34.9	30.5	70.5



Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BF0
Ion 105.00 (104.70 to 105.70): E









#65
 n-Nitrosodiphenylamine
 Concen: 32.25 ng
 RT: 11.75 min Scan# 950
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion	Ratio	Lower	Upper
169	100		
168	67.9	53.9	80.9
167	36.5	28.9	43.3




Abundance Ion 169.00 (168.70 to 169.70): E
 Ion 168.00 (167.70 to 168.70): E
 Ion 167.00 (166.70 to 167.70): E






#66
 4-Bromophenyl-phenylether
 Concen: 32.53 ng
 RT: 12.20 min Scan# 990
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion	Ratio	Lower	Upper
248	100		
250	95.2	77.4	116.0
141	84.3	45.2	67.8



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E









#67
Hexachlorobenzene
Concen: 30.88 ng
RT: 12.26 min Scan# 995
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:284 Resp: 74092
Ion Ratio Lower Upper
284 100
142 36.2 20.4 30.6#
249 33.9 23.8 35.6




Abundance Ion 283.80 (283.50 to 284.50): E
Ion 142.00 (141.70 to 142.70): E
Ion 249.00 (248.70 to 249.70): E





#68
Atrazine
Concen: 35.86 ng
RT: 12.42 min Scan# 1009
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:200 Resp: 68481
Ion Ratio Lower Upper
200 100
173 28.9 4.8 44.8
215 41.9 26.9 66.9



Abundance Ion 200.00 (199.70 to 200.70): E
Ion 173.00 (172.70 to 173.70): E
Ion 215.00 (214.70 to 215.70): E









#69
 Pentachlorophenol
 Concen: 66.78 ng
 RT: 12.51 min Scan# 1017
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:266 Resp: 83263
 Ion Ratio Lower Upper
 266 100
 268 62.5 52.0 78.0
 264 64.4 49.0 73.4




Abundance Ion 265.70 (265.40 to 266.40): E
 Ion 268.00 (267.70 to 268.70): E
 Ion 264.00 (263.70 to 264.70): E






#70
 Phenanthrene
 Concen: 32.20 ng
 RT: 12.77 min Scan# 1040
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:178 Resp: 378225
 Ion Ratio Lower Upper
 178 100
 176 19.3 15.2 22.8
 179 15.4 12.1 18.1



Abundance Ion 178.00 (177.70 to 178.70): E
 Ion 176.00 (175.70 to 176.70): E
 Ion 179.00 (178.70 to 179.70): E









#71
 Anthracene
 Concen: 34.01 ng
 RT: 12.84 min Scan# 1046
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD


Tgt Ion:178 Resp: 394767
 Ion Ratio Lower Upper
 178 100
 176 18.6 14.6 22.0
 179 15.7 12.6 19.0



#72
 Carbazole
 Concen: 33.77 ng
 RT: 13.05 min Scan# 1064
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:167 Resp: 372829
 Ion Ratio Lower Upper
 167 100
 166 21.3 17.2 25.8
 139 12.6 10.8 16.2





#73

Di-n-butylphthalate

Concen: 32.36 ng

RT: 13.51 min Scan# 1104

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:149 Resp: 400572

Ion Ratio Lower Upper

149 100

150 9.3 7.5 11.3




104 4.6 3.7 5.5



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#74

Fluoranthene

Concen: 32.64 ng

RT: 14.25 min Scan# 1169

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion:202 Resp: 422885

Ion Ratio Lower Upper

202 100

101 14.4 0.0 28.7



203 18.0 0.0 37.2




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 16.04 min Scan# 1326

Delta R.T. 0.01 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:240 Resp: 221441

Ion Ratio Lower Upper

240 100

120 7.9 8.2 12.2#




236 24.8 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#76

Benzidine

Concen: 29.80 ng

RT: 14.43 min Scan# 1185

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion:184 Resp: 163930

Ion Ratio Lower Upper

184 100

185 14.4 11.3 16.9



183 11.3 8.9 13.3




Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E





#77

Pyrene

Concen: 32.95 ng

RT: 14.53 min Scan# 1194

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion: 202 Resp: 458808

Ion Ratio Lower Upper

202 100

200 21.3 16.9 25.3




203 17.4 14.1 21.1



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 63.46 ng

RT: 14.74 min Scan# 1212

Delta R.T. 0.00 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion: 244 Resp: 575302

Ion Ratio Lower Upper

244 100

212 7.0 4.9 7.3



122 14.9 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#79
Butylbenzylphthalate
Concen: 32.59 ng
RT: 15.37 min Scan# 1267
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11




Instrument :
BNA_F
ClientSampleId :
PB82120BSD

Tgt Ion:149 Resp: 178950
Ion Ratio Lower Upper
149 100
91 63.6 50.1 75.1
206 20.4 16.2 24.2



#80
Benzo(a)anthracene
Concen: 32.03 ng
RT: 16.02 min Scan# 1324
Delta R.T. 0.00 min
Lab File: BF077770.D
Acq: 17 Mar 2015 14:11

Tgt Ion:228 Resp: 420417
Ion Ratio Lower Upper
228 100
226 27.4 21.7 32.5
229 20.6 16.0 24.0









#81
 3,3'-Dichlorobenzidine
 Concen: 24.47 ng
 RT: 16.01 min Scan# 1323
 Delta R.T. 0.01 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:252 Resp: 105974
 Ion Ratio Lower Upper
 252 100
 254 63.0 51.9 77.9
 126 10.3 9.8 14.8




Abundance Ion 252.00 (251.70 to 252.70): E
 Ion 254.00 (253.70 to 254.70): E
 Ion 126.00 (125.70 to 126.70): E





#82
 Chrysene
 Concen: 34.70 ng
 RT: 16.07 min Scan# 1328
 Delta R.T. -0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:228 Resp: 409586
 Ion Ratio Lower Upper
 228 100
 226 30.2 24.1 36.1
 229 20.0 15.5 23.3



Abundance Ion 228.00 (227.70 to 228.70): E
 Ion 226.00 (225.70 to 226.70): E
 Ion 229.00 (228.70 to 229.70): E









#83
 Bis(2-ethylhexyl)phthalate
 Concen: 29.44 ng
 RT: 16.09 min Scan# 1330
 Delta R.T. 0.00 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD

Tgt Ion:149 Resp: 244807
 Ion Ratio Lower Upper
 149 100
 167 24.4 22.4 33.6
 279 2.2 3.4 5.0#




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E





#84
 Di-n-octyl phthalate
 Concen: 30.03 ng
 RT: 16.90 min Scan# 1401
 Delta R.T. 0.02 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:149 Resp: 427012
 Ion Ratio Lower Upper
 149 100
 167 1.5 1.2 1.8
 43 8.7 7.3 10.9



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 43.00 (42.70 to 43.70): BF0









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 24.93 ng
 RT: 19.19 min Scan# 1601
 Delta R.T. 0.05 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11




Instrument :
 BNA_F
 ClientSampleId :
 PB82120BSD


Tgt Ion:276 Resp: 367250
 Ion Ratio Lower Upper
 276 100
 138 26.4 0.0 0.0#
 277 23.9 0.0 0.0#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.79 min Scan# 1479
 Delta R.T. 0.05 min
 Lab File: BF077770.D
 Acq: 17 Mar 2015 14:11

Tgt Ion:264 Resp: 211738
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.6 27.8
 265 21.3 17.3 25.9





#87

Benzo(b)fluoranthene

Concen: 31.98 ng

RT: 17.33 min Scan# 1439

Delta R.T. 0.03 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:252 Resp: 442091

Ion Ratio Lower Upper

252 100

253 21.7 18.0 27.0




125 13.0 9.9 14.9



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#88

Benzo(k)fluoranthene

Concen: 34.43 ng

RT: 17.37 min Scan# 1442

Delta R.T. 0.03 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion:252 Resp: 371718

Ion Ratio Lower Upper

252 100

253 22.1 17.2 25.8



125 13.3 8.1 12.1#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#89

Benzo(a)pyrene

Concen: 34.30 ng

RT: 17.72 min Scan# 1473

Delta R.T. 0.05 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion:252 Resp: 395549

Ion Ratio Lower Upper

252 100

253 22.2 17.6 26.4



125 13.1 7.4 11.2#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#90

Dibenzo(a,h)anthracene

Concen: 32.48 ng

RT: 19.22 min Scan# 1604

Delta R.T. 0.06 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11


Tgt Ion:278 Resp: 371527

Ion Ratio Lower Upper

278 100

139 17.4 13.4 20.0



279 24.0 19.0 28.4



Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E





#91

Benzo(g,h,i)perylene

Concen: 32.67 ng

RT: 19.61 min Scan# 1638

Delta R.T. 0.06 min

Lab File: BF077770.D

Acq: 17 Mar 2015 14:11

Instrument :

BNA_F

ClientSampleId :

PB82120BSD


Tgt Ion: 276 Resp: 380489

Ion Ratio Lower Upper

276 100

277 23.7 18.5 27.7

138 20.8 19.0 28.6



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

