

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031715\
 Data File : BF077787.D
 Acq On : 17 Mar 2015 22:37
 Operator : TP/IZ
 Sample : G1547-02
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-097A-31615

Quant Time: Mar 18 00:11:46 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 18 00:52:09 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.16	152	39817	20.00	ng	0.00
21) Naphthalene-d8	8.74	136	156943	20.00	ng	0.00
38) Acenaphthene-d10	10.91	164	76099	20.00	ng	0.00
63) Phenanthrene-d10	12.74	188	157589	20.00	ng	-0.01
75) Chrysene-d12	16.02	240	162912	20.00	ng	-0.01
86) Perylene-d12	17.72	264	158673	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	137470	60.26	ng	0.00
7) Phenol-d6	6.73	99	97538	34.61	ng	0.00
23) Nitrobenzene-d5	7.85	82	249380	104.16	ng	-0.01
41) 2,4,6-Tribromophenol	11.88	330	108378	148.85	ng	-0.01
44) 2-Fluorobiphenyl	10.09	172	577175	111.46	ng	0.00
78) Terphenyl-d14	14.74	244	641953	96.25	ng	0.00
Target Compounds						
76) Benzidine	14.43	184	10189	2.06	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031715\
Data File : BF077787.D
Acq On : 17 Mar 2015 22:37
Operator : TP/IZ
Sample : G1547-02
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DCW-WW-097A-31615

Quant Time: Mar 18 00:11:46 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 18 00:52:09 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.16 min Scan# 549
Delta R.T. 0.00 min
Lab File: BF077787.D
Acq: 17 Mar 2015 22:37

Instrument :
BNA_F
ClientSampleId :
DCW-WW-097A-31615

Tgt Ion:152 Resp: 39817
Ion Ratio Lower Upper
152 100
150 156.9 119.5 179.3
115 54.7 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 60.26 ng
RT: 5.45 min Scan# 399
Delta R.T. -0.00 min
Lab File: BF077787.D
Acq: 17 Mar 2015 22:37

Tgt Ion:112 Resp: 137470
Ion Ratio Lower Upper
112 100
64 48.3 38.6 57.8
63 22.9 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 34.61 ng

RT: 6.73 min Scan# 511

Delta R.T. 0.00 min

Lab File: BF077787.D

Acq: 17 Mar 2015 22:37

Instrument :

BNA_F

ClientSampleId :

DCW-WW-097A-31615


Tgt Ion: 99 Resp: 97538

Ion Ratio Lower Upper

99 100

42 13.6 11.0 16.4




71 28.5 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.74 min Scan# 687

Delta R.T. 0.00 min

Lab File: BF077787.D

Acq: 17 Mar 2015 22:37

Tgt Ion: 136 Resp: 156943


Ion Ratio Lower Upper

136 100

137 10.2 8.7 13.1

54 5.6 4.6 6.8

68 4.5 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 104.16 ng
 RT: 7.85 min Scan# 609
 Delta R.T. -0.01 min
 Lab File: BF077787.D
 Acq: 17 Mar 2015 22:37

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-097A-31615

Tgt Ion: 82 Resp: 249380
 Ion Ratio Lower Upper
 82 100
 128 39.1 32.8 49.2
 54 51.9 40.6 60.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.91 min Scan# 877
 Delta R.T. -0.00 min
 Lab File: BF077787.D
 Acq: 17 Mar 2015 22:37

Tgt Ion: 164 Resp: 76099
 Ion Ratio Lower Upper
 164 100
 162 106.1 82.4 123.6
 160 47.1 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 148.85 ng
 RT: 11.88 min Scan# 962
 Delta R.T. -0.01 min
 Lab File: BF077787.D
 Acq: 17 Mar 2015 22:37

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-097A-31615

Tgt Ion:330 Resp: 108378
 Ion Ratio Lower Upper
 330 100
 332 95.5 0.0 0.0#
 141 37.9 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 111.46 ng
 RT: 10.09 min Scan# 805
 Delta R.T. 0.00 min
 Lab File: BF077787.D
 Acq: 17 Mar 2015 22:37

Tgt Ion:172 Resp: 577175
 Ion Ratio Lower Upper
 172 100
 171 35.1 28.5 42.7
 170 23.1 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.74 min Scan# 1037

Delta R.T. -0.01 min

Lab File: BF077787.D

Acq: 17 Mar 2015 22:37

Instrument :

BNA_F

ClientSampleId :

DCW-WW-097A-31615


Tgt Ion:188 Resp: 157589

Ion Ratio Lower Upper

188 100

94 11.7 8.7 13.1




80 12.1 9.3 13.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 16.02 min Scan# 1324

Delta R.T. -0.01 min

Lab File: BF077787.D

Acq: 17 Mar 2015 22:37


Tgt Ion:240 Resp: 162912

Ion Ratio Lower Upper

240 100

120 13.3 8.2 12.2#



236 24.1 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#76
Benzidine
Concen: 2.06 ng
RT: 14.43 min Scan# 1185
Delta R.T. -0.00 min
Lab File: BF077787.D
Acq: 17 Mar 2015 22:37




Instrument :
BNA_F
ClientSampleId :
DCW-WW-097A-31615


Tgt Ion:184 Resp: 10189
Ion Ratio Lower Upper
184 100
185 16.0 11.3 16.9
183 11.5 8.9 13.3



#78
Terphenyl-d14
Concen: 96.25 ng
RT: 14.74 min Scan# 1212
Delta R.T. -0.00 min
Lab File: BF077787.D
Acq: 17 Mar 2015 22:37

Tgt Ion:244 Resp: 641953
Ion Ratio Lower Upper
244 100
212 7.1 4.9 7.3
122 13.1 6.2 9.4#






#86
Perylene-d12
Concen: 20.00 ng
RT: 17.72 min Scan# 1473
Delta R.T. -0.02 min
Lab File: BF077787.D
Acq: 17 Mar 2015 22:37

Instrument :
BNA_F
ClientSampleId :
DCW-WW-097A-31615

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.5	18.6	27.8
265	21.4	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

