

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031716\
 Data File : BF085529.D
 Acq On : 18 Mar 2016 10:37
 Operator : UM/SJ
 Sample : H1776-18
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 W170TH-SB-36

Quant Time: Mar 18 11:42:15 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 15 18:57:05 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	152403	20.00	ng	-0.05
21) Naphthalene-d8	8.15	136	573397	20.00	ng	-0.06
38) Acenaphthene-d10	9.91	164	250809	20.00	ng	-0.05
63) Phenanthrene-d10	11.40	188	427988	20.00	ng	-0.05
75) Chrysene-d12	14.03	240	271617	20.00	ng	-0.06
86) Perylene-d12	15.47	264	247796	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	1250573	141.05	ng	-0.03
7) Phenol-d6	6.50	99	1657120	144.09	ng	-0.05
23) Nitrobenzene-d5	7.44	82	1080726	111.44	ng	-0.05
41) 2,4,6-Tribromophenol	10.70	330	308170	133.40	ng	-0.06
44) 2-Fluorobiphenyl	9.24	172	1430836	98.97	ng	-0.05
78) Terphenyl-d14	12.98	244	1198282	99.80	ng	-0.05
Target Compounds						
49) Dimethylphthalate	9.62	163	360605	19.71	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031716\
Data File : BF085529.D
Acq On : 18 Mar 2016 10:37
Operator : UM/SJ
Sample : H1776-18
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
W170TH-SB-36

Quant Time: Mar 18 11:42:15 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 15 18:57:05 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.87 min Scan# 401

Delta R.T. -0.05 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37

Instrument :

BNA_F

ClientSampleId :

W170TH-SB-36


Tgt Ion:152 Resp: 152403

Ion Ratio Lower Upper

152 100

150 155.8 124.6 186.8




115 63.5 46.6 70.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 141.05 ng

RT: 5.48 min Scan# 279

Delta R.T. -0.03 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37


Tgt Ion:112 Resp: 1250573

Ion Ratio Lower Upper

112 100

64 56.4 49.0 73.4



63 28.7 24.8 37.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 144.09 ng

RT: 6.50 min Scan# 369

Delta R.T. -0.05 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37

Instrument :

BNA_F

ClientSampleId :

W170TH-SB-36


Tgt Ion: 99 Resp: 1657120

Ion Ratio Lower Upper

99 100

42 15.4 13.6 20.4




71 33.1 26.7 40.1



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.15 min Scan# 513

Delta R.T. -0.06 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37

Tgt Ion: 136 Resp: 573397


Ion Ratio Lower Upper

136 100

137 11.3 9.3 13.9

54 8.9 7.4 11.2

68 7.0 6.0 9.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 111.44 ng
 RT: 7.44 min Scan# 451
 Delta R.T. -0.05 min
 Lab File: BF085529.D
 Acq: 18 Mar 2016 10:37

Instrument :
 BNA_F
 ClientSampleId :
 W170TH-SB-36

Tgt Ion: 82 Resp: 1080726
 Ion Ratio Lower Upper
 82 100
 128 50.2 34.5 51.7
 54 42.3 39.3 58.9




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.91 min Scan# 667
 Delta R.T. -0.05 min
 Lab File: BF085529.D
 Acq: 18 Mar 2016 10:37

Tgt Ion: 164 Resp: 250809
 Ion Ratio Lower Upper
 164 100
 162 102.6 83.3 124.9
 160 46.6 37.9 56.9



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 133.40 ng
 RT: 10.70 min Scan# 736
 Delta R.T. -0.06 min
 Lab File: BF085529.D
 Acq: 18 Mar 2016 10:37




Instrument :
 BNA_F
 ClientSampleId :
 W170TH-SB-36


Tgt Ion:330 Resp: 308170
 Ion Ratio Lower Upper
 330 100
 332 97.0 77.1 115.7
 141 34.9 35.0 52.6#



#44
 2-Fluorobiphenyl
 Concen: 98.97 ng
 RT: 9.24 min Scan# 608
 Delta R.T. -0.05 min
 Lab File: BF085529.D
 Acq: 18 Mar 2016 10:37

Tgt Ion:172 Resp: 1430836
 Ion Ratio Lower Upper
 172 100
 171 37.5 29.3 43.9
 170 24.9 20.0 30.0





#49

Dimethylphthalate

Concen: 19.71 ng

RT: 9.62 min Scan# 642

Delta R.T. -0.06 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37

Instrument :

BNA_F

ClientSampleId :

W170TH-SB-36


Tgt Ion:163 Resp: 360605

Ion Ratio Lower Upper

163 100

194 3.1 3.1 4.7#




164 10.8 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.40 min Scan# 797

Delta R.T. -0.05 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37


Tgt Ion:188 Resp: 427988

Ion Ratio Lower Upper

188 100

94 8.4 7.0 10.6



80 8.7 7.4 11.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.03 min Scan# 1027

Delta R.T. -0.06 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37

Instrument :

BNA_F

ClientSampleId :

W170TH-SB-36


Tgt Ion:240 Resp: 271617

Ion Ratio Lower Upper

240 100

120 17.3 5.3 7.9#




236 25.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 99.80 ng

RT: 12.98 min Scan# 936

Delta R.T. -0.05 min

Lab File: BF085529.D

Acq: 18 Mar 2016 10:37


Tgt Ion:244 Resp: 1198282

Ion Ratio Lower Upper

244 100

212 6.9 6.4 9.6



122 9.0 11.4 17.2#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.47 min Scan# 1153
Delta R.T. -0.07 min
Lab File: BF085529.D
Acq: 18 Mar 2016 10:37

Instrument :
BNA_F
ClientSampleId :
W170TH-SB-36

Tgt Ion:	264	Resp:	247796
Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.2	28.8
265	22.2	17.3	25.9

