

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031816\
 Data File : BF085580.D
 Acq On : 19 Mar 2016 18:37
 Operator : UM/SJ
 Sample : H1788-03
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-3(7-8)

Quant Time: Mar 21 02:29:07 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031816.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 18 23:31:39 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	122932	20.00	ng	-0.01
21) Naphthalene-d8	8.14	136	532814	20.00	ng	0.00
38) Acenaphthene-d10	9.89	164	232418	20.00	ng	-0.01
63) Phenanthrene-d10	11.37	188	454976	20.00	ng	-0.01
75) Chrysene-d12	14.00	240	308739	20.00	ng	-0.01
86) Perylene-d12	15.43	264	230352	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	1206952	164.91	ng	0.01
7) Phenol-d6	6.49	99	1461535	155.70	ng	0.00
23) Nitrobenzene-d5	7.42	82	885684	96.49	ng	-0.01
41) 2,4,6-Tribromophenol	10.69	330	411531	180.76	ng	0.00
44) 2-Fluorobiphenyl	9.21	172	1361107	106.64	ng	-0.01
78) Terphenyl-d14	12.96	244	1383154	107.81	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.61	163	325777	18.57	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031816\
Data File : BF085580.D
Acq On : 19 Mar 2016 18:37
Operator : UM/SJ
Sample : H1788-03
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-3(7-8)

Quant Time: Mar 21 02:29:07 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031816.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 18 23:31:39 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.85 min Scan# 399

Delta R.T. -0.01 min

Lab File: BF085580.D

Acq: 19 Mar 2016 18:37

Instrument :

BNA_F

ClientSampleId :

SB-3(7-8)


Tgt Ion:152 Resp: 122932

Ion Ratio Lower Upper

152 100

150 158.9 124.2 186.2


115 73.8 47.0 70.6#




Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



Time-->



#5

2-Fluorophenol

Concen: 164.91 ng

RT: 5.46 min Scan# 278

Delta R.T. 0.01 min

Lab File: BF085580.D

Acq: 19 Mar 2016 18:37


Tgt Ion:112 Resp: 1206952

Ion Ratio Lower Upper

112 100

64 50.6 39.9 59.9


63 25.7 20.2 30.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



Time-->



#7

Phenol-d6

Concen: 155.70 ng

RT: 6.49 min Scan# 368

Delta R.T. 0.00 min

Lab File: BF085580.D

Acq: 19 Mar 2016 18:37

Instrument :

BNA_F

ClientSampleId :

SB-3(7-8)


Tgt Ion: 99 Resp: 1461535

Ion Ratio Lower Upper

99 100

42 15.1 11.1 16.7




71 33.5 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.14 min Scan# 512

Delta R.T. 0.00 min

Lab File: BF085580.D

Acq: 19 Mar 2016 18:37

Tgt Ion: 136 Resp: 532814


Ion Ratio Lower Upper

136 100

137 10.8 9.1 13.7

54 5.8 7.4 11.0#

68 5.1 5.8 8.8#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 96.49 ng
 RT: 7.42 min Scan# 449
 Delta R.T. -0.01 min
 Lab File: BF085580.D
 Acq: 19 Mar 2016 18:37

Instrument :
 BNA_F
 ClientSampled :
 SB-3(7-8)

Tgt Ion: 82 Resp: 885684
 Ion Ratio Lower Upper
 82 100
 128 46.2 41.8 62.8
 54 45.2 33.4 50.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.89 min Scan# 665
 Delta R.T. -0.01 min
 Lab File: BF085580.D
 Acq: 19 Mar 2016 18:37

Tgt Ion: 164 Resp: 232418
 Ion Ratio Lower Upper
 164 100
 162 102.6 82.1 123.1
 160 47.4 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 180.76 ng
 RT: 10.69 min Scan# 735
 Delta R.T. 0.00 min
 Lab File: BF085580.D
 Acq: 19 Mar 2016 18:37




Instrument :
 BNA_F
 ClientSampleId :
 SB-3(7-8)


Tgt Ion:330 Resp: 411531
 Ion Ratio Lower Upper
 330 100
 332 96.0 78.2 117.2
 141 27.2 31.5 47.3#



#44
 2-Fluorobiphenyl
 Concen: 106.64 ng
 RT: 9.21 min Scan# 606
 Delta R.T. -0.01 min
 Lab File: BF085580.D
 Acq: 19 Mar 2016 18:37

Tgt Ion:172 Resp: 1361107
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.4 44.2
 170 24.8 19.8 29.6









#49
Dimethylphthalate
Concen: 18.57 ng
RT: 9.61 min Scan# 641
Delta R.T. -0.01 min
Lab File: BF085580.D
Acq: 19 Mar 2016 18:37

Instrument :
BNA_F
ClientSampleId :
SB-3(7-8)

Tgt Ion:163 Resp: 325777
Ion Ratio Lower Upper
163 100
194 3.9 2.9 4.3
164 9.7 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 795
Delta R.T. -0.01 min
Lab File: BF085580.D
Acq: 19 Mar 2016 18:37

Tgt Ion:188 Resp: 454976
Ion Ratio Lower Upper
188 100
94 8.8 5.4 8.0#
80 9.2 5.5 8.3#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.00 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF085580.D

Acq: 19 Mar 2016 18:37

Instrument :

BNA_F

ClientSampleId :

SB-3(7-8)


Tgt Ion:240 Resp: 308739

Ion Ratio Lower Upper

240 100

120 14.9 13.8 20.8




236 26.8 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 107.81 ng

RT: 12.96 min Scan# 934

Delta R.T. 0.00 min

Lab File: BF085580.D

Acq: 19 Mar 2016 18:37


Tgt Ion:244 Resp: 1383154

Ion Ratio Lower Upper

244 100

212 7.1 6.1 9.1



122 10.4 10.2 15.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.43 min Scan# 1150
Delta R.T. -0.01 min
Lab File: BF085580.D
Acq: 19 Mar 2016 18:37

Instrument :
BNA_F
ClientSampleId :
SB-3(7-8)

Tgt Ion: 264 Resp: 230352
Ion Ratio Lower Upper
264 100
260 24.4 19.4 29.2
265 21.6 17.2 25.8

