

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031817\
 Data File : BF093751.D
 Acq On : 18 Mar 2017 14:00
 Operator : SJ/MA
 Sample : I2263-10
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-107S

Quant Time: Mar 20 01:47:40 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 18 05:21:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	208633	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	779150	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	378749	20.00	ng	-0.01
63) Phenanthrene-d10	11.36	188	720734	20.00	ng	0.00
75) Chrysene-d12	13.99	240	612209	20.00	ng	-0.01
86) Perylene-d12	15.41	264	461810	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	790947	63.21	ng	0.00
7) Phenol-d6	6.47	99	753774	48.60	ng	-0.01
23) Nitrobenzene-d5	7.41	82	1164516	89.70	ng	0.00
41) 2,4,6-Tribromophenol	10.66	330	402680	162.45	ng	-0.01
44) 2-Fluorobiphenyl	9.21	172	2125043	105.88	ng	0.00
78) Terphenyl-d14	12.95	244	1658685	58.32	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.48	88	18452	2.86	ng	93
10) Phenol	6.48	94	54826	3.02	ng	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF031817\
Data File : BF093751.D
Acq On : 18 Mar 2017 14:00
Operator : SJ/MA
Sample : I2263-10
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-107S

Quant Time: Mar 20 01:47:40 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 18 05:21:29 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.85 min Scan# 434

Delta R.T. -0.00 min

Lab File: BF093751.D

Acq: 18 Mar 2017 14:00

Instrument :

BNA_F

ClientSampleId :

MW-107S


Tgt Ion:152 Resp: 208633

Ion Ratio Lower Upper

152 100

150 153.9 126.2 189.2




115 58.3 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 2.86 ng

RT: 2.48 min Scan# 52

Delta R.T. 0.03 min

Lab File: BF093751.D

Acq: 18 Mar 2017 14:00


Tgt Ion: 88 Resp: 18452

Ion Ratio Lower Upper

88 100

58 82.3 61.4 92.0



43 33.2 23.4 35.0




Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0





#5

2-Fluorophenol

Concen: 63.21 ng

RT: 5.44 min Scan# 311

Delta R.T. -0.00 min

Lab File: BF093751.D

Acq: 18 Mar 2017 14:00

Instrument :

BNA_F

ClientSampleId :

MW-107S


Tgt Ion: 112 Resp: 790947

Ion Ratio Lower Upper

112 100

64 61.0 46.0 69.0




63 30.8 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#7

Phenol-d6

Concen: 48.60 ng

RT: 6.47 min Scan# 401

Delta R.T. -0.01 min

Lab File: BF093751.D

Acq: 18 Mar 2017 14:00


Tgt Ion: 99 Resp: 753774

Ion Ratio Lower Upper

99 100

42 18.2 13.5 20.3



71 32.3 24.5 36.7




Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0





#10

Phenol

Concen: 3.02 ng

RT: 6.48 min Scan# 402

Delta R.T. -0.01 min

Lab File: BF093751.D

Acq: 18 Mar 2017 14:00

Instrument :

BNA_F

ClientSampleId :

MW-107S


Tgt Ion: 94 Resp: 54826

Ion Ratio Lower Upper

94 100

65 25.1 9.9 49.9




66 32.6 23.1 63.1



Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 546

Delta R.T. -0.01 min

Lab File: BF093751.D

Acq: 18 Mar 2017 14:00

Tgt Ion: 136 Resp: 779150


Ion Ratio Lower Upper

136 100

137 11.5 8.5 12.7

54 9.2 4.9 7.3#

68 7.0 4.1 6.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 89.70 ng
 RT: 7.41 min Scan# 483
 Delta R.T. -0.00 min
 Lab File: BF093751.D
 Acq: 18 Mar 2017 14:00

Instrument :
 BNA_F
 ClientSampleId :
 MW-107S

Tgt Ion: 82 Resp: 1164516
 Ion Ratio Lower Upper
 82 100
 128 44.7 34.0 51.0
 54 50.9 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): BF0
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.88 min Scan# 699
 Delta R.T. -0.01 min
 Lab File: BF093751.D
 Acq: 18 Mar 2017 14:00

Tgt Ion: 164 Resp: 378749
 Ion Ratio Lower Upper
 164 100
 162 100.1 82.6 123.8
 160 44.3 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 162.45 ng
 RT: 10.66 min Scan# 768
 Delta R.T. -0.01 min
 Lab File: BF093751.D
 Acq: 18 Mar 2017 14:00

Instrument :
 BNA_F
 ClientSampleId :
 MW-107S

Tgt Ion: 330 Resp: 402680
 Ion Ratio Lower Upper
 330 100
 332 95.7 76.6 115.0
 141 36.9 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 105.88 ng
 RT: 9.21 min Scan# 641
 Delta R.T. 0.00 min
 Lab File: BF093751.D
 Acq: 18 Mar 2017 14:00

Tgt Ion: 172 Resp: 2125043
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.6 44.4
 170 24.5 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.36 min Scan# 829
Delta R.T. -0.00 min
Lab File: BF093751.D
Acq: 18 Mar 2017 14:00

Instrument :
BNA_F
ClientSampleId :
MW-107S

Tgt Ion:188 Resp: 720734
Ion Ratio Lower Upper
188 100
94 8.6 9.4 14.2#
80 9.0 10.2 15.2#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.99 min Scan# 1059
Delta R.T. -0.01 min
Lab File: BF093751.D
Acq: 18 Mar 2017 14:00

Tgt Ion:240 Resp: 612209
Ion Ratio Lower Upper
240 100
120 10.4 5.8 8.8#
236 25.4 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 58.32 ng
 RT: 12.95 min Scan# 968
 Delta R.T. -0.00 min
 Lab File: BF093751.D
 Acq: 18 Mar 2017 14:00

Instrument :
 BNA_F
 ClientSampleId :
 MW-107S

Tgt Ion:244 Resp: 1658685
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.0 9.0
 122 12.9 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.41 min Scan# 1183
 Delta R.T. -0.00 min
 Lab File: BF093751.D
 Acq: 18 Mar 2017 14:00

Tgt Ion:264 Resp: 461810
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.5 29.3
 265 21.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

