

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031820\
 Data File : BF119437.D
 Acq On : 19 Mar 2020 1:46
 Operator : CG/JU
 Sample : L1917-05 5X
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CBH-594

Quant Time: Mar 19 08:29:39 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF031820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 18 15:11:18 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	384527	20.00	ng	0.00
21) Naphthalene-d8	8.14	136	1441877	20.00	ng	0.00
39) Acenaphthene-d10	9.90	164	690282	20.00	ng	0.00
64) Phenanthrene-d10	11.39	188	1168669	20.00	ng	0.00
76) Chrysene-d12	14.02	240	690372	20.00	ng	-0.01
87) Perylene-d12	15.50	264	739139	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	348475	14.43	ng	0.00
7) Phenol-d6	6.46	99	330678	10.72	ng	-0.02
23) Nitrobenzene-d5	7.41	82	519881	19.60	ng	-0.01
42) 2,4,6-Tribromophenol	10.68	330	202871	28.49	ng	-0.01
45) 2-Fluorobiphenyl	9.22	172	1027723	22.06	ng	0.00
79) Terphenyl-d14	12.97	244	902010	25.60	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031820\
Data File : BF119437.D
Acq On : 19 Mar 2020 1:46
Operator : CG/JU
Sample : L1917-05 5X
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CBH-594

Quant Time: Mar 19 08:29:39 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF031820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 18 15:11:18 2020
Response via : Initial Calibration






#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.85 min Scan# 810
 Delta R.T. -0.01 min
 Lab File: BF119437.D
 Acq: 19 Mar 2020 1:46

Instrument :
 BNA_F
 ClientSampleId :
 CBH-594

Tot Ion	Ratio	Lower	Upper
152	100		
150	162.1	123.9	185.9
115	62.1	47.8	71.6






Abundance

Ion 152.00 (151.70 to 152.70): E


Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5
 2-Fluorophenol
 Concen: 14.427 ng
 RT: 5.45 min Scan# 572
 Delta R.T. -0.01 min
 Lab File: BF119437.D
 Acq: 19 Mar 2020 1:46

Tgt Ion	Ratio	Lower	Upper
112	100		
64	72.0	58.1	87.1
63	36.5	29.7	44.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 10.717 ng

RT: 6.46 min Scan# 743

Delta R.T. -0.02 min

Lab File: BF119437.D

Acq: 19 Mar 2020 1:46

Instrument :

BNA_F

ClientSampleId :

CBH-594


Tot Ion: 99 Resp: 330678

Ion Ratio Lower Upper




99 100

42 21.7 17.8 26.6

71 31.9 26.0 39.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.14 min Scan# 1029

Delta R.T. -0.01 min

Lab File: BF119437.D

Acq: 19 Mar 2020 1:46

Tgt Ion: 136 Resp: 1441877


Ion Ratio Lower Upper

136 100



137 11.5 8.4 12.6


54 11.4 8.3 12.5

68 6.1 4.9 7.3



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 19.596 ng

RT: 7.41 min Scan# 905

Delta R.T. -0.01 min

Lab File: BF119437.D

Acq: 19 Mar 2020 1:46

Instrument :

BNA_F

ClientSampleId :

CBH-594


Tot Ion: 82 Resp: 519881

Ion Ratio Lower Upper

82 100

128 44.5 35.8 53.8




54 63.7 53.4 80.0



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.90 min Scan# 1328

Delta R.T. -0.01 min

Lab File: BF119437.D

Acq: 19 Mar 2020 1:46


Tgt Ion: 164 Resp: 690282

Ion Ratio Lower Upper

164 100

162 101.1 80.7 121.1



160 45.5 35.5 53.3



Abundance Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1

Ion 160.00 (159.70 to 160.70): BF1









#42
 2,4,6-Tribromophenol
 Concen: 28.488 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. -0.01 min
 Lab File: BF119437.D
 Acq: 19 Mar 2020 1:46

Instrument :
 BNA_F
 ClientSampleId :
 CBH-594

Tot Ion:330 Resp: 202871
 Ion Ratio Lower Upper
 330 100
 332 94.1 77.6 116.4
 141 32.0 26.6 40.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 22.057 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. -0.01 min
 Lab File: BF119437.D
 Acq: 19 Mar 2020 1:46

Tgt Ion:172 Resp: 1027723
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.9 44.9
 170 23.8 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.01 min
Lab File: BF119437.D
Acq: 19 Mar 2020 1:46

Instrument :
BNA_F
ClientSampleId :
CBH-594

Tot Ion:188 Resp: 1168669
Ion Ratio Lower Upper
188 100
94 9.3 7.1 10.7
80 10.0 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2029
Delta R.T. -0.01 min
Lab File: BF119437.D
Acq: 19 Mar 2020 1:46

Tgt Ion:240 Resp: 690372
Ion Ratio Lower Upper
240 100
120 13.4 10.2 15.4
236 25.3 20.4 30.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 25.598 ng

RT: 12.97 min Scan# 1850

Delta R.T. -0.01 min

Lab File: BF119437.D

Acq: 19 Mar 2020 1:46

Instrument :

BNA_F

ClientSampled :

CBH-594


Tot Ion:244 Resp: 902010

Ion Ratio Lower Upper

244 100

212 6.1 5.7 8.5




122 11.9 9.8 14.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2280

Delta R.T. 0.00 min

Lab File: BF119437.D

Acq: 19 Mar 2020 1:46


Tgt Ion:264 Resp: 739139

Ion Ratio Lower Upper

264 100

260 24.1 19.2 28.8

265 21.3 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

