

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031918\
 Data File : BF103791.D
 Acq On : 20 Mar 2018 8:09
 Operator : JU/SJ
 Sample : J1954-05
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 031518-JETT-F-U-M

Quant Time: Mar 20 10:42:44 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 15 18:31:53 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	145301	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	580320	20.00	ng	0.00
38) Acenaphthene-d10	10.01	164	266927	20.00	ng	0.00
63) Phenanthrene-d10	11.50	188	431514	20.00	ng	0.00
75) Chrysene-d12	14.16	240	306248	20.00	ng	0.00
86) Perylene-d12	15.70	264	255948	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	378269	39.60	ng	0.00
7) Phenol-d6	6.58	99	285497	24.43	ng	0.00
23) Nitrobenzene-d5	7.53	82	880472	105.80	ng	0.00
41) 2,4,6-Tribromophenol	10.80	330	231253	100.76	ng	0.00
44) 2-Fluorobiphenyl	9.33	172	1449440	86.62	ng	0.00
78) Terphenyl-d14	13.09	244	1197103	90.73	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.72	163	96646	4.746	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF031918\
Data File : BF103791.D
Acq On : 20 Mar 2018 8:09
Operator : JU/SJ
Sample : J1954-05
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
031518-JETT-F-U-M

Quant Time: Mar 20 10:42:44 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 15 18:31:53 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 830
Delta R.T. -0.00 min
Lab File: BF103791.D
Acq: 20 Mar 2018 8:09

Instrument :
BNA_F
ClientSampleId :
031518-JETT-F-U-M

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.8	124.6	186.8
115	63.2	50.1	75.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 39.597 ng
RT: 5.59 min Scan# 595
Delta R.T. 0.01 min
Lab File: BF103791.D
Acq: 20 Mar 2018 8:09

Tgt Ion	Ratio	Lower	Upper
112	100		
64	55.7	47.9	71.9
63	27.4	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 24.428 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.01 min

Lab File: BF103791.D

Acq: 20 Mar 2018 8:09

Instrument :

BNA_F

ClientSampleId :

031518-JETT-F-U-M


Tot Ion: 99 Resp: 285497

Ion Ratio Lower Upper

99 100

42 15.4 14.5 21.7




71 31.2 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.25 min Scan# 1048

Delta R.T. -0.00 min

Lab File: BF103791.D

Acq: 20 Mar 2018 8:09

Tgt Ion: 136 Resp: 580320


Ion Ratio Lower Upper

136 100

137 11.2 8.9 13.3

54 7.4 6.6 9.8

68 6.6 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 105.805 ng
 RT: 7.53 min Scan# 926
 Delta R.T. -0.00 min
 Lab File: BF103791.D
 Acq: 20 Mar 2018 8:09




Instrument :
 BNA_F
 ClientSampleId :
 031518-JETT-F-U-M


Tot Ion	82	Resp	880472
Ion Ratio	Lower	Upper	
82	100		
128	45.5	36.1	54.1
54	44.9	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.01 min Scan# 1347
 Delta R.T. -0.00 min
 Lab File: BF103791.D
 Acq: 20 Mar 2018 8:09

Tgt Ion	164	Resp	266927
Ion Ratio	Lower	Upper	
164	100		
162	102.6	86.1	129.1
160	45.6	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 100.761 ng
 RT: 10.80 min Scan# 1482
 Delta R.T. 0.01 min
 Lab File: BF103791.D
 Acq: 20 Mar 2018 8:09




Instrument :
 BNA_F
 ClientSampleId :
 031518-JETT-F-U-M


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.0	115.6
141	33.3	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 86.618 ng
 RT: 9.33 min Scan# 1231
 Delta R.T. 0.00 min
 Lab File: BF103791.D
 Acq: 20 Mar 2018 8:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	29.7	44.5
170	24.6	19.6	29.4





#49

Dimethylphthalate

Concen: 4.746 ng

RT: 9.72 min Scan# 1297

Delta R.T. -0.01 min

Lab File: BF103791.D

Acq: 20 Mar 2018 8:09

Instrument :

BNA_F

ClientSampleId :

031518-JETT-F-U-M


Tot Ion:163 Resp: 96646

Ion Ratio Lower Upper




163 100

194 3.4 2.7 4.1

164 10.2 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.50 min Scan# 1601

Delta R.T. 0.01 min

Lab File: BF103791.D

Acq: 20 Mar 2018 8:09


Tgt Ion:188 Resp: 431514

Ion Ratio Lower Upper



188 100


94 10.9 8.5 12.7

80 12.0 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.16 min Scan# 2052

Delta R.T. 0.01 min

Lab File: BF103791.D

Acq: 20 Mar 2018 8:09

Instrument :

BNA_F

ClientSampleId :

031518-JETT-F-U-M


Tot Ion:240 Resp: 306248

Ion Ratio Lower Upper

240 100

120 11.8 9.5 14.3




236 24.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 90.732 ng

RT: 13.09 min Scan# 1871

Delta R.T. 0.01 min

Lab File: BF103791.D

Acq: 20 Mar 2018 8:09


Tgt Ion:244 Resp: 1197103

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.0



122 13.2 11.0 16.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.70 min Scan# 2314
Delta R.T. 0.02 min
Lab File: BF103791.D
Acq: 20 Mar 2018 8:09

Instrument :
BNA_F
ClientSampleId :
031518-JETT-F-U-M

Tot Ion:	264	Resp:	255948
Ion Ratio	Lower	Upper	
264	100		
260	23.0	19.2	28.8
265	21.8	17.5	26.3

