

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF031919\
 Data File : BF113156.D
 Acq On : 20 Mar 2019 6:24
 Operator : JU/SJ
 Sample : K1948-13
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PST-025-SW047-031319

Quant Time: Mar 20 08:11:04 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 13 03:42:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	157778	20.00	ng	-0.01
21) Naphthalene-d8	8.00	136	514121	20.00	ng	-0.01
39) Acenaphthene-d10	9.75	164	225167	20.00	ng	-0.02
64) Phenanthrene-d10	11.23	188	390844	20.00	ng	-0.01
76) Chrysene-d12	13.86	240	298884	20.00	ng	0.00
87) Perylene-d12	15.27	264	231209	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1175549	115.90	ng	0.00
7) Phenol-d6	6.37	99	1406153	110.36	ng	0.00
23) Nitrobenzene-d5	7.29	82	875239	101.87	ng	-0.01
42) 2,4,6-Tribromophenol	10.54	330	300793	125.83	ng	-0.01
45) 2-Fluorobiphenyl	9.08	172	1325030	103.32	ng	-0.01
79) Terphenyl-d14	12.82	244	1267402	82.20	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.47	163	102948	6.201	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF031919\
Data File : BF113156.D
Acq On : 20 Mar 2019 6:24
Operator : JU/SJ
Sample : K1948-13
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PST-025-SW047-031319

Quant Time: Mar 20 08:11:04 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 13 03:42:55 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.72 min Scan# 788
Delta R.T. -0.01 min
Lab File: BF113156.D
Acq: 20 Mar 2019 6:24

Instrument :
BNA_F
ClientSampleId :
PST-025-SW047-031319

Tgt Ion:152 Resp: 157778
Ion Ratio Lower Upper
152 100
150 151.9 124.2 186.2
115 56.3 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 115.898 ng
RT: 5.35 min Scan# 554
Delta R.T. -0.00 min
Lab File: BF113156.D
Acq: 20 Mar 2019 6:24

Tgt Ion:112 Resp: 1175549
Ion Ratio Lower Upper
112 100
64 60.0 47.6 71.4
63 31.1 24.4 36.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 110.363 ng

RT: 6.37 min Scan# 729

Delta R.T. -0.00 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24

Instrument :

BNA_F

ClientSampleId :

PST-025-SW047-031319


Tgt Ion: 99 Resp: 1406153

Ion Ratio Lower Upper

99 100

42 18.9 16.3 24.5




71 32.7 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 1006

Delta R.T. -0.01 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24

Tgt Ion: 136 Resp: 514121


Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 7.6 7.3 10.9

68 5.7 5.4 8.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 101.868 ng
 RT: 7.29 min Scan# 884
 Delta R.T. -0.01 min
 Lab File: BF113156.D
 Acq: 20 Mar 2019 6:24

Instrument :
 BNA_F
 ClientSampleId :
 PST-025-SW047-031319

Tgt Ion: 82 Resp: 875239
 Ion Ratio Lower Upper
 82 100
 128 47.7 36.3 54.5
 54 52.0 43.7 65.5




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.75 min Scan# 1303
 Delta R.T. -0.02 min
 Lab File: BF113156.D
 Acq: 20 Mar 2019 6:24

Tgt Ion: 164 Resp: 225167
 Ion Ratio Lower Upper
 164 100
 162 102.1 80.6 120.8
 160 46.3 36.0 54.0



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1





#42

2,4,6-Tribromophenol

Concen: 125.832 ng

RT: 10.54 min Scan# 1437

Delta R.T. -0.01 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24

Instrument :

BNA_F

ClientSampleId :

PST-025-SW047-031319


Tgt Ion:330 Resp: 300793

Ion Ratio Lower Upper

330 100

332 95.8 76.2 114.4




141 28.6 27.0 40.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 103.319 ng

RT: 9.08 min Scan# 1189

Delta R.T. -0.01 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24


Tgt Ion:172 Resp: 1325030

Ion Ratio Lower Upper

172 100

171 36.2 29.0 43.4



170 24.8 20.0 30.0




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 6.201 ng

RT: 9.47 min Scan# 1256

Delta R.T. -0.02 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24

Instrument :

BNA_F

ClientSampleId :

PST-025-SW047-031319


Tgt Ion:163 Resp: 102948

Ion Ratio Lower Upper

163 100

194 4.4 3.0 4.4




164 9.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.23 min Scan# 1555

Delta R.T. -0.01 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24


Tgt Ion:188 Resp: 390844

Ion Ratio Lower Upper

188 100

94 8.8 9.0 13.4#



80 8.9 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.86 min Scan# 2002

Delta R.T. -0.01 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24

Instrument :

BNA_F

ClientSampleId :

PST-025-SW047-031319


Tgt Ion:240 Resp: 298884

Ion Ratio Lower Upper

240 100

120 10.4 8.9 13.3




236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 82.201 ng

RT: 12.82 min Scan# 1824

Delta R.T. -0.01 min

Lab File: BF113156.D

Acq: 20 Mar 2019 6:24


Tgt Ion:244 Resp: 1267402

Ion Ratio Lower Upper

244 100

212 6.6 5.6 8.4



122 11.1 10.5 15.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 15.27 min Scan# 2241
Delta R.T. -0.01 min
Lab File: BF113156.D
Acq: 20 Mar 2019 6:24

Instrument :
BNA_F
ClientSampleId :
PST-025-SW047-031319

Tgt Ion: 264 Resp: 231209
Ion Ratio Lower Upper
264 100
260 24.6 18.7 28.1
265 21.5 17.2 25.8

