

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031920\
 Data File : BF119447.D
 Acq On : 19 Mar 2020 19:27
 Operator : CG/JU
 Sample : PB127678BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB127678BL

Quant Time: Mar 20 03:59:34 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF031820.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 18 15:11:18 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	304651	20.00	ng	-0.01
21) Naphthalene-d8	8.13	136	1180686	20.00	ng	-0.01
39) Acenaphthene-d10	9.89	164	605037	20.00	ng	-0.01
64) Phenanthrene-d10	11.38	188	1118607	20.00	ng	-0.01
76) Chrysene-d12	14.02	240	643830	20.00	ng	-0.01
87) Perylene-d12	15.49	264	630272	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	2086894	109.05	ng	0.00
7) Phenol-d6	6.47	99	2581687	105.60	ng	0.00
23) Nitrobenzene-d5	7.41	82	1581526	72.80	ng	-0.01
42) 2,4,6-Tribromophenol	10.68	330	654970	104.93	ng	-0.01
45) 2-Fluorobiphenyl	9.22	172	2954431	72.34	ng	0.00
79) Terphenyl-d14	12.97	244	2982724	90.77	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031920\
Data File : BF119447.D
Acq On : 19 Mar 2020 19:27
Operator : CG/JU
Sample : PB127678BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB127678BL

Quant Time: Mar 20 03:59:34 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF031820.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 18 15:11:18 2020
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 6.85 min Scan# 809

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27

Instrument :

BNA_F

ClientSampleId :

PB127678BL


Tot Ion:152 Resp: 304651

Ion Ratio Lower Upper

152 100

150 158.4 123.9 185.9




115 62.0 47.8 71.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 109.047 ng

RT: 5.46 min Scan# 574

Delta R.T. 0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27


Tgt Ion:112 Resp: 2086894

Ion Ratio Lower Upper

112 100

64 71.7 58.1 87.1



63 37.3 29.7 44.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 105.604 ng

RT: 6.47 min Scan# 745

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27

Instrument :

BNA_F

ClientSampleId :

PB127678BL



Tot Ion: 99 Resp: 2581687

Ion Ratio Lower Upper

99 100

42 21.4 17.8 26.6



71 33.9 26.0 39.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27

Tgt Ion: 136 Resp: 1180686



Ion Ratio Lower Upper

136 100

137 11.3 8.4 12.6

54 10.6 8.3 12.5

68 5.9 4.9 7.3





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 72.799 ng
RT: 7.41 min Scan# 905
Delta R.T. -0.01 min
Lab File: BF119447.D
Acq: 19 Mar 2020 19:27

Instrument :
BNA_F
ClientSampleId :
PB127678BL

Tot Ion: 82 Resp: 1581526
Ion Ratio Lower Upper
82 100
128 46.5 35.8 53.8
54 64.2 53.4 80.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.89 min Scan# 1327
Delta R.T. -0.01 min
Lab File: BF119447.D
Acq: 19 Mar 2020 19:27

Tgt Ion:164 Resp: 605037
Ion Ratio Lower Upper
164 100
162 102.3 80.7 121.1
160 45.9 35.5 53.3



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1





#42

2,4,6-Tribromophenol

Concen: 104.930 ng

RT: 10.68 min Scan# 1461

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27

Instrument :

BNA_F

ClientSampleId :

PB127678BL


Tot Ion:330 Resp: 654970

Ion Ratio Lower Upper

330 100

332 96.9 77.6 116.4




141 32.8 26.6 40.0



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 72.341 ng

RT: 9.22 min Scan# 1212

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27


Tgt Ion:172 Resp: 2954431

Ion Ratio Lower Upper

172 100

171 36.8 29.9 44.9



170 24.7 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.38 min Scan# 1580

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27

Instrument :

BNA_F

ClientSampleId :

PB127678BL


Tot Ion:188 Resp: 1118607

Ion Ratio Lower Upper

188 100

94 9.3 7.1 10.7




80 9.3 7.5 11.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.02 min Scan# 2029

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27


Tgt Ion:240 Resp: 643830

Ion Ratio Lower Upper

240 100

120 11.3 10.2 15.4



236 26.2 20.4 30.6




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 90.766 ng

RT: 12.97 min Scan# 1851

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27

Instrument :

BNA_F

ClientSampleId :

PB127678BL


Tot Ion:244 Resp: 2982724

Ion Ratio Lower Upper

244 100

212 6.7 5.7 8.5




122 11.2 9.8 14.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2279

Delta R.T. -0.01 min

Lab File: BF119447.D

Acq: 19 Mar 2020 19:27


Tgt Ion:264 Resp: 630272

Ion Ratio Lower Upper

264 100

260 24.0 19.2 28.8

265 21.3 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

