

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032015\
 Data File : BF077873.D
 Acq On : 20 Mar 2015 19:56
 Operator : TP/IZ
 Sample : G1575-09
 Misc : W
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FB-031715

Quant Time: Mar 20 23:08:08 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 20 23:52:05 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.13	152	48137	20.00	ng	0.00
21) Naphthalene-d8	8.70	136	190962	20.00	ng	0.00
38) Acenaphthene-d10	10.86	164	96246	20.00	ng	-0.01
63) Phenanthrene-d10	12.71	188	184574	20.00	ng	-0.01
75) Chrysene-d12	15.99	240	197955	20.00	ng	-0.02
86) Perylene-d12	17.69	264	181037	20.00	ng	-0.15
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	155225	56.29	ng	0.00
7) Phenol-d6	6.70	99	113048	33.18	ng	0.00
23) Nitrobenzene-d5	7.82	82	297848	102.24	ng	0.00
41) 2,4,6-Tribromophenol	11.85	330	115817	125.77	ng	-0.01
44) 2-Fluorobiphenyl	10.05	172	640442	97.79	ng	0.00
78) Terphenyl-d14	14.71	244	764859	94.38	ng	0.00
Target Compounds						
2) 1,4-Dioxane	1.77	88	5776	4.61	ng	# 100
19) n-Nitroso-di-n-propylamine	7.82	70	36971	15.69	ng	# 77
50) 2,6-Dinitrotoluene	10.86	165	11931	8.06	ng	# 24
56) 2,4-Dinitrotoluene	10.86	165	11932	6.18	ng	# 11
64) 4,6-Dinitro-2-methylphenol	11.85	198	240	4.55	ng	# 1
76) Benzidine	14.40	184	1011	Below Cal		# 68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032015\
Data File : BF077873.D
Acq On : 20 Mar 2015 19:56
Operator : TP/IZ
Sample : G1575-09
Misc : W
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FB-031715

Quant Time: Mar 20 23:08:08 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 20 23:52:05 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.13 min Scan# 546

Delta R.T. -0.00 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56

Instrument :

BNA_F

ClientSampled :

FB-031715


Tgt Ion:152 Resp: 48137

Ion Ratio Lower Upper

152 100

150 154.2 119.5 179.3




115 53.4 43.0 64.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 4.61 ng

RT: 1.77 min Scan# 77

Delta R.T. -0.23 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56


Tgt Ion: 88 Resp: 5776

Ion Ratio Lower Upper

88 100

58 0.0 0.0 0.0



43 0.0 0.0 0.0




Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0





#5

2-Fluorophenol

Concen: 56.29 ng

RT: 5.41 min Scan# 396

Delta R.T. -0.00 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56

Instrument :

BNA_F

ClientSampleId :

FB-031715


Tgt Ion: 112 Resp: 155225

Ion Ratio Lower Upper

112 100

64 56.6 38.6 57.8




63 28.0 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#7

Phenol-d6

Concen: 33.18 ng

RT: 6.70 min Scan# 509

Delta R.T. -0.00 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56


Tgt Ion: 99 Resp: 113048

Ion Ratio Lower Upper

99 100

42 13.3 11.0 16.4



71 28.4 23.4 35.2




Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0





#19

n-Nitroso-di-n-propylamine

Concen: 15.69 ng

RT: 7.82 min Scan# 607

Delta R.T. 0.17 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56

Instrument :

BNA_F

ClientSampleId :

FB-031715

Tgt Ion: 70 Resp: 36971


Ion Ratio Lower Upper

70 100

42 42.6 44.5 66.7#

101 0.0 7.4 11.2#

130 2.5 15.3 22.9#






Abundance

Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): E

Ion 130.00 (129.70 to 130.70): E



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.70 min Scan# 684

Delta R.T. -0.00 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56

Tgt Ion: 136 Resp: 190962


Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 5.3 4.6 6.8

68 4.9 3.7 5.5





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 102.24 ng
 RT: 7.82 min Scan# 607
 Delta R.T. -0.00 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56




Instrument :
 BNA_F
 ClientSampleId :
 FB-031715

Tgt Ion: 82 Resp: 297848
 Ion Ratio Lower Upper
 82 100
 128 51.7 32.8 49.2#
 54 43.5 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.86 min Scan# 873
 Delta R.T. -0.01 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56

Tgt Ion: 164 Resp: 96246
 Ion Ratio Lower Upper
 164 100
 162 103.0 82.4 123.6
 160 44.4 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 125.77 ng
 RT: 11.85 min Scan# 959
 Delta R.T. -0.01 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56

Instrument :
 BNA_F
 ClientSampleId :
 FB-031715

Tgt Ion:330 Resp: 115817
 Ion Ratio Lower Upper
 330 100
 332 98.7 0.0 0.0#
 141 40.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 97.79 ng
 RT: 10.05 min Scan# 802
 Delta R.T. -0.00 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56

Tgt Ion:172 Resp: 640442
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.5 42.7
 170 23.3 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 2,6-Dinitrotoluene
 Concen: 8.06 ng
 RT: 10.86 min Scan# 873
 Delta R.T. 0.23 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56

Instrument :
 BNA_F
 ClientSampleId :
 FB-031715




Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.1	66.1#
89	0.0	44.3	66.5#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0



#56
 2,4-Dinitrotoluene
 Concen: 6.18 ng
 RT: 10.86 min Scan# 873
 Delta R.T. -0.26 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56




Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	52.4	78.6#
89	0.0	72.4	108.6#
182	0.0	2.0	3.0#


Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.71 min Scan# 1034

Delta R.T. -0.01 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56

Instrument :

BNA_F

ClientSampleId :

FB-031715


Tgt Ion:188 Resp: 184574

Ion Ratio Lower Upper

188 100

94 10.7 8.7 13.1




80 11.3 9.3 13.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#64

4,6-Dinitro-2-methylphenol

Concen: 4.55 ng

RT: 11.85 min Scan# 959

Delta R.T. 0.22 min

Lab File: BF077873.D

Acq: 20 Mar 2015 19:56


Tgt Ion:198 Resp: 240

Ion Ratio Lower Upper

198 100

51 170.0 28.8 68.8#



105 199.7 30.5 70.5#




Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BF0

Ion 105.00 (104.70 to 105.70): E









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 15.99 min Scan# 1321
 Delta R.T. -0.02 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56




Instrument :
 BNA_F
 ClientSampleId :
 FB-031715


Tgt Ion:240 Resp: 197955
 Ion Ratio Lower Upper
 240 100
 120 8.5 8.2 12.2
 236 24.9 20.0 30.0



#78
 Terphenyl-d14
 Concen: 94.38 ng
 RT: 14.71 min Scan# 1209
 Delta R.T. -0.00 min
 Lab File: BF077873.D
 Acq: 20 Mar 2015 19:56

Tgt Ion:244 Resp: 764859
 Ion Ratio Lower Upper
 244 100
 212 6.6 4.9 7.3
 122 9.9 6.2 9.4#






#86
Perylene-d12
Concen: 20.00 ng
RT: 17.69 min Scan# 1470
Delta R.T. -0.15 min
Lab File: BF077873.D
Acq: 20 Mar 2015 19:56

Instrument :
BNA_F
ClientSampleId :
FB-031715

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.6	27.8
265	21.7	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

