

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032216\
 Data File : BF085669.D
 Acq On : 22 Mar 2016 20:11
 Operator : UM/SJ
 Sample : PB89080BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB89080BL

Quant Time: Mar 23 01:41:07 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031816.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 18 23:31:39 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	125879	20.00	ng	-0.02
21) Naphthalene-d8	8.12	136	537570	20.00	ng	-0.02
38) Acenaphthene-d10	9.86	164	246174	20.00	ng	-0.03
63) Phenanthrene-d10	11.35	188	524264	20.00	ng	-0.03
75) Chrysene-d12	13.98	240	418857	20.00	ng	-0.03
86) Perylene-d12	15.41	264	311877	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	917997	122.49	ng	-0.01
7) Phenol-d6	6.47	99	1181020	122.87	ng	-0.02
23) Nitrobenzene-d5	7.40	82	695207	75.07	ng	-0.03
41) 2,4,6-Tribromophenol	10.66	330	363096	150.57	ng	-0.02
44) 2-Fluorobiphenyl	9.19	172	1261674	88.28	ng	-0.03
78) Terphenyl-d14	12.94	244	1330338	76.43	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032216\
Data File : BF085669.D
Acq On : 22 Mar 2016 20:11
Operator : UM/SJ
Sample : PB89080BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB89080BL

Quant Time: Mar 23 01:41:07 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031816.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 18 23:31:39 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.84 min Scan# 398

Delta R.T. -0.02 min

Lab File: BF085669.D

Acq: 22 Mar 2016 20:11

Instrument :

BNA_F

ClientSampleId :

PB89080BL


Tgt Ion:152 Resp: 125879

Ion Ratio Lower Upper

152 100

150 153.7 124.2 186.2




115 53.1 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 122.49 ng

RT: 5.44 min Scan# 276

Delta R.T. -0.01 min

Lab File: BF085669.D

Acq: 22 Mar 2016 20:11


Tgt Ion:112 Resp: 917997

Ion Ratio Lower Upper

112 100

64 52.7 39.9 59.9



63 26.8 20.2 30.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 122.87 ng

RT: 6.47 min Scan# 366

Delta R.T. -0.02 min

Lab File: BF085669.D

Acq: 22 Mar 2016 20:11

Instrument :

BNA_F

ClientSampleId :

PB89080BL





Tgt Ion: 99 Resp: 1181020

Ion Ratio Lower Upper

99 100

42 14.7 11.1 16.7

71 33.3 24.9 37.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.12 min Scan# 510

Delta R.T. -0.02 min

Lab File: BF085669.D

Acq: 22 Mar 2016 20:11

Tgt Ion: 136 Resp: 537570




Ion Ratio Lower Upper


136 100

137 11.1 9.1 13.7

54 7.0 7.4 11.0#

68 5.6 5.8 8.8#





#23

Nitrobenzene-d5

Concen: 75.07 ng

RT: 7.40 min Scan# 447

Delta R.T. -0.03 min

Lab File: BF085669.D

Acq: 22 Mar 2016 20:11

Instrument :

BNA_F

ClientSampleId :

PB89080BL


Tgt Ion: 82 Resp: 695207

Ion Ratio Lower Upper

82 100

128 44.7 41.8 62.8




54 45.6 33.4 50.0



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.86 min Scan# 663

Delta R.T. -0.03 min

Lab File: BF085669.D

Acq: 22 Mar 2016 20:11


Tgt Ion: 164 Resp: 246174

Ion Ratio Lower Upper

164 100

162 103.3 82.1 123.1



160 46.8 37.4 56.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 150.57 ng
 RT: 10.66 min Scan# 733
 Delta R.T. -0.02 min
 Lab File: BF085669.D
 Acq: 22 Mar 2016 20:11




Instrument :
 BNA_F
 ClientSampleId :
 PB89080BL


Tgt Ion:330 Resp: 363096
 Ion Ratio Lower Upper
 330 100
 332 96.0 78.2 117.2
 141 29.1 31.5 47.3#



#44
 2-Fluorobiphenyl
 Concen: 88.28 ng
 RT: 9.19 min Scan# 604
 Delta R.T. -0.03 min
 Lab File: BF085669.D
 Acq: 22 Mar 2016 20:11

Tgt Ion:172 Resp: 1261674
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.4 44.2
 170 23.9 19.8 29.6









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.35 min Scan# 793
Delta R.T. -0.03 min
Lab File: BF085669.D
Acq: 22 Mar 2016 20:11




Instrument :
BNA_F
ClientSampleId :
PB89080BL


Tgt Ion:188 Resp: 524264
Ion Ratio Lower Upper
188 100
94 10.3 5.4 8.0#
80 11.1 5.5 8.3#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.98 min Scan# 1023
Delta R.T. -0.03 min
Lab File: BF085669.D
Acq: 22 Mar 2016 20:11

Tgt Ion:240 Resp: 418857
Ion Ratio Lower Upper
240 100
120 16.7 13.8 20.8
236 26.5 20.6 30.8









#78
 Terphenyl-d14
 Concen: 76.43 ng
 RT: 12.94 min Scan# 932
 Delta R.T. -0.02 min
 Lab File: BF085669.D
 Acq: 22 Mar 2016 20:11

Instrument :
 BNA_F
 ClientSampleId :
 PB89080BL

Tgt Ion:244 Resp: 1330338
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.1 9.1
 122 11.0 10.2 15.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.41 min Scan# 1148
 Delta R.T. -0.03 min
 Lab File: BF085669.D
 Acq: 22 Mar 2016 20:11

Tgt Ion:264 Resp: 311877
 Ion Ratio Lower Upper
 264 100
 260 24.6 19.4 29.2
 265 20.7 17.2 25.8

