

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032216\
 Data File : BF085674.D
 Acq On : 22 Mar 2016 22:32
 Operator : UM/SJ
 Sample : H1857-14
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-03(12-14)

Quant Time: Mar 23 02:02:51 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031816.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 18 23:31:39 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	119485	20.00	ng	-0.02
21) Naphthalene-d8	8.12	136	516216	20.00	ng	-0.02
38) Acenaphthene-d10	9.86	164	236431	20.00	ng	-0.03
63) Phenanthrene-d10	11.35	188	498564	20.00	ng	-0.03
75) Chrysene-d12	13.98	240	385435	20.00	ng	-0.03
86) Perylene-d12	15.40	264	276715	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	1107631	155.71	ng	-0.01
7) Phenol-d6	6.47	99	1227108	134.50	ng	-0.02
23) Nitrobenzene-d5	7.40	82	750304	84.37	ng	-0.03
41) 2,4,6-Tribromophenol	10.66	330	433285	187.08	ng	-0.02
44) 2-Fluorobiphenyl	9.19	172	1304054	97.75	ng	-0.03
78) Terphenyl-d14	12.94	244	1317159	82.23	ng	-0.02
Target Compounds						
49) Dimethylphthalate	9.59	163	281503	15.78	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032216\
Data File : BF085674.D
Acq On : 22 Mar 2016 22:32
Operator : UM/SJ
Sample : H1857-14
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-03(12-14)

Quant Time: Mar 23 02:02:51 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031816.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 18 23:31:39 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.84 min Scan# 398

Delta R.T. -0.02 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32

Instrument :

BNA_F

ClientSampleId :

SB-03(12-14)


Tgt Ion:152 Resp: 119485

Ion Ratio Lower Upper

152 100

150 153.4 124.2 186.2



115 53.8 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 155.71 ng

RT: 5.44 min Scan# 276

Delta R.T. -0.01 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32


Tgt Ion:112 Resp: 1107631

Ion Ratio Lower Upper

112 100

64 46.5 39.9 59.9



63 23.5 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 134.50 ng

RT: 6.47 min Scan# 366

Delta R.T. -0.02 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32

Instrument :

BNA_F

ClientSampleId :

SB-03(12-14)


Tgt Ion: 99 Resp: 1227108

Ion Ratio Lower Upper

99 100

42 15.2 11.1 16.7



71 34.0 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.12 min Scan# 510

Delta R.T. -0.02 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32

Tgt Ion: 136 Resp: 516216


Ion Ratio Lower Upper

136 100

137 10.9 9.1 13.7

54 6.5 7.4 11.0#

68 5.5 5.8 8.8#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 84.37 ng

RT: 7.40 min Scan# 447

Delta R.T. -0.03 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32

Instrument :

BNA_F

ClientSampleId :

SB-03(12-14)


Tgt Ion: 82 Resp: 750304

Ion Ratio Lower Upper

82 100

128 45.1 41.8 62.8




54 45.8 33.4 50.0



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.86 min Scan# 663

Delta R.T. -0.03 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32


Tgt Ion: 164 Resp: 236431

Ion Ratio Lower Upper

164 100

162 101.8 82.1 123.1



160 46.5 37.4 56.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 187.08 ng
 RT: 10.66 min Scan# 733
 Delta R.T. -0.02 min
 Lab File: BF085674.D
 Acq: 22 Mar 2016 22:32




Instrument :
 BNA_F
 ClientSampleId :
 SB-03(12-14)


Tgt Ion:330 Resp: 433285
 Ion Ratio Lower Upper
 330 100
 332 96.4 78.2 117.2
 141 28.5 31.5 47.3#



#44
 2-Fluorobiphenyl
 Concen: 97.75 ng
 RT: 9.19 min Scan# 604
 Delta R.T. -0.03 min
 Lab File: BF085674.D
 Acq: 22 Mar 2016 22:32

Tgt Ion:172 Resp: 1304054
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.4 44.2
 170 24.3 19.8 29.6





#49

Dimethylphthalate

Concen: 15.78 ng

RT: 9.59 min Scan# 639

Delta R.T. -0.03 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32

Instrument :

BNA_F

ClientSampleId :

SB-03(12-14)


Tgt Ion:163 Resp: 281503

Ion Ratio Lower Upper

163 100

194 3.7 2.9 4.3




164 9.8 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.35 min Scan# 793

Delta R.T. -0.03 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32


Tgt Ion:188 Resp: 498564

Ion Ratio Lower Upper

188 100

94 10.0 5.4 8.0#



80 10.5 5.5 8.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.98 min Scan# 1023

Delta R.T. -0.03 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32

Instrument :

BNA_F

ClientSampleId :

SB-03(12-14)


Tgt Ion:240 Resp: 385435

Ion Ratio Lower Upper

240 100

120 15.5 13.8 20.8




236 26.5 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 82.23 ng

RT: 12.94 min Scan# 932

Delta R.T. -0.02 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32


Tgt Ion:244 Resp: 1317159

Ion Ratio Lower Upper

244 100

212 7.1 6.1 9.1



122 10.0 10.2 15.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Perylene-d12

Concen: 20.00 ng

RT: 15.40 min Scan# 1147

Delta R.T. -0.05 min

Lab File: BF085674.D

Acq: 22 Mar 2016 22:32

Instrument :

BNA_F

ClientSampleId :

SB-03(12-14)

Tgt Ion:264 Resp: 276715

Ion Ratio Lower Upper

264 100

260 24.7 19.4 29.2

265 21.8 17.2 25.8

