

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032217\
 Data File : BF093838.D
 Acq On : 22 Mar 2017 18:01
 Operator : SJ/MA
 Sample : PB97721BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB97721BL

Quant Time: Mar 23 02:09:03 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 22 17:41:33 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.99	152	192106	20.00	ng	0.00
21) Naphthalene-d8	7.49	136	786739	20.00	ng	0.00
38) Acenaphthene-d10	9.63	164	362658	20.00	ng	0.00
63) Phenanthrene-d10	11.46	188	648463	20.00	ng	0.00
75) Chrysene-d12	14.71	240	534135	20.00	ng	0.00
86) Perylene-d12	16.34	264	421374	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.52	112	1452357	127.69	ng	0.02
7) Phenol-d6	5.57	99	1856630	131.95	ng	0.00
23) Nitrobenzene-d5	6.63	82	1162860	84.35	ng	0.00
41) 2,4,6-Tribromophenol	10.60	330	392321	136.90	ng	0.00
44) 2-Fluorobiphenyl	8.82	172	2103113	88.45	ng	0.00
78) Terphenyl-d14	13.44	244	1704536	71.53	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032217\
Data File : BF093838.D
Acq On : 22 Mar 2017 18:01
Operator : SJ/MA
Sample : PB97721BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB97721BL

Quant Time: Mar 23 02:09:03 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 22 17:41:33 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.99 min Scan# 697
Delta R.T. 0.00 min
Lab File: BF093838.D
Acq: 22 Mar 2017 18:01

Instrument :
BNA_F
ClientSampleId :
PB97721BL

Tot Ion:152 Resp: 192106
Ion Ratio Lower Upper
152 100
150 158.8 126.2 189.2
115 58.5 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 127.69 ng
RT: 4.52 min Scan# 448
Delta R.T. 0.02 min
Lab File: BF093838.D
Acq: 22 Mar 2017 18:01

Tgt Ion:112 Resp: 1452357
Ion Ratio Lower Upper
112 100
64 56.8 46.0 69.0
63 28.6 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 131.95 ng

RT: 5.57 min Scan# 626

Delta R.T. 0.00 min

Lab File: BF093838.D

Acq: 22 Mar 2017 18:01

Instrument :

BNA_F

ClientSampleId :

PB97721BL


Tot Ion: 99 Resp: 1856630

Ion Ratio Lower Upper




99 100

42 18.5 13.5 20.3

71 33.8 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.49 min Scan# 952

Delta R.T. -0.01 min

Lab File: BF093838.D

Acq: 22 Mar 2017 18:01

Tgt Ion: 136 Resp: 786739


Ion Ratio Lower Upper

136 100



137 11.4 8.5 12.7

54 7.7 4.9 7.3#

68 6.3 4.1 6.1#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
 Nitrobenzene-d5
 Concen: 84.35 ng
 RT: 6.63 min Scan# 807
 Delta R.T. -0.01 min
 Lab File: BF093838.D
 Acq: 22 Mar 2017 18:01




Instrument :
 BNA_F
 ClientSampleId :
 PB97721BL

Tot Ion: 82 Resp: 1162860

Ion	Ratio	Lower	Upper
82	100		
128	47.1	34.0	51.0
54	48.7	42.2	63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 1317
 Delta R.T. -0.01 min
 Lab File: BF093838.D
 Acq: 22 Mar 2017 18:01


Tgt Ion:164 Resp: 362658

Ion	Ratio	Lower	Upper
164	100		
162	105.3	82.6	123.8
160	46.3	36.2	54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 136.90 ng
 RT: 10.60 min Scan# 1482
 Delta R.T. -0.01 min
 Lab File: BF093838.D
 Acq: 22 Mar 2017 18:01




Instrument :
 BNA_F
 ClientSampleId :
 PB97721BL


Tot Ion:330 Resp: 392321
 Ion Ratio Lower Upper
 330 100
 332 95.8 76.6 115.0
 141 39.7 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 88.45 ng
 RT: 8.82 min Scan# 1178
 Delta R.T. -0.01 min
 Lab File: BF093838.D
 Acq: 22 Mar 2017 18:01

Tgt Ion:172 Resp: 2103113
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.6 44.4
 170 24.0 19.8 29.8





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.46 min Scan# 1627

Delta R.T. -0.01 min

Lab File: BF093838.D

Acq: 22 Mar 2017 18:01

Instrument :

BNA_F

ClientSampleId :

PB97721BL


Tot Ion:188 Resp: 648463

Ion Ratio Lower Upper

188 100

94 10.6 9.4 14.2




80 11.3 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.71 min Scan# 2180

Delta R.T. -0.01 min

Lab File: BF093838.D

Acq: 22 Mar 2017 18:01


Tgt Ion:240 Resp: 534135

Ion Ratio Lower Upper

240 100

120 14.3 5.8 8.8#



236 25.2 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 71.53 ng
 RT: 13.44 min Scan# 1964
 Delta R.T. 0.00 min
 Lab File: BF093838.D
 Acq: 22 Mar 2017 18:01

Instrument :
 BNA_F
 ClientSampleId :
 PB97721BL

Tot Ion:244 Resp: 1704536
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.0 9.0
 122 14.1 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.34 min Scan# 2458
 Delta R.T. -0.01 min
 Lab File: BF093838.D
 Acq: 22 Mar 2017 18:01

Tgt Ion:264 Resp: 421374
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.5 29.3
 265 21.4 17.2 25.8

