

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032315\
 Data File : BF077905.D
 Acq On : 23 Mar 2015 20:21
 Operator : TP/IZ
 Sample : G1613-14
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-8

Quant Time: Mar 24 01:42:12 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 24 02:23:28 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.12	152	41119	20.00	ng	0.00
21) Naphthalene-d8	8.69	136	169395	20.00	ng	0.00
38) Acenaphthene-d10	10.86	164	82422	20.00	ng	0.00
63) Phenanthrene-d10	12.69	188	170654	20.00	ng	-0.01
75) Chrysene-d12	15.97	240	191390	20.00	ng	-0.03
86) Perylene-d12	17.71	264	185335	20.00	ng	-0.11
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	179316	76.12	ng	0.00
7) Phenol-d6	6.69	99	247809	85.14	ng	0.00
23) Nitrobenzene-d5	7.81	82	127923	49.50	ng	0.00
41) 2,4,6-Tribromophenol	11.84	330	61589	78.10	ng	-0.01
44) 2-Fluorobiphenyl	10.04	172	299912	53.48	ng	0.00
78) Terphenyl-d14	14.69	244	383400	48.93	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.81	70	15622	7.76	ng	# 75
50) 2,6-Dinitrotoluene	10.86	165	10589	8.36	ng	# 24
56) 2,4-Dinitrotoluene	10.86	165	10589	6.41	ng	# 11
76) Benzidine	14.40	184	1003	Below Cal		# 68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032315\
Data File : BF077905.D
Acq On : 23 Mar 2015 20:21
Operator : TP/IZ
Sample : G1613-14
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-8

Quant Time: Mar 24 01:42:12 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 24 02:23:28 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.12 min Scan# 545
Delta R.T. 0.00 min
Lab File: BF077905.D
Acq: 23 Mar 2015 20:21

Instrument :
BNA_F
ClientSampleId :
SB-8

Tgt Ion:152 Resp: 41119
Ion Ratio Lower Upper
152 100
150 152.6 119.5 179.3
115 56.3 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 76.12 ng
RT: 5.40 min Scan# 395
Delta R.T. 0.00 min
Lab File: BF077905.D
Acq: 23 Mar 2015 20:21

Tgt Ion:112 Resp: 179316
Ion Ratio Lower Upper
112 100
64 55.1 38.6 57.8
63 27.9 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 85.14 ng

RT: 6.69 min Scan# 508

Delta R.T. 0.00 min

Lab File: BF077905.D

Acq: 23 Mar 2015 20:21

Instrument :

BNA_F

ClientSampleId :

SB-8


Tgt Ion: 99 Resp: 247809

Ion Ratio Lower Upper

99 100

42 15.5 11.0 16.4




71 30.1 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 7.76 ng

RT: 7.81 min Scan# 606

Delta R.T. 0.17 min

Lab File: BF077905.D

Acq: 23 Mar 2015 20:21

Tgt Ion: 70 Resp: 15622


Ion Ratio Lower Upper

70 100

42 40.3 44.5 66.7#

101 0.0 7.4 11.2#

130 2.6 15.3 22.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.69 min Scan# 683
Delta R.T. 0.00 min
Lab File: BF077905.D
Acq: 23 Mar 2015 20:21




Instrument :
BNA_F
ClientSampleId :
SB-8


Tgt Ion:	136	Resp:	169395
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.7	13.1
54	6.4	4.6	6.8
68	4.9	3.7	5.5



#23
Nitrobenzene-d5
Concen: 49.50 ng
RT: 7.81 min Scan# 606
Delta R.T. 0.00 min
Lab File: BF077905.D
Acq: 23 Mar 2015 20:21

Tgt Ion:	82	Resp:	127923
Ion	Ratio	Lower	Upper
82	100		
128	52.9	32.8	49.2#
54	44.4	40.6	60.8





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.86 min Scan# 873

Delta R.T. 0.00 min

Lab File: BF077905.D

Acq: 23 Mar 2015 20:21

Instrument :

BNA_F

ClientSampled :

SB-8


Tgt Ion:164 Resp: 82422

Ion Ratio Lower Upper

164 100

162 108.6 82.4 123.6




160 46.9 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 78.10 ng

RT: 11.84 min Scan# 958

Delta R.T. -0.01 min

Lab File: BF077905.D

Acq: 23 Mar 2015 20:21


Tgt Ion:330 Resp: 61589

Ion Ratio Lower Upper

330 100

332 97.0 0.0 0.0#



141 40.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 53.48 ng
 RT: 10.04 min Scan# 801
 Delta R.T. 0.00 min
 Lab File: BF077905.D
 Acq: 23 Mar 2015 20:21




Instrument :
 BNA_F
 ClientSampleId :
 SB-8


Tgt Ion:172 Resp: 299912
 Ion Ratio Lower Upper
 172 100
 171 35.1 28.5 42.7
 170 23.3 18.8 28.2



#50
 2,6-Dinitrotoluene
 Concen: 8.36 ng
 RT: 10.86 min Scan# 873
 Delta R.T. 0.24 min
 Lab File: BF077905.D
 Acq: 23 Mar 2015 20:21

Tgt Ion:165 Resp: 10589
 Ion Ratio Lower Upper
 165 100
 63 0.0 44.1 66.1#
 89 0.0 44.3 66.5#









#56
 2,4-Dinitrotoluene
 Concen: 6.41 ng
 RT: 10.86 min Scan# 873
 Delta R.T. -0.25 min
 Lab File: BF077905.D
 Acq: 23 Mar 2015 20:21

Instrument :
 BNA_F
 ClientSampleId :
 SB-8

Tgt Ion:165 Resp: 10589
 Ion Ratio Lower Upper
 165 100
 63 0.0 52.4 78.6#
 89 0.0 72.4 108.6#
 182 0.0 2.0 3.0#




Abundance Ion 165.00 (164.70 to 165.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.69 min Scan# 1033
 Delta R.T. -0.01 min
 Lab File: BF077905.D
 Acq: 23 Mar 2015 20:21

Tgt Ion:188 Resp: 170654
 Ion Ratio Lower Upper
 188 100
 94 10.4 8.7 13.1
 80 11.2 9.3 13.9



Abundance Ion 188.00 (187.70 to 188.70): E









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 15.97 min Scan# 1320
 Delta R.T. -0.03 min
 Lab File: BF077905.D
 Acq: 23 Mar 2015 20:21




Instrument :
 BNA_F
 ClientSampleId :
 SB-8




Tgt Ion:240 Resp: 191390
 Ion Ratio Lower Upper
 240 100
 120 11.4 8.2 12.2
 236 25.0 20.0 30.0



#78
 Terphenyl-d14
 Concen: 48.93 ng
 RT: 14.69 min Scan# 1208
 Delta R.T. 0.00 min
 Lab File: BF077905.D
 Acq: 23 Mar 2015 20:21

Tgt Ion:244 Resp: 383400
 Ion Ratio Lower Upper
 244 100
 212 6.0 4.9 7.3
 122 8.3 6.2 9.4





#86
Perylene-d12
Concen: 20.00 ng
RT: 17.71 min Scan# 1472
Delta R.T. -0.11 min
Lab File: BF077905.D
Acq: 23 Mar 2015 20:21

Instrument :
BNA_F
ClientSampleId :
SB-8

Tgt Ion:	264	Resp:	185335
Ion Ratio	Lower	Upper	
264	100		
260	22.9	18.6	27.8
265	21.3	17.3	25.9

