

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032321\
 Data File : BF123405.D
 Acq On : 23 Mar 2021 15:51
 Operator : JU/CG
 Sample : SSTDICV040
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF032321

Manual Integrations
 APPROVED

mohammad
 3/24/2021 1:33:02 PM

Quant Time: Mar 23 16:17:52 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 15:58:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.916	152	274483	20.00	ng	0.00
21) Naphthalene-d8	8.204	136	990714	20.00	ng	# 0.00
39) Acenaphthene-d10	9.963	164	544168	20.00	ng	0.00
64) Phenanthrene-d10	11.457	188	951813	20.00	ng	0.00
76) Chrysene-d12	14.109	240	708123	20.00	ng	0.00
86) Perylene-d12	15.609	264	621483	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	1274146	75.94	ng	0.00
7) Phenol-d6	6.539	99	1742817	78.03	ng	0.00
23) Nitrobenzene-d5	7.481	82	1553555	84.63	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	513029	84.33	ng	0.00
45) 2-Fluorobiphenyl	9.280	172	2703363	70.97	ng	0.00
79) Terphenyl-d14	13.051	244	3076500	73.63	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.728	88	309323	38.33	ng	# 66
3) Pyridine	3.487	79	827725	39.00	ng	# 59
4) n-Nitrosodimethylamine	3.440	42	503490	39.66	ng	# 66
6) Aniline	6.581	93	1123072	41.09	ng	94
8) 2-Chlorophenol	6.704	128	720928	38.97	ng	91
9) Benzaldehyde	6.463	77	410159	38.42	ng	96
10) Phenol	6.551	94	880709	38.42	ng	96
11) bis(2-Chloroethyl)ether	6.651	93	714354	39.08	ng	# 81
12) 1,3-Dichlorobenzene	6.857	146	779991m	39.07	ng	
13) 1,4-Dichlorobenzene	6.933	146	780183	39.08	ng	96
14) 1,2-Dichlorobenzene	7.092	146	723757	39.02	ng	98
15) Benzyl Alcohol	7.057	79	716647	40.98	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.192	45	1637701	39.92	ng	86
17) 2-Methylphenol	7.157	107	607002	39.90	ng	97
18) Hexachloroethane	7.433	117	299279	40.01	ng	99
19) n-Nitroso-di-n-propyla...	7.333	70	580054	40.15	ng	# 73
20) 3+4-Methylphenols	7.316	107	741480	39.13	ng	# 80
22) Acetophenone	7.328	105	951735	38.27	ng	# 91
24) Nitrobenzene	7.498	77	833631	41.08	ng	# 92
25) Isophorone	7.739	82	1570227	39.79	ng	97
26) 2-Nitrophenol	7.816	139	360631	49.71	ng	95
27) 2,4-Dimethylphenol	7.845	122	640221	39.68	ng	98
28) bis(2-Chloroethoxy)met...	7.945	93	840990	39.54	ng	100
29) 2,4-Dichlorophenol	8.051	162	644774	40.72	ng	97
30) 1,2,4-Trichlorobenzene	8.139	180	679806	39.36	ng	99
31) Naphthalene	8.228	128	2054841	38.58	ng	100
32) Benzoic acid	7.969	122	455757	47.88	ng	98
33) 4-Chloroaniline	8.269	127	853504	39.06	ng	# 93
34) Hexachlorobutadiene	8.345	225	420393	39.90	ng	99
35) Caprolactam	8.651	113	193679m	40.68	ng	
36) 4-Chloro-3-methylphenol	8.745	107	672455	40.46	ng	96
37) 2-Methylnaphthalene	8.916	142	1412934	38.69	ng	100
38) 1-Methylnaphthalene	9.016	142	1333222	38.89	ng	99
40) 1,2,4,5-Tetrachloroben...	9.080	216	610213	37.69	ng	99
41) Hexachlorocyclopentadiene	9.075	237	374287	41.40	ng	98
43) 2,4,6-Trichlorophenol	9.192	196	457092	40.32	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032321\
 Data File : BF123405.D
 Acq On : 23 Mar 2021 15:51
 Operator : JU/CG
 Sample : SSTDICV040
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IVCBF032321

Manual Integrations
 APPROVED

mohammad
 3/24/2021 1:33:02 PM

Quant Time: Mar 23 16:17:52 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 15:58:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.227	196	480844	40.36	ng	97
46) 1,1'-Biphenyl	9.386	154	1582490	37.74	ng	99
47) 2-Chloronaphthalene	9.410	162	1301995	38.06	ng	98
48) 2-Nitroaniline	9.498	65	475037	45.76	ng	# 72
49) Acenaphthylene	9.827	152	2023406	37.81	ng	100
50) Dimethylphthalate	9.686	163	1516571	39.24	ng	99
51) 2,6-Dinitrotoluene	9.745	165	349048	43.23	ng	# 74
52) Acenaphthene	9.998	154	1285068	38.47	ng	99
53) 3-Nitroaniline	9.916	138	364329	42.73	ng	86
54) 2,4-Dinitrophenol	10.016	184	154892	44.60	ng	94
55) Dibenzofuran	10.174	168	1824892	38.00	ng	99
56) 4-Nitrophenol	10.063	139	309231	44.97	ng	# 76
57) 2,4-Dinitrotoluene	10.151	165	461903	45.84	ng	97
58) Fluorene	10.516	166	1352175	37.30	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.286	232	400170	41.14	ng	92
60) Diethylphthalate	10.386	149	1497378	39.69	ng	99
61) 4-Chlorophenyl-phenyle...	10.510	204	668680	37.74	ng	99
62) 4-Nitroaniline	10.533	138	347953	43.06	ng	96
63) Azobenzene	10.669	77	1602399	38.59	ng	91
65) 4,6-Dinitro-2-methylph...	10.557	198	236724	46.42	ng	# 66
66) n-Nitrosodiphenylamine	10.627	169	1251402	39.24	ng	99
67) 4-Bromophenyl-phenylether	10.998	248	457020	40.54	ng	97
68) Hexachlorobenzene	11.069	284	500696	40.30	ng	94
69) Atrazine	11.157	200	424672	41.89	ng	99
70) Pentachlorophenol	11.257	266	340137	45.88	ng	99
71) Phenanthrene	11.480	178	2034870	38.67	ng	100
72) Anthracene	11.533	178	2063197	38.98	ng	99
73) Carbazole	11.686	167	1926227	38.52	ng	100
74) Di-n-butylphthalate	12.021	149	2355699	41.38	ng	99
75) Fluoranthene	12.674	202	2231085	39.16	ng	99
77) Benzidine	12.792	184	866810	41.09	ng	99
78) Pyrene	12.904	202	2289552	37.48	ng	99
80) Butylbenzylphthalate	13.527	149	992158	43.79	ng	96
81) Benzo(a)anthracene	14.098	228	1801056	38.86	ng	99
82) 3,3'-Dichlorobenzidine	14.057	252	644484	42.75	ng	97
83) Chrysene	14.139	228	1865635	38.99	ng	98
84) Bis(2-ethylhexyl)phtha...	14.092	149	1320222	44.26	ng	98
85) Di-n-octyl phthalate	14.709	149	2329368	49.41	ng	# 86
87) Indeno(1,2,3-cd)pyrene	17.133	276	1366310	35.38	ng	99
88) Benzo(b)fluoranthene	15.168	252	1771953	41.33	ng	99
89) Benzo(k)fluoranthene	15.204	252	1542549	38.06	ng	99
90) Benzo(a)pyrene	15.551	252	1474393	39.84	ng	99
91) Dibenzo(a,h)anthracene	17.162	278	1153307	35.18	ng	98
92) Benzo(g,h,i)perylene	17.597	276	1093081	33.31	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032321\
Data File : BF123405.D
Acq On : 23 Mar 2021 15:51
Operator : JU/CG
Sample : SSTDICV040
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM

Quant Time: Mar 23 16:17:52 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 23 15:58:35 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.916 min Scan# 821
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion:152 Resp: 274483
Ion Ratio Lower Upper
152 100
150 146.2 125.8 188.6
115 60.3 49.3 73.9



#2
1,4-Dioxane
Concen: 38.33 ng
RT: 2.728 min Scan# 109
Delta R.T. 0.023 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion: 88 Resp: 309323
Ion Ratio Lower Upper
88 100
58 100.8 56.2 84.2#
43 41.0 21.8 32.6#



Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM







#3
Pyridine
Concen: 39.00 ng
RT: 3.487 min Scan# 238
Delta R.T. 0.017 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 79 Resp: 827725
Ion Ratio Lower Upper
79 100
52 103.6 53.0 79.4#
51 49.7 26.6 39.8#

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#4
n-Nitrosodimethylamine
Concen: 39.66 ng
RT: 3.440 min Scan# 230
Delta R.T. 0.017 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 42 Resp: 503490
Ion Ratio Lower Upper
42 100
74 100.7 115.2 172.8#
44 8.1 5.4 8.0#









#5
2-Fluorophenol
Concen: 75.94 ng
RT: 5.528 min Scan# 585
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:112 Resp: 1274146
Ion Ratio Lower Upper
112 100
64 72.8 46.9 70.3#
63 38.7 24.5 36.7#

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#6
Aniline
Concen: 41.09 ng
RT: 6.581 min Scan# 764
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 93 Resp: 1123072
Ion Ratio Lower Upper
93 100
66 42.5 31.3 46.9
65 22.7 15.6 23.4





#7
Phenol-d6
Concen: 78.03 ng
RT: 6.539 min Scan# 757
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion: 99 Resp: 1742817

Ion	Ratio	Lower	Upper
99	100		
42	26.1	13.8	20.6#
71	36.7	26.9	40.3

Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED




mohammad
3/24/2021 1:33:02 PM




#8
2-Chlorophenol
Concen: 38.97 ng
RT: 6.704 min Scan# 785
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:128 Resp: 720928


Ion	Ratio	Lower	Upper
128	100		
130	33.8	12.3	52.3
64	54.2	25.5	65.5





#9
Benzaldehyde
Concen: 38.42 ng
RT: 6.463 min Scan# 744
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion: 77 Resp: 410159
Ion Ratio Lower Upper
77 100
105 97.1 80.6 120.6
106 93.2 77.2 117.2

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#10
Phenol
Concen: 38.42 ng
RT: 6.551 min Scan# 759
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion: 94 Resp: 880709
Ion Ratio Lower Upper
94 100
65 33.5 11.2 51.2
66 42.8 25.8 65.8









#11
bis(2-Chloroethyl)ether
Concen: 39.08 ng
RT: 6.651 min Scan# 776
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion: 93 Resp: 714354
Ion Ratio Lower Upper
93 100
63 95.2 52.6 92.6#
95 33.2 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 39.07 ng m
RT: 6.857 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion: 146 Resp: 779991
Ion Ratio Lower Upper
146 100
148 63.2 51.8 77.8
75 35.1 22.5 33.7#




Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED




mohammad
3/24/2021 1:33:02 PM




#13
1,4-Dichlorobenzene
Concen: 39.08 ng
RT: 6.933 min Scan# 824
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion:146 Resp: 780183
Ion Ratio Lower Upper
146 100
148 62.9 52.0 78.0
111 43.7 32.3 48.5



#14
1,2-Dichlorobenzene
Concen: 39.02 ng
RT: 7.092 min Scan# 851
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:146 Resp: 723757
Ion Ratio Lower Upper
146 100
148 62.4 51.5 77.3
111 43.4 34.2 51.2



Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM







#15
Benzyl Alcohol
Concen: 40.98 ng
RT: 7.057 min Scan# 845
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 79 Resp: 716647
Ion Ratio Lower Upper
79 100
108 78.0 62.4 93.6
77 63.6 49.0 73.6

Instrument :
BNA_F
ClientSampled :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.92 ng
RT: 7.192 min Scan# 868
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51


Tgt Ion: 45 Resp: 1637701
Ion Ratio Lower Upper
45 100
77 9.5 0.0 35.6
79 7.0 0.0 32.4





#17
2-Methylphenol
Concen: 39.90 ng
RT: 7.157 min Scan# 862
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Instrument :
BNA_F
ClientSampleId :
ICVBF032321






Tgt Ion:107 Resp: 607002


Ion	Ratio	Lower	Upper
107	100		
108	115.8	91.1	136.7
77	49.1	36.3	54.5
79	49.7	36.8	55.2

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM






#18
Hexachloroethane
Concen: 40.01 ng
RT: 7.433 min Scan# 909
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion:117 Resp: 299279

Ion	Ratio	Lower	Upper
117	100		
119	97.6	78.4	117.6
201	98.7	79.6	119.4









#19
n-Nitroso-di-n-propylamine
Concen: 40.15 ng
RT: 7.333 min Scan# 892
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:	70	Resp:	580054
Ion	Ratio	Lower	Upper
70	100		
42	82.3	43.0	64.4#
101	8.9	7.9	11.9
130	19.1	18.5	27.7

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#20
3+4-Methylphenols
Concen: 39.13 ng
RT: 7.316 min Scan# 889
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51


Tgt Ion:	107	Resp:	741480
Ion	Ratio	Lower	Upper
107	100		
108	93.0	68.7	108.7
77	71.4	89.8	129.8#
79	31.8	9.8	49.8





#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.204 min Scan# 1040
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:136 Resp: 990714
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 11.2 5.5 8.3#
68 5.8 4.6 6.8

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#22
Acetophenone
Concen: 38.27 ng
RT: 7.328 min Scan# 891
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:105 Resp: 951735
Ion Ratio Lower Upper
105 100
71 5.4 6.5 9.7#
51 38.8 24.3 36.5#
120 22.4 18.1 27.1









#23
Nitrobenzene-d5
Concen: 84.63 ng
RT: 7.481 min Scan# 917
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion: 82 Resp: 1553555
Ion Ratio Lower Upper
82 100
128 41.9 37.0 55.4
54 68.8 38.4 57.6#



#24
Nitrobenzene
Concen: 41.08 ng
RT: 7.498 min Scan# 920
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion: 77 Resp: 833631
Ion Ratio Lower Upper
77 100
123 43.3 39.3 58.9
65 16.3 10.6 15.8#




Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM






#25
Isophorone
Concen: 39.79 ng
RT: 7.739 min Scan# 961
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion: 82 Resp: 1570227

Ion	Ratio	Lower	Upper
82	100		
95	7.2	5.8	8.6
138	16.6	14.6	21.8





#26
2-Nitrophenol
Concen: 49.71 ng
RT: 7.816 min Scan# 974
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion: 139 Resp: 360631


Ion	Ratio	Lower	Upper
139	100		
109	29.4	24.0	36.0
65	55.8	40.9	61.3



Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM







#27
2,4-Dimethylphenol
Concen: 39.68 ng
RT: 7.845 min Scan# 979
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 122 Resp: 640221
Ion Ratio Lower Upper
122 100
107 117.8 91.8 137.8
121 58.0 47.3 70.9

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#28
bis(2-Chloroethoxy)methane
Concen: 39.54 ng
RT: 7.945 min Scan# 996
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 93 Resp: 840990
Ion Ratio Lower Upper
93 100
95 32.9 26.2 39.2
123 11.7 9.2 13.8









#29
2,4-Dichlorophenol
Concen: 40.72 ng
RT: 8.051 min Scan# 1014
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:162 Resp: 644774
Ion Ratio Lower Upper
162 100
164 63.5 43.2 83.2
98 39.7 15.2 55.2

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#30
1,2,4-Trichlorobenzene
Concen: 39.36 ng
RT: 8.139 min Scan# 1029
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:180 Resp: 679806
Ion Ratio Lower Upper
180 100
182 93.8 75.7 113.5
145 31.4 25.0 37.4









#31
Naphthalene
Concen: 38.58 ng
RT: 8.228 min Scan# 1044
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:128 Resp: 2054841
Ion Ratio Lower Upper
128 100
129 11.2 9.0 13.6
127 13.5 10.7 16.1

Instrument :
BNA_F
ClientSampled :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM




#32
Benzoic acid
Concen: 47.88 ng
RT: 7.969 min Scan# 1000
Delta R.T. 0.012 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:122 Resp: 455757
Ion Ratio Lower Upper
122 100
105 125.9 104.8 144.8
77 95.3 71.0 111.0







#33
4-Chloroaniline
Concen: 39.06 ng
RT: 8.269 min Scan# 1051
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:	127	Resp:	853504
Ion	Ratio	Lower	Upper
127	100		
129	32.7	26.2	39.2
65	36.9	22.2	33.2#
92	20.2	15.3	22.9




Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#34
Hexachlorobutadiene
Concen: 39.90 ng
RT: 8.345 min Scan# 1064
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion:	225	Resp:	420393
Ion	Ratio	Lower	Upper
225	100		
223	63.9	50.7	76.1
227	63.3	51.7	77.5









#35
Caprolactam
Concen: 40.68 ng m
RT: 8.651 min Scan# 1116
Delta R.T. 0.012 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:113 Resp: 193679
Ion Ratio Lower Upper
113 100
55 241.4 133.7 173.7#
56 176.9 95.3 135.3#

Instrument :
BNA_F
ClientSampled :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#36
4-Chloro-3-methylphenol
Concen: 40.46 ng
RT: 8.745 min Scan# 1132
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:107 Resp: 672455
Ion Ratio Lower Upper
107 100
144 24.8 20.2 30.2
142 76.1 64.4 96.6









#37
2-Methylnaphthalene
Concen: 38.69 ng
RT: 8.916 min Scan# 1161
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:142 Resp: 1412934
Ion Ratio Lower Upper
142 100
141 87.9 70.6 106.0

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#38
1-Methylnaphthalene
Concen: 38.89 ng
RT: 9.016 min Scan# 1178
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:142 Resp: 1333222
Ion Ratio Lower Upper
142 100
141 93.6 74.5 111.7









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.963 min Scan# 1339
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:164 Resp: 544168
Ion Ratio Lower Upper
164 100
162 101.2 80.8 121.2
160 44.6 35.4 53.0

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.69 ng
RT: 9.080 min Scan# 1189
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:216 Resp: 610213
Ion Ratio Lower Upper
216 100
214 79.6 63.1 94.7
179 21.0 17.1 25.7
108 20.0 14.6 21.8









#41
Hexachlorocyclopentadiene
Concen: 41.40 ng
RT: 9.075 min Scan# 1188
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:237 Resp: 374287
Ion Ratio Lower Upper
237 100
235 62.7 40.9 80.9
272 13.7 0.0 33.4

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#42
2,4,6-Tribromophenol
Concen: 84.33 ng
RT: 10.757 min Scan# 1474
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:330 Resp: 513029
Ion Ratio Lower Upper
330 100
332 94.4 77.5 116.3
141 32.6 23.8 35.8









#43
2,4,6-Trichlorophenol
Concen: 40.32 ng
RT: 9.192 min Scan# 1208
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:196 Resp: 457092
Ion Ratio Lower Upper
196 100
198 94.6 75.1 112.7
200 32.8 23.7 35.5

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#44
2,4,5-Trichlorophenol
Concen: 40.36 ng
RT: 9.227 min Scan# 1214
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:196 Resp: 480844
Ion Ratio Lower Upper
196 100
198 93.5 76.5 114.7
97 54.6 40.1 60.1
132 28.8 23.3 34.9





#45
2-Fluorobiphenyl
Concen: 70.97 ng
RT: 9.280 min Scan# 1223
Delta R.T. -0.001 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion:172 Resp: 2703363

Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.6	44.4
170	24.8	19.5	29.3

Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED




mohammad
3/24/2021 1:33:02 PM




#46
1,1'-Biphenyl
Concen: 37.74 ng
RT: 9.386 min Scan# 1241
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:154 Resp: 1582490

Ion	Ratio	Lower	Upper
154	100		
153	41.8	21.8	61.8
76	11.6	0.0	33.4









#47
2-Chloronaphthalene
Concen: 38.06 ng
RT: 9.410 min Scan# 1245
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Instrument :
BNA_F
ClientSampled :
ICVBF032321

Tgt Ion:162 Resp: 1301995
Ion Ratio Lower Upper
162 100
127 40.0 33.8 50.8
164 32.8 26.5 39.7




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#48
2-Nitroaniline
Concen: 45.76 ng
RT: 9.498 min Scan# 1260
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 65 Resp: 475037
Ion Ratio Lower Upper
65 100
92 60.7 60.0 90.0
138 86.1 100.6 151.0#





#49

Acenaphthylene

Concen: 37.81 ng

RT: 9.827 min Scan# 1316

Delta R.T. -0.000 min

Lab File: BF123405.D

Acq: 23 Mar 2021 15:51

Tgt Ion:152 Resp: 2023406

Ion	Ratio	Lower	Upper
152	100		
151	20.9	16.6	25.0
153	13.6	10.9	16.3

Instrument :

BNA_F

ClientSampleId :





ICVBF032321

Manual Integrations

APPROVED

mohammad

3/24/2021 1:33:02 PM



#50

Dimethylphthalate

Concen: 39.24 ng

RT: 9.686 min Scan# 1292




Delta R.T. -0.000 min


Lab File: BF123405.D

Acq: 23 Mar 2021 15:51

Tgt Ion:163 Resp: 1516571

Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.4	5.0
164	10.6	8.1	12.1









#51
2,6-Dinitrotoluene
Concen: 43.23 ng
RT: 9.745 min Scan# 1302
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:165 Resp: 349048
Ion Ratio Lower Upper
165 100
63 70.6 36.6 55.0#
89 58.9 39.4 59.0

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#52
Acenaphthene
Concen: 38.47 ng
RT: 9.998 min Scan# 1345
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:154 Resp: 1285068
Ion Ratio Lower Upper
154 100
153 112.1 89.0 133.6
152 54.0 42.7 64.1









#53
3-Nitroaniline
Concen: 42.73 ng
RT: 9.916 min Scan# 1331
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:138 Resp: 364329
Ion Ratio Lower Upper
138 100
108 11.6 8.2 12.2
92 121.8 85.4 128.2

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#54
2,4-Dinitrophenol
Concen: 44.60 ng
RT: 10.016 min Scan# 1348
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51


Tgt Ion:184 Resp: 154892
Ion Ratio Lower Upper
184 100
63 72.5 51.4 77.2
154 63.8 49.7 74.5





#55
Dibenzofuran
Concen: 38.00 ng
RT: 10.174 min Scan# 1375
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:168 Resp: 1824892
Ion Ratio Lower Upper
168 100
139 38.7 31.3 46.9
169 13.5 11.2 16.8

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#56
4-Nitrophenol
Concen: 44.97 ng
RT: 10.063 min Scan# 1356
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:139 Resp: 309231
Ion Ratio Lower Upper
139 100
109 72.6 45.1 85.1
65 110.8 59.2 99.2#





#57
2,4-Dinitrotoluene
Concen: 45.84 ng
RT: 10.151 min Scan# 1371
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:165 Resp: 461903
Ion Ratio Lower Upper
165 100
63 47.0 34.3 51.5
89 69.7 55.2 82.8
182 2.5 2.2 3.2

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#58
Fluorene
Concen: 37.30 ng
RT: 10.516 min Scan# 1433
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion:166 Resp: 1352175
Ion Ratio Lower Upper
166 100
165 98.7 79.4 119.0
167 14.2 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 41.14 ng
RT: 10.286 min Scan# 1394
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:232 Resp: 400170
Ion Ratio Lower Upper
232 100
131 46.7 33.0 49.4
130 2.4 1.7 2.5
166 32.0 23.0 34.4

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM




#60
Diethylphthalate
Concen: 39.69 ng
RT: 10.386 min Scan# 1411
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:149 Resp: 1497378
Ion Ratio Lower Upper
149 100
177 22.1 18.2 27.4
150 12.7 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 37.74 ng
RT: 10.510 min Scan# 1432
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion:204 Resp: 668680
Ion Ratio Lower Upper
204 100
206 33.1 27.0 40.4
141 61.8 50.4 75.6



#62
4-Nitroaniline
Concen: 43.06 ng
RT: 10.533 min Scan# 1436
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:138 Resp: 347953
Ion Ratio Lower Upper
138 100
92 53.6 31.0 71.0
108 78.0 54.8 94.8




Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM




#63
Azobenzene
Concen: 38.59 ng
RT: 10.669 min Scan# 1459
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion: 77 Resp: 1602399


Ion	Ratio	Lower	Upper
77	100		
182	24.7	5.6	45.6
105	22.1	1.8	41.8
51	39.8	8.3	48.3




Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM






#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.457 min Scan# 1593
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion: 188 Resp: 951813

Ion	Ratio	Lower	Upper
188	100		
94	9.4	7.4	11.2
80	9.8	8.2	12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 46.42 ng
RT: 10.557 min Scan# 1440
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:198 Resp: 236724
Ion Ratio Lower Upper
198 100
51 73.9 20.3 60.3#
105 52.3 23.0 63.0

Instrument :
BNA_F
ClientSampled :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#66
n-Nitrosodiphenylamine
Concen: 39.24 ng
RT: 10.627 min Scan# 1452
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51


Tgt Ion:169 Resp: 1251402
Ion Ratio Lower Upper
169 100
168 67.5 54.2 81.2
167 37.7 29.2 43.8





#67
4-Bromophenyl-phenylether
Concen: 40.54 ng
RT: 10.998 min Scan# 1515
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:248 Resp: 457020
Ion Ratio Lower Upper
248 100
250 97.4 76.8 115.2
141 79.1 59.8 89.8

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#68
Hexachlorobenzene
Concen: 40.30 ng
RT: 11.069 min Scan# 1527
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion:284 Resp: 500696
Ion Ratio Lower Upper
284 100
142 27.1 25.6 38.4
249 29.1 25.1 37.7









#69
Atrazine
Concen: 41.89 ng
RT: 11.157 min Scan# 1542
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:200 Resp: 424672
Ion Ratio Lower Upper
200 100
173 25.9 6.6 46.6
215 48.0 28.1 68.1

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#70
Pentachlorophenol
Concen: 45.88 ng
RT: 11.257 min Scan# 1559
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51


Tgt Ion:266 Resp: 340137
Ion Ratio Lower Upper
266 100
268 61.6 50.5 75.7
264 61.6 49.8 74.8





#71
Phenanthrene
Concen: 38.67 ng
RT: 11.480 min Scan# 1597
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:178 Resp: 2034870
Ion Ratio Lower Upper
178 100
176 20.4 16.2 24.2
179 16.1 12.7 19.1

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#72
Anthracene
Concen: 38.98 ng
RT: 11.533 min Scan# 1606
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:178 Resp: 2063197
Ion Ratio Lower Upper
178 100
176 20.0 15.6 23.4
179 15.7 12.8 19.2





#73
Carbazole
Concen: 38.52 ng
RT: 11.686 min Scan# 1632
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:167 Resp: 1926227
Ion Ratio Lower Upper
167 100
166 22.6 18.0 27.0
139 13.7 10.9 16.3

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#74
Di-n-butylphthalate
Concen: 41.38 ng
RT: 12.021 min Scan# 1689
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:149 Resp: 2355699
Ion Ratio Lower Upper
149 100
150 9.3 7.8 11.6
104 5.6 4.2 6.4





#75
Fluoranthene
Concen: 39.16 ng
RT: 12.674 min Scan# 1800
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampled :
ICVBF032321




Tgt Ion:202 Resp: 2231085
Ion Ratio Lower Upper
202 100
101 10.9 0.0 32.2
203 18.1 0.0 38.1

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.109 min Scan# 2044
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:240 Resp: 708123
Ion Ratio Lower Upper
240 100
120 9.3 8.6 12.8
236 25.6 20.3 30.5





#77
Benzidine
Concen: 41.09 ng
RT: 12.792 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampled :
ICVBF032321




Tgt Ion:184 Resp: 866810
Ion Ratio Lower Upper
184 100
185 14.2 11.8 17.6
183 11.7 9.7 14.5

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#78
Pyrene
Concen: 37.48 ng
RT: 12.904 min Scan# 1839
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:202 Resp: 2289552
Ion Ratio Lower Upper
202 100
200 22.5 17.6 26.4
203 18.6 14.6 21.8





#79
Terphenyl-d14
Concen: 73.63 ng
RT: 13.051 min Scan# 1864
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:244 Resp: 3076500
Ion Ratio Lower Upper
244 100
212 7.7 5.7 8.5
122 10.6 8.3 12.5

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#80
Butylbenzylphthalate
Concen: 43.79 ng
RT: 13.527 min Scan# 1945
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:149 Resp: 992158
Ion Ratio Lower Upper
149 100
91 74.7 56.5 84.7
206 22.5 17.0 25.6





#81
Benzo(a)anthracene
Concen: 38.86 ng
RT: 14.098 min Scan# 2042
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampled :
ICVBF032321




Tgt Ion:228 Resp: 1801056
Ion Ratio Lower Upper
228 100
226 28.4 23.0 34.4
229 20.4 16.6 24.8

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#82
3,3'-Dichlorobenzidine
Concen: 42.75 ng
RT: 14.057 min Scan# 2035
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:252 Resp: 644484
Ion Ratio Lower Upper
252 100
254 63.4 52.7 79.1
126 11.7 8.0 12.0





#83
Chrysene
Concen: 38.99 ng
RT: 14.139 min Scan# 2049
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:228 Resp: 1865635
Ion Ratio Lower Upper
228 100
226 32.3 24.6 36.8
229 20.3 15.8 23.6

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#84
Bis(2-ethylhexyl)phthalate
Concen: 44.26 ng
RT: 14.092 min Scan# 2041
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:149 Resp: 1320222
Ion Ratio Lower Upper
149 100
167 28.1 21.4 32.2
279 4.9 3.4 5.0









#85
Di-n-octyl phthalate
Concen: 49.41 ng
RT: 14.709 min Scan# 2146
Delta R.T. -0.000 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51





Tgt Ion:149 Resp: 2329368
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 15.4 7.6 11.4#



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.609 min Scan# 2299
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Tgt Ion:264 Resp: 621483
Ion Ratio Lower Upper
264 100
260 22.3 18.6 28.0
265 21.2 17.0 25.6



Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM







#87
Indeno(1,2,3-cd)pyrene
Concen: 35.38 ng
RT: 17.133 min Scan# 2558
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion: 276 Resp: 1366310
Ion Ratio Lower Upper
276 100
138 22.8 18.7 28.1
277 25.2 20.2 30.4

Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Manual Integrations
APPROVED


mohammad
3/24/2021 1:33:02 PM



#88
Benzo(b)fluoranthene
Concen: 41.33 ng
RT: 15.168 min Scan# 2224
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51


Tgt Ion: 252 Resp: 1771953
Ion Ratio Lower Upper
252 100
253 22.4 18.3 27.5
125 9.8 8.1 12.1





#89
Benzo(k)fluoranthene
Concen: 38.06 ng
RT: 15.204 min Scan# 2230
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51




Instrument :
BNA_F
ClientSampleId :
ICVBF032321




Tgt Ion:252 Resp: 1542549
Ion Ratio Lower Upper
252 100
253 22.3 17.8 26.8
125 9.2 8.4 12.6

Manual Integrations
APPROVED



mohammad
3/24/2021 1:33:02 PM




#90
Benzo(a)pyrene
Concen: 39.84 ng
RT: 15.551 min Scan# 2289
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51



Tgt Ion:252 Resp: 1474393
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 10.0 8.6 12.8









#91
Dibenzo(a,h)anthracene
Concen: 35.18 ng
RT: 17.162 min Scan# 2563
Delta R.T. 0.012 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:278 Resp: 1153307
Ion Ratio Lower Upper
278 100
139 14.2 12.0 18.0
279 23.7 19.4 29.2

Instrument :
BNA_F
ClientSampleId :
ICVBF032321

Manual Integrations
APPROVED

mohammad
3/24/2021 1:33:02 PM



#92
Benzo(g,h,i)perylene
Concen: 33.31 ng
RT: 17.597 min Scan# 2637
Delta R.T. 0.006 min
Lab File: BF123405.D
Acq: 23 Mar 2021 15:51

Tgt Ion:276 Resp: 1093081
Ion Ratio Lower Upper
276 100
277 24.6 19.3 28.9
138 21.2 16.6 24.8

