

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032415\
 Data File : BF077922.D
 Acq On : 24 Mar 2015 20:19
 Operator : TP/IZ
 Sample : G1613-16
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-10

Quant Time: Mar 25 01:54:30 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 25 00:51:55 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.12	152	47558	20.00	ng	0.00
21) Naphthalene-d8	8.69	136	195703	20.00	ng	0.00
38) Acenaphthene-d10	10.86	164	97302	20.00	ng	0.00
63) Phenanthrene-d10	12.69	188	192505	20.00	ng	0.00
75) Chrysene-d12	15.99	240	213757	20.00	ng	0.01
86) Perylene-d12	17.80	264	196651	20.00	ng	0.10
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	237475	87.16	ng	0.00
7) Phenol-d6	6.69	99	311727	92.60	ng	0.00
23) Nitrobenzene-d5	7.81	82	170994	57.27	ng	0.00
41) 2,4,6-Tribromophenol	11.84	330	67263	72.25	ng	0.00
44) 2-Fluorobiphenyl	10.04	172	392054	59.21	ng	0.00
78) Terphenyl-d14	14.69	244	468526	53.54	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032415\
Data File : BF077922.D
Acq On : 24 Mar 2015 20:19
Operator : TP/IZ
Sample : G1613-16
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-10

Quant Time: Mar 25 01:54:30 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 25 00:51:55 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.12 min Scan# 545
 Delta R.T. -0.00 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19




Instrument :
 BNA_F
 ClientSampleId :
 SB-10


Tgt Ion:152 Resp: 47558
 Ion Ratio Lower Upper
 152 100
 150 158.1 119.5 179.3
 115 58.1 43.0 64.4



#5
 2-Fluorophenol
 Concen: 87.16 ng
 RT: 5.40 min Scan# 395
 Delta R.T. -0.00 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19

Tgt Ion:112 Resp: 237475
 Ion Ratio Lower Upper
 112 100
 64 54.7 38.6 57.8
 63 27.5 19.3 28.9





#7

Phenol-d6

Concen: 92.60 ng

RT: 6.69 min Scan# 508

Delta R.T. -0.00 min

Lab File: BF077922.D

Acq: 24 Mar 2015 20:19

Instrument :

BNA_F

ClientSampleId :

SB-10


Tgt Ion: 99 Resp: 311727

Ion Ratio Lower Upper

99 100

42 14.4 11.0 16.4




71 30.2 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.69 min Scan# 683

Delta R.T. -0.00 min

Lab File: BF077922.D

Acq: 24 Mar 2015 20:19

Tgt Ion: 136 Resp: 195703


Ion Ratio Lower Upper

136 100

137 10.6 8.7 13.1

54 6.1 4.6 6.8

68 5.0 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 57.27 ng
 RT: 7.81 min Scan# 606
 Delta R.T. -0.00 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19




Instrument :
 BNA_F
 ClientSampled :
 SB-10


Tgt Ion: 82 Resp: 170994
 Ion Ratio Lower Upper
 82 100
 128 51.2 32.8 49.2#
 54 44.5 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.86 min Scan# 873
 Delta R.T. -0.00 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19

Tgt Ion: 164 Resp: 97302
 Ion Ratio Lower Upper
 164 100
 162 105.1 82.4 123.6
 160 44.6 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 72.25 ng
 RT: 11.84 min Scan# 958
 Delta R.T. -0.00 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19




Instrument :
 BNA_F
 ClientSampleId :
 SB-10


Tgt Ion:330 Resp: 67263
 Ion Ratio Lower Upper
 330 100
 332 97.1 0.0 0.0#
 141 41.8 0.0 0.0#



#44
 2-Fluorobiphenyl
 Concen: 59.21 ng
 RT: 10.04 min Scan# 801
 Delta R.T. -0.00 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19

Tgt Ion:172 Resp: 392054
 Ion Ratio Lower Upper
 172 100
 171 35.2 28.5 42.7
 170 23.3 18.8 28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.69 min Scan# 1033
Delta R.T. -0.00 min
Lab File: BF077922.D
Acq: 24 Mar 2015 20:19

Instrument :
BNA_F
ClientSampled :
SB-10

Tgt Ion:188 Resp: 192505
Ion Ratio Lower Upper
188 100
94 10.3 8.7 13.1
80 11.3 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.99 min Scan# 1321
Delta R.T. 0.01 min
Lab File: BF077922.D
Acq: 24 Mar 2015 20:19

Tgt Ion:240 Resp: 213757
Ion Ratio Lower Upper
240 100
120 14.7 8.2 12.2#
236 25.0 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 53.54 ng
 RT: 14.69 min Scan# 1208
 Delta R.T. -0.00 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19

Instrument :
 BNA_F
 ClientSampled :
 SB-10

Tgt Ion: 244 Resp: 468526
 Ion Ratio Lower Upper
 244 100
 212 6.1 4.9 7.3
 122 8.5 6.2 9.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.80 min Scan# 1480
 Delta R.T. 0.10 min
 Lab File: BF077922.D
 Acq: 24 Mar 2015 20:19

Tgt Ion: 264 Resp: 196651
 Ion Ratio Lower Upper
 264 100
 260 24.4 18.6 27.8
 265 21.4 17.3 25.9

