

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032416\
 Data File : BF085748.D
 Acq On : 25 Mar 2016 8:00
 Operator : UM/SJ
 Sample : H1885-03
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-15A

Quant Time: Mar 25 08:25:39 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 24 14:15:39 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	111574	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	419767	20.00	ng	-0.01
38) Acenaphthene-d10	9.86	164	189914	20.00	ng	0.00
63) Phenanthrene-d10	11.35	188	279207	20.00	ng	0.00
75) Chrysene-d12	13.98	240	223259	20.00	ng	0.00
86) Perylene-d12	15.40	264	213283	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.43	112	807260	120.50	ng	0.02
7) Phenol-d6	6.46	99	1012516	118.87	ng	0.00
23) Nitrobenzene-d5	7.40	82	646689	86.76	ng	0.00
41) 2,4,6-Tribromophenol	10.65	330	188023	104.20	ng	0.00
44) 2-Fluorobiphenyl	9.19	172	1054177	92.74	ng	0.00
78) Terphenyl-d14	12.93	244	663636	61.13	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.58	163	229302	15.91	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032416\
Data File : BF085748.D
Acq On : 25 Mar 2016 8:00
Operator : UM/SJ
Sample : H1885-03
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-15A

Quant Time: Mar 25 08:25:39 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 24 14:15:39 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.82 min Scan# 397

Delta R.T. 0.00 min

Lab File: BF085748.D

Acq: 25 Mar 2016 8:00

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-15A


Tgt Ion:152 Resp: 111574

Ion Ratio Lower Upper

152 100

150 156.6 124.2 186.2




115 62.2 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 120.50 ng

RT: 5.43 min Scan# 275

Delta R.T. 0.02 min

Lab File: BF085748.D

Acq: 25 Mar 2016 8:00


Tgt Ion:112 Resp: 807260

Ion Ratio Lower Upper

112 100

64 46.2 39.9 59.9



63 23.1 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 118.87 ng

RT: 6.46 min Scan# 365

Delta R.T. 0.00 min

Lab File: BF085748.D

Acq: 25 Mar 2016 8:00

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-15A


Tgt Ion: 99 Resp: 1012516

Ion Ratio Lower Upper

99 100

42 15.9 11.1 16.7




71 33.1 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.10 min Scan# 509

Delta R.T. -0.01 min

Lab File: BF085748.D

Acq: 25 Mar 2016 8:00

Tgt Ion: 136 Resp: 419767


Ion Ratio Lower Upper

136 100

137 11.4 9.1 13.7

54 9.2 7.4 11.0

68 7.3 5.8 8.8





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 86.76 ng
 RT: 7.40 min Scan# 447
 Delta R.T. 0.00 min
 Lab File: BF085748.D
 Acq: 25 Mar 2016 8:00

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-15A

Tgt Ion: 82 Resp: 646689
 Ion Ratio Lower Upper
 82 100
 128 53.3 41.8 62.8
 54 40.6 33.4 50.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.86 min Scan# 663
 Delta R.T. 0.00 min
 Lab File: BF085748.D
 Acq: 25 Mar 2016 8:00

Tgt Ion: 164 Resp: 189914
 Ion Ratio Lower Upper
 164 100
 162 104.2 82.1 123.1
 160 48.0 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 104.20 ng
 RT: 10.65 min Scan# 732
 Delta R.T. 0.00 min
 Lab File: BF085748.D
 Acq: 25 Mar 2016 8:00

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-15A

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.2	78.2	117.2
141	38.2	31.5	47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.74 ng
 RT: 9.19 min Scan# 604
 Delta R.T. 0.00 min
 Lab File: BF085748.D
 Acq: 25 Mar 2016 8:00

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.4	44.2
170	24.4	19.8	29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 15.91 ng

RT: 9.58 min Scan# 638

Delta R.T. -0.01 min

Lab File: BF085748.D

Acq: 25 Mar 2016 8:00

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-15A


Tgt Ion:163 Resp: 229302

Ion Ratio Lower Upper

163 100

194 3.1 2.9 4.3




164 10.5 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.35 min Scan# 793

Delta R.T. 0.00 min

Lab File: BF085748.D

Acq: 25 Mar 2016 8:00


Tgt Ion:188 Resp: 279207

Ion Ratio Lower Upper

188 100

94 6.0 5.4 8.0



80 5.9 5.5 8.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.98 min Scan# 1023
Delta R.T. 0.00 min
Lab File: BF085748.D
Acq: 25 Mar 2016 8:00




Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-15A


Tgt Ion: 240 Resp: 223259
Ion Ratio Lower Upper
240 100
120 11.2 13.8 20.8#
236 26.7 20.6 30.8



#78
Terphenyl-d14
Concen: 61.13 ng
RT: 12.93 min Scan# 931
Delta R.T. 0.00 min
Lab File: BF085748.D
Acq: 25 Mar 2016 8:00

Tgt Ion: 244 Resp: 663636
Ion Ratio Lower Upper
244 100
212 7.5 6.1 9.1
122 13.3 10.2 15.4






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.40 min Scan# 1147
Delta R.T. 0.00 min
Lab File: BF085748.D
Acq: 25 Mar 2016 8:00

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-15A

Tgt Ion: 264 Resp: 213283
Ion Ratio Lower Upper
264 100
260 24.1 19.4 29.2
265 21.7 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

