

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032422\
 Data File : BF127511.D
 Acq On : 24 Mar 2022 19:18
 Operator : CG\JU
 Sample : N2090-02
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-47

Quant Time: Mar 25 02:16:09 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 22 02:16:33 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	85167	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	303609	20.000	ng	0.00
39) Acenaphthene-d10	9.886	164	161135	20.000	ng	0.00
64) Phenanthrene-d10	11.380	188	218881	20.000	ng	0.00
76) Chrysene-d12	14.027	240	175949	20.000	ng	0.00
86) Perylene-d12	15.509	264	184942	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	351499	65.879	ng	0.00
7) Phenol-d6	6.487	99	302449	41.470	ng	0.00
23) Nitrobenzene-d5	7.416	82	666731	93.870	ng	0.00
42) 2,4,6-Tribromophenol	10.686	330	209946	122.311	ng	0.00
45) 2-Fluorobiphenyl	9.204	172	1094442	99.180	ng	0.00
79) Terphenyl-d14	12.963	244	722577	67.228	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032422\
Data File : BF127511.D
Acq On : 24 Mar 2022 19:18
Operator : CG\JU
Sample : N2090-02
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-47

Quant Time: Mar 25 02:16:09 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 22 02:16:33 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18




Instrument :
BNA_F
ClientSampleId :
MW-47


Tgt Ion:152 Resp: 85167
Ion Ratio Lower Upper
152 100
150 145.5 117.2 175.8
115 60.2 49.8 74.6



#5
2-Fluorophenol
Concen: 65.879 ng
RT: 5.475 min Scan# 542
Delta R.T. 0.006 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18

Tgt Ion:112 Resp: 351499
Ion Ratio Lower Upper
112 100
64 72.1 58.4 87.6
63 36.2 30.1 45.1









#7
Phenol-d6
Concen: 41.470 ng
RT: 6.487 min Scan# 714
Delta R.T. 0.000 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18




Instrument :
BNA_F
ClientSampleId :
MW-47


Tgt Ion: 99 Resp: 302449
Ion Ratio Lower Upper
99 100
42 21.3 17.8 26.6
71 36.3 29.6 44.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.128 min Scan# 993
Delta R.T. -0.006 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18

Tgt Ion:136 Resp: 303609
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 12.7 9.2 13.8
68 7.8 5.4 8.0









#23
Nitrobenzene-d5
Concen: 93.870 ng
RT: 7.416 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18




Instrument :
BNA_F
ClientSampleId :
MW-47


Tgt Ion: 82 Resp: 666731
Ion Ratio Lower Upper
82 100
128 37.2 30.6 45.8
54 62.4 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.886 min Scan# 1292
Delta R.T. -0.006 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18

Tgt Ion:164 Resp: 161135
Ion Ratio Lower Upper
164 100
162 101.3 81.2 121.8
160 45.3 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 122.311 ng

RT: 10.686 min Scan# 1428

Delta R.T. 0.000 min

Lab File: BF127511.D

Acq: 24 Mar 2022 19:18

Instrument :

BNA_F

ClientSampleId :

MW-47




Tgt Ion:330 Resp: 209946

Ion Ratio Lower Upper

330 100

332 96.6 79.1 118.7

141 34.0 26.2 39.4



#45

2-Fluorobiphenyl

Concen: 99.180 ng

RT: 9.204 min Scan# 1176

Delta R.T. -0.006 min

Lab File: BF127511.D

Acq: 24 Mar 2022 19:18




Tgt Ion:172 Resp: 1094442

Ion Ratio Lower Upper

172 100

171 34.6 28.4 42.6

170 23.6 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.380 min Scan# 1138
Delta R.T. 0.000 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18




Instrument :
BNA_F
ClientSampleId :
MW-47


Tgt Ion:188 Resp: 218881
Ion Ratio Lower Upper
188 100
94 9.9 7.4 11.0
80 10.5 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.027 min Scan# 1996
Delta R.T. 0.000 min
Lab File: BF127511.D
Acq: 24 Mar 2022 19:18

Tgt Ion:240 Resp: 175949
Ion Ratio Lower Upper
240 100
120 9.8 7.1 10.7
236 25.6 20.7 31.1









#79
 Terphenyl-d14
 Concen: 67.228 ng
 RT: 12.963 min Scan# 1816
 Delta R.T. -0.006 min
 Lab File: BF127511.D
 Acq: 24 Mar 2022 19:18

Instrument :
 BNA_F
 ClientSampleId :
 MW-47

Tgt Ion:244 Resp: 722577
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.7 8.5
 122 10.6 6.2 9.2#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2248
 Delta R.T. 0.006 min
 Lab File: BF127511.D
 Acq: 24 Mar 2022 19:18

Tgt Ion:264 Resp: 184942
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.1 28.7
 265 21.0 17.4 26.2

