

Data Path : T:\svoasrv\HPCHEM1\BNA_F\Data\BF032425\
 Data File : BF142056.D
 Acq On : 24 Mar 2025 15:55
 Operator : RC/JU
 Sample : Q1606-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CHRT24743

Quant Time: Mar 24 16:20:39 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	129394	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	495358	20.000	ng	0.00
39) Acenaphthene-d10	9.910	164	271097	20.000	ng	0.00
64) Phenanthrene-d10	11.392	188	426036	20.000	ng	-0.01
76) Chrysene-d12	14.033	240	244025	20.000	ng	0.00
86) Perylene-d12	15.504	264	257056	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	1035235	133.527	ng	0.01
7) Phenol-d6	6.504	99	1121602	113.623	ng	0.00
23) Nitrobenzene-d5	7.434	82	913039	103.727	ng	-0.01
42) 2,4,6-Tribromophenol	10.698	330	525679	152.848	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	1893679	106.232	ng	-0.01
79) Terphenyl-d14	12.980	244	1807029	109.481	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : T:\svoasrv\HPCHEM1\BNA_F\Data\BF032425\
Data File : BF142056.D
Acq On : 24 Mar 2025 15:55
Operator : RC/JU
Sample : Q1606-02
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CHRT24743


Quant Time: Mar 24 16:20:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55

Instrument :
BNA_F
ClientSampleId :
CHRT24743







Tgt Ion:152 Resp: 129394
Ion Ratio Lower Upper
152 100
150 155.0 127.4 191.2
115 65.4 51.9 77.9



#5
2-Fluorophenol
Concen: 133.527 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55

Tgt Ion:112 Resp: 1035235
Ion Ratio Lower Upper
112 100
64 56.3 46.5 69.7
63 31.4 25.4 38.2









#7
Phenol-d6
Concen: 113.623 ng
RT: 6.504 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55

Instrument :
BNA_F
ClientSampleId :
CHRT24743

Tgt Ion: 99 Resp: 1121602




Ion	Ratio	Lower	Upper
99	100		
42	17.1	14.6	21.8
71	39.1	30.8	46.2




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55

Tgt Ion: 136 Resp: 495358

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	6.3	5.8	8.8
68	4.6	4.1	6.1









#23
Nitrobenzene-d5
Concen: 103.727 ng
RT: 7.434 min Scan# 90
Delta R.T. -0.012 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55




Instrument :
BNA_F
ClientSampleId :
CHRT24743


Tgt Ion: 82 Resp: 913039
Ion Ratio Lower Upper
82 100
128 45.2 36.0 54.0
54 47.7 39.6 59.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.910 min Scan# 1329
Delta R.T. -0.006 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55

Tgt Ion:164 Resp: 271097
Ion Ratio Lower Upper
164 100
162 103.2 81.8 122.6
160 46.3 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 152.848 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55




Instrument :
BNA_F
ClientSampleId :
CHRT24743


Tgt Ion: 330 Resp: 525679
Ion Ratio Lower Upper
330 100
332 95.8 77.6 116.4
141 28.1 24.7 37.1



#45
2-Fluorobiphenyl
Concen: 106.232 ng
RT: 9.228 min Scan# 1213
Delta R.T. -0.012 min
Lab File: BF142056.D
Acq: 24 Mar 2025 15:55

Tgt Ion: 172 Resp: 1893679
Ion Ratio Lower Upper
172 100
171 36.3 29.3 43.9
170 23.7 19.4 29.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.392 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF142056.D

Acq: 24 Mar 2025 15:55

Instrument :

BNA_F

ClientSampleId :

CHRT24743





Tgt Ion:188 Resp: 426036

Ion Ratio Lower Upper

188 100

94 8.2 6.8 10.2

80 9.2 7.6 11.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.033 min Scan# 2030

Delta R.T. -0.006 min

Lab File: BF142056.D

Acq: 24 Mar 2025 15:55




Tgt Ion:240 Resp: 244025


Ion Ratio Lower Upper

240 100

120 8.9 8.4 12.6

236 25.3 20.5 30.7









#79
 Terphenyl-d14
 Concen: 109.481 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.006 min
 Lab File: BF142056.D
 Acq: 24 Mar 2025 15:55

Instrument :
 BNA_F
 ClientSampleId :
 CHRT24743

Tgt Ion:244 Resp: 1807029
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 8.6 7.7 11.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2280
 Delta R.T. -0.006 min
 Lab File: BF142056.D
 Acq: 24 Mar 2025 15:55

Tgt Ion:264 Resp: 257056
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.1 28.7
 265 21.7 17.5 26.3

