

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032515\
 Data File : BF077964.D
 Acq On : 25 Mar 2015 21:19
 Operator : TP/IZ
 Sample : G1643-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-3-3-23-15

Quant Time: Mar 26 04:11:13 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 26 00:45:24 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.09	152	43020	20.00	ng	0.00
21) Naphthalene-d8	8.67	136	176694	20.00	ng	0.00
38) Acenaphthene-d10	10.84	164	89837	20.00	ng	0.00
63) Phenanthrene-d10	12.67	188	183675	20.00	ng	-0.01
75) Chrysene-d12	15.96	240	207579	20.00	ng	-0.01
86) Perylene-d12	17.71	264	202614	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	109346	44.37	ng	0.00
7) Phenol-d6	6.67	99	81822	26.87	ng	0.00
23) Nitrobenzene-d5	7.79	82	220704	81.88	ng	0.00
41) 2,4,6-Tribromophenol	11.81	330	94550	110.00	ng	-0.01
44) 2-Fluorobiphenyl	10.02	172	495851	81.11	ng	0.00
78) Terphenyl-d14	14.67	244	596300	70.17	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032515\
Data File : BF077964.D
Acq On : 25 Mar 2015 21:19
Operator : TP/IZ
Sample : G1643-02
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-3-3-23-15

Quant Time: Mar 26 04:11:13 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 26 00:45:24 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.09 min Scan# 543
Delta R.T. 0.00 min
Lab File: BF077964.D
Acq: 25 Mar 2015 21:19

Instrument :
BNA_F
ClientSampleId :
MW-3-3-23-15

Tot Ion:152 Resp: 43020
Ion Ratio Lower Upper
152 100
150 155.0 119.5 179.3
115 57.9 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 44.37 ng
RT: 5.38 min Scan# 393
Delta R.T. 0.00 min
Lab File: BF077964.D
Acq: 25 Mar 2015 21:19

Tgt Ion:112 Resp: 109346
Ion Ratio Lower Upper
112 100
64 51.2 38.6 57.8
63 25.1 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 26.87 ng

RT: 6.67 min Scan# 506

Delta R.T. 0.00 min

Lab File: BF077964.D

Acq: 25 Mar 2015 21:19

Instrument :

BNA_F

ClientSampleId :

MW-3-3-23-15


Tot Ion: 99 Resp: 81822

Ion Ratio Lower Upper

99 100

42 16.0 11.0 16.4




71 30.6 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF077684.D (-508) (-)

Ion 42.00 (41.70 to 42.70): BF077684.D (-508) (-)

Ion 71.00 (70.70 to 71.70): BF077684.D (-508) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.67 min Scan# 681

Delta R.T. 0.00 min

Lab File: BF077964.D

Acq: 25 Mar 2015 21:19

Tgt Ion: 136 Resp: 176694


Ion Ratio Lower Upper

136 100

137 10.5 8.7 13.1

54 6.7 4.6 6.8

68 5.0 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BF077684.D (-684) (-)

Ion 137.00 (136.70 to 137.70): BF077684.D (-684) (-)

Ion 54.00 (53.70 to 54.70): BF077684.D (-684) (-)

Ion 68.00 (67.70 to 68.70): BF077684.D (-684) (-)









#23
Nitrobenzene-d5
Concen: 81.88 ng
RT: 7.79 min Scan# 604
Delta R.T. 0.00 min
Lab File: BF077964.D
Acq: 25 Mar 2015 21:19




Instrument :
BNA_F
ClientSampleId :
MW-3-3-23-15


Tot Ion: 82 Resp: 220704
Ion Ratio Lower Upper
82 100
128 47.0 32.8 49.2
54 47.1 40.6 60.8



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.84 min Scan# 871
Delta R.T. 0.00 min
Lab File: BF077964.D
Acq: 25 Mar 2015 21:19

Tgt Ion:164 Resp: 89837
Ion Ratio Lower Upper
164 100
162 104.8 82.4 123.6
160 46.1 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 110.00 ng
 RT: 11.81 min Scan# 956
 Delta R.T. -0.01 min
 Lab File: BF077964.D
 Acq: 25 Mar 2015 21:19




Instrument :
 BNA_F
 ClientSampleId :
 MW-3-3-23-15


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.8	0.0	0.0#
141	40.1	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 81.11 ng
 RT: 10.02 min Scan# 799
 Delta R.T. 0.00 min
 Lab File: BF077964.D
 Acq: 25 Mar 2015 21:19

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.8	28.5	42.7
170	23.4	18.8	28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.67 min Scan# 1031
Delta R.T. -0.01 min
Lab File: BF077964.D
Acq: 25 Mar 2015 21:19

Instrument :
BNA_F
ClientSampleId :
MW-3-3-23-15

Tot Ion:188 Resp: 183675
Ion Ratio Lower Upper
188 100
94 11.2 8.7 13.1
80 11.6 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.96 min Scan# 1319
Delta R.T. -0.01 min
Lab File: BF077964.D
Acq: 25 Mar 2015 21:19

Tgt Ion:240 Resp: 207579
Ion Ratio Lower Upper
240 100
120 8.6 8.2 12.2
236 25.6 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 70.17 ng
 RT: 14.67 min Scan# 1206
 Delta R.T. 0.00 min
 Lab File: BF077964.D
 Acq: 25 Mar 2015 21:19

Instrument :
 BNA_F
 ClientSampleId :
 MW-3-3-23-15

Tot Ion:244 Resp: 596300
 Ion Ratio Lower Upper
 244 100
 212 6.5 4.9 7.3
 122 11.0 6.2 9.4#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.71 min Scan# 1472
 Delta R.T. -0.03 min
 Lab File: BF077964.D
 Acq: 25 Mar 2015 21:19

Tgt Ion:264 Resp: 202614
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.6 27.8
 265 20.9 17.3 25.9

