

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032521\
 Data File : BF123462.D
 Acq On : 25 Mar 2021 15:23
 Operator : JU/CG
 Sample : PB135267BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB135267BL

Quant Time: Mar 25 16:10:38 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 25 12:42:42 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	259270	20.00	ng	0.00
21) Naphthalene-d8	8.181	136	952596	20.00	ng	# 0.00
39) Acenaphthene-d10	9.939	164	513912	20.00	ng	0.00
64) Phenanthrene-d10	11.428	188	951135	20.00	ng	0.00
76) Chrysene-d12	14.080	240	794189	20.00	ng	0.00
86) Perylene-d12	15.574	264	704121	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	1721403	108.62	ng	0.02
7) Phenol-d6	6.522	99	2180787	103.37	ng	0.00
23) Nitrobenzene-d5	7.463	82	1463786	82.93	ng	0.00
42) 2,4,6-Tribromophenol	10.733	330	670858	116.76	ng	0.00
45) 2-Fluorobiphenyl	9.263	172	2566162	71.34	ng	0.00
79) Terphenyl-d14	13.027	244	2906185	62.02	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032521\
Data File : BF123462.D
Acq On : 25 Mar 2021 15:23
Operator : JU/CG
Sample : PB135267BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB135267BL

Quant Time: Mar 25 16:10:38 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 25 12:42:42 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.898 min Scan# 818
Delta R.T. 0.000 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23




Instrument :
BNA_F
ClientSampleId :
PB135267BL


Tgt Ion:152 Resp: 259270
Ion Ratio Lower Upper
152 100
150 146.6 125.8 188.6
115 60.5 49.3 73.9



#5
2-Fluorophenol
Concen: 108.62 ng
RT: 5.528 min Scan# 585
Delta R.T. 0.018 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23

Tgt Ion:112 Resp: 1721403
Ion Ratio Lower Upper
112 100
64 74.7 46.9 70.3#
63 39.8 24.5 36.7#









#7
Phenol-d6
Concen: 103.37 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.006 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23




Instrument :
BNA_F
ClientSampleId :
PB135267BL


Tgt Ion: 99 Resp: 2180787
Ion Ratio Lower Upper
99 100
42 26.7 13.8 20.6#
71 38.4 26.9 40.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.181 min Scan# 1036
Delta R.T. -0.006 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23

Tgt Ion: 136 Resp: 952596
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 12.5 5.5 8.3#
68 6.3 4.6 6.8









#23
Nitrobenzene-d5
Concen: 82.93 ng
RT: 7.463 min Scan# 914
Delta R.T. 0.000 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23




Instrument :
BNA_F
ClientSampleId :
PB135267BL


Tgt Ion: 82 Resp: 1463786
Ion Ratio Lower Upper
82 100
128 43.8 37.0 55.4
54 65.5 38.4 57.6#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.939 min Scan# 1335
Delta R.T. -0.006 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23

Tgt Ion: 164 Resp: 513912
Ion Ratio Lower Upper
164 100
162 103.1 80.8 121.2
160 45.3 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 116.76 ng
RT: 10.733 min Scan# 1470
Delta R.T. 0.000 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23




Instrument :
BNA_F
ClientSampleId :
PB135267BL


Tgt Ion: 330 Resp: 670858
Ion Ratio Lower Upper
330 100
332 96.2 77.5 116.3
141 31.1 23.8 35.8



#45
2-Fluorobiphenyl
Concen: 71.34 ng
RT: 9.263 min Scan# 1220
Delta R.T. 0.000 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23

Tgt Ion: 172 Resp: 2566162
Ion Ratio Lower Upper
172 100
171 37.4 29.6 44.4
170 24.9 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.428 min Scan# 1588
Delta R.T. -0.006 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23




Instrument :
BNA_F
ClientSampleId :
PB135267BL


Tgt Ion:188 Resp: 951135
Ion Ratio Lower Upper
188 100
94 9.9 7.4 11.2
80 10.9 8.2 12.4



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.080 min Scan# 2039
Delta R.T. 0.000 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23

Tgt Ion:240 Resp: 794189
Ion Ratio Lower Upper
240 100
120 9.3 8.6 12.8
236 26.8 20.3 30.5









#79
Terphenyl-d14
Concen: 62.02 ng
RT: 13.027 min Scan# 1860
Delta R.T. 0.006 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23

Instrument :
BNA_F
ClientSampleId :
PB135267BL

Tgt Ion:244 Resp: 2906185
Ion Ratio Lower Upper
244 100
212 7.6 5.7 8.5
122 10.4 8.3 12.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.574 min Scan# 2293
Delta R.T. 0.000 min
Lab File: BF123462.D
Acq: 25 Mar 2021 15:23

Tgt Ion:264 Resp: 704121
Ion Ratio Lower Upper
264 100
260 23.5 18.6 28.0
265 21.3 17.0 25.6

