

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032715\
 Data File : BF078071.D
 Acq On : 28 Mar 2015 9:48
 Operator : TP/IZ
 Sample : G1677-01
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PE-1R(7.5-8)

Quant Time: Mar 30 00:15:08 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 30 00:50:20 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.07	152	36891	20.00	ng	0.00
21) Naphthalene-d8	8.65	136	149022	20.00	ng	0.00
38) Acenaphthene-d10	10.82	164	73982	20.00	ng	0.00
63) Phenanthrene-d10	12.65	188	147167	20.00	ng	0.00
75) Chrysene-d12	15.93	240	163242	20.00	ng	0.00
86) Perylene-d12	17.62	264	162810	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	197990	93.68	ng	0.00
7) Phenol-d6	6.66	99	245982	94.20	ng	-0.01
23) Nitrobenzene-d5	7.77	82	141652	62.31	ng	-0.01
41) 2,4,6-Tribromophenol	11.79	330	57670	81.47	ng	-0.01
44) 2-Fluorobiphenyl	10.00	172	327872	65.13	ng	0.00
78) Terphenyl-d14	14.65	244	390522	58.44	ng	0.00
Target Compounds						
76) Benzidine	14.35	184	822	Below Cal	Qvalue #	68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032715\
Data File : BF078071.D
Acq On : 28 Mar 2015 9:48
Operator : TP/IZ
Sample : G1677-01
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PE-1R(7.5-8)

Quant Time: Mar 30 00:15:08 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 30 00:50:20 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.07 min Scan# 541

Delta R.T. -0.00 min

Lab File: BF078071.D

Acq: 28 Mar 2015 9:48

Instrument :

BNA_F

ClientSampleId :

PE-1R(7.5-8)


Tgt Ion:152 Resp: 36891

Ion Ratio Lower Upper

152 100

150 155.2 119.5 179.3




115 64.0 43.0 64.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 93.68 ng

RT: 5.37 min Scan# 392

Delta R.T. -0.00 min

Lab File: BF078071.D

Acq: 28 Mar 2015 9:48


Tgt Ion:112 Resp: 197990

Ion Ratio Lower Upper

112 100

64 50.9 38.6 57.8



63 25.8 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 94.20 ng

RT: 6.66 min Scan# 505

Delta R.T. -0.01 min

Lab File: BF078071.D

Acq: 28 Mar 2015 9:48

Instrument :

BNA_F

ClientSampleId :

PE-1R(7.5-8)


Tgt Ion: 99 Resp: 245982

Ion Ratio Lower Upper

99 100

42 18.2 11.0 16.4#



71 33.2 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.65 min Scan# 679

Delta R.T. -0.00 min

Lab File: BF078071.D

Acq: 28 Mar 2015 9:48

Tgt Ion: 136 Resp: 149022


Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 7.2 4.6 6.8#

68 6.1 3.7 5.5#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 62.31 ng
 RT: 7.77 min Scan# 602
 Delta R.T. -0.01 min
 Lab File: BF078071.D
 Acq: 28 Mar 2015 9:48




Instrument :
 BNA_F
 ClientSampleId :
 PE-1R(7.5-8)

Tgt Ion: 82 Resp: 141652
 Ion Ratio Lower Upper
 82 100
 128 42.5 32.8 49.2
 54 47.9 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.82 min Scan# 869
 Delta R.T. -0.00 min
 Lab File: BF078071.D
 Acq: 28 Mar 2015 9:48

Tgt Ion: 164 Resp: 73982
 Ion Ratio Lower Upper
 164 100
 162 109.2 82.4 123.6
 160 47.2 35.8 53.6








#41
 2,4,6-Tribromophenol
 Concen: 81.47 ng
 RT: 11.79 min Scan# 954
 Delta R.T. -0.01 min
 Lab File: BF078071.D
 Acq: 28 Mar 2015 9:48

Instrument :
 BNA_F
 ClientSampleId :
 PE-1R(7.5-8)

Tgt Ion:330 Resp: 57670
 Ion Ratio Lower Upper
 330 100
 332 97.1 0.0 0.0#
 141 38.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 65.13 ng
 RT: 10.00 min Scan# 797
 Delta R.T. -0.00 min
 Lab File: BF078071.D
 Acq: 28 Mar 2015 9:48

Tgt Ion:172 Resp: 327872
 Ion Ratio Lower Upper
 172 100
 171 34.6 28.5 42.7
 170 23.4 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.65 min Scan# 1029
Delta R.T. -0.00 min
Lab File: BF078071.D
Acq: 28 Mar 2015 9:48

Instrument :
BNA_F
ClientSampleId :
PE-1R(7.5-8)

Tgt Ion	Ratio	Lower	Upper
188	100		
94	10.7	8.7	13.1
80	11.3	9.3	13.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.93 min Scan# 1316
Delta R.T. -0.00 min
Lab File: BF078071.D
Acq: 28 Mar 2015 9:48

Tgt Ion	Ratio	Lower	Upper
240	100		
120	7.9	8.2	12.2#
236	25.0	20.0	30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 58.44 ng
 RT: 14.65 min Scan# 1204
 Delta R.T. -0.00 min
 Lab File: BF078071.D
 Acq: 28 Mar 2015 9:48

Instrument :
 BNA_F
 ClientSampleId :
 PE-1R(7.5-8)

Tgt Ion: 244 Resp: 390522
 Ion Ratio Lower Upper
 244 100
 212 6.3 4.9 7.3
 122 8.5 6.2 9.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.62 min Scan# 1464
 Delta R.T. -0.01 min
 Lab File: BF078071.D
 Acq: 28 Mar 2015 9:48

Tgt Ion: 264 Resp: 162810
 Ion Ratio Lower Upper
 264 100
 260 22.6 18.6 27.8
 265 21.2 17.3 25.9

