

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032717\
 Data File : BF093965.D
 Acq On : 28 Mar 2017 1:59
 Operator : SJ/MA
 Sample : PB97829TB
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB97829TB

Quant Time: Mar 28 06:47:22 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 27 16:10:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.94	152	157541	20.00	ng	-0.01
21) Naphthalene-d8	7.44	136	640998	20.00	ng	-0.02
38) Acenaphthene-d10	9.58	164	299366	20.00	ng	-0.02
63) Phenanthrene-d10	11.41	188	555122	20.00	ng	-0.01
75) Chrysene-d12	14.66	240	489759	20.00	ng	-0.02
86) Perylene-d12	16.29	264	359505	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	4.48	112	1284041	137.66	ng	0.00
7) Phenol-d6	5.54	99	1619405	140.34	ng	-0.01
23) Nitrobenzene-d5	6.59	82	986696	87.85	ng	-0.02
41) 2,4,6-Tribromophenol	10.56	330	366996	155.14	ng	-0.01
44) 2-Fluorobiphenyl	8.77	172	1809493	92.19	ng	-0.01
78) Terphenyl-d14	13.39	244	1649441	75.49	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032717\
Data File : BF093965.D
Acq On : 28 Mar 2017 1:59
Operator : SJ/MA
Sample : PB97829TB
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB97829TB

Quant Time: Mar 28 06:47:22 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 27 16:10:49 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 5.94 min Scan# 689
 Delta R.T. -0.01 min
 Lab File: BF093965.D
 Acq: 28 Mar 2017 1:59




Instrument :
 BNA_F
 ClientSampleId :
 PB97829TB


Tot Ion:152 Resp: 157541
 Ion Ratio Lower Upper
 152 100
 150 151.5 126.2 189.2
 115 58.8 52.2 78.2



#5
 2-Fluorophenol
 Concen: 137.66 ng
 RT: 4.48 min Scan# 441
 Delta R.T. 0.01 min
 Lab File: BF093965.D
 Acq: 28 Mar 2017 1:59

Tgt Ion:112 Resp: 1284041
 Ion Ratio Lower Upper
 112 100
 64 57.4 46.0 69.0
 63 29.1 23.4 35.0





#7

Phenol-d6

Concen: 140.34 ng

RT: 5.54 min Scan# 621

Delta R.T. -0.01 min

Lab File: BF093965.D

Acq: 28 Mar 2017 1:59

Instrument :

BNA_F

ClientSampleId :

PB97829TB





Tot Ion: 99 Resp: 1619405

Ion Ratio Lower Upper

99 100

42 18.1 13.5 20.3

71 34.1 24.5 36.7



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.44 min Scan# 944

Delta R.T. -0.02 min

Lab File: BF093965.D

Acq: 28 Mar 2017 1:59

Tgt Ion: 136 Resp: 640998




Ion Ratio Lower Upper


136 100

137 10.7 8.5 12.7

54 8.0 4.9 7.3#

68 6.3 4.1 6.1#









#23
Nitrobenzene-d5
Concen: 87.85 ng
RT: 6.59 min Scan# 799
Delta R.T. -0.02 min
Lab File: BF093965.D
Acq: 28 Mar 2017 1:59




Instrument :
BNA_F
ClientSampled :
PB97829TB


Tot Ion: 82 Resp: 986696
Ion Ratio Lower Upper
82 100
128 47.8 34.0 51.0
54 49.1 42.2 63.2



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.58 min Scan# 1308
Delta R.T. -0.02 min
Lab File: BF093965.D
Acq: 28 Mar 2017 1:59

Tgt Ion:164 Resp: 299366
Ion Ratio Lower Upper
164 100
162 100.1 82.6 123.8
160 43.9 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 155.14 ng
 RT: 10.56 min Scan# 1475
 Delta R.T. -0.01 min
 Lab File: BF093965.D
 Acq: 28 Mar 2017 1:59

Instrument :
 BNA_F
 ClientSampleId :
 PB97829TB

Tot Ion:330 Resp: 366996
 Ion Ratio Lower Upper
 330 100
 332 96.9 76.6 115.0
 141 37.9 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.19 ng
 RT: 8.77 min Scan# 1170
 Delta R.T. -0.01 min
 Lab File: BF093965.D
 Acq: 28 Mar 2017 1:59

Tgt Ion:172 Resp: 1809493
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.6 44.4
 170 24.4 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.41 min Scan# 1619

Delta R.T. -0.01 min

Lab File: BF093965.D

Acq: 28 Mar 2017 1:59

Instrument :

BNA_F

ClientSampleId :

PB97829TB


Tot Ion:188 Resp: 555122

Ion Ratio Lower Upper

188 100

94 10.3 9.4 14.2




80 11.6 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.66 min Scan# 2172

Delta R.T. -0.02 min

Lab File: BF093965.D

Acq: 28 Mar 2017 1:59


Tgt Ion:240 Resp: 489759

Ion Ratio Lower Upper

240 100

120 13.5 5.8 8.8#



236 25.1 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 75.49 ng

RT: 13.39 min Scan# 1956

Delta R.T. -0.01 min

Lab File: BF093965.D

Acq: 28 Mar 2017 1:59

Instrument :

BNA_F

ClientSampleId :

PB97829TB


Tot Ion:244 Resp: 1649441

Ion Ratio Lower Upper

244 100

212 7.2 6.0 9.0




122 13.6 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 16.29 min Scan# 2449

Delta R.T. -0.02 min

Lab File: BF093965.D

Acq: 28 Mar 2017 1:59


Tgt Ion:264 Resp: 359505

Ion Ratio Lower Upper

264 100

260 25.0 19.5 29.3

265 22.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

