

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032725\
 Data File : BF142116.D
 Acq On : 27 Mar 2025 10:04
 Operator : RC/JU
 Sample : PB167321BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB167321BL

Quant Time: Mar 27 11:47:48 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	134376	20.000	ng	-0.01
21) Naphthalene-d8	8.151	136	517512	20.000	ng	-0.01
39) Acenaphthene-d10	9.904	164	298754	20.000	ng	-0.01
64) Phenanthrene-d10	11.392	188	544722	20.000	ng	-0.01
76) Chrysene-d12	14.033	240	365974	20.000	ng	0.00
86) Perylene-d12	15.509	264	349739	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.492	112	1088970	135.251	ng	0.00
7) Phenol-d6	6.498	99	1301427	126.952	ng	0.00
23) Nitrobenzene-d5	7.428	82	873155	94.950	ng	-0.02
42) 2,4,6-Tribromophenol	10.698	330	584038	154.096	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	1866741	95.027	ng	-0.01
79) Terphenyl-d14	12.980	244	2518253	101.732	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032725\
Data File : BF142116.D
Acq On : 27 Mar 2025 10:04
Operator : RC/JU
Sample : PB167321BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB167321BL

Quant Time: Mar 27 11:47:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 814
Delta R.T. -0.012 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04




Instrument :
BNA_F
ClientSampleId :
PB167321BL

Tgt Ion:152 Resp: 134376
Ion Ratio Lower Upper
152 100
150 154.4 127.4 191.2
115 63.7 51.9 77.9



#5
2-Fluorophenol
Concen: 135.251 ng
RT: 5.492 min Scan# 578
Delta R.T. 0.000 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04

Tgt Ion:112 Resp: 1088970
Ion Ratio Lower Upper
112 100
64 56.1 46.5 69.7
63 30.8 25.4 38.2









#7
Phenol-d6
Concen: 126.952 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04




Instrument :
BNA_F
ClientSampleId :
PB167321BL

Tgt Ion: 99 Resp: 1301427
Ion Ratio Lower Upper
99 100
42 16.9 14.6 21.8
71 38.6 30.8 46.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.012 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04

Tgt Ion:136 Resp: 517512
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 6.7 5.8 8.8
68 4.7 4.1 6.1









#23
Nitrobenzene-d5
Concen: 94.950 ng
RT: 7.428 min Scan# 90
Delta R.T. -0.018 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04




Instrument :
BNA_F
ClientSampleId :
PB167321BL


Tgt Ion: 82 Resp: 873155
Ion Ratio Lower Upper
82 100
128 45.3 36.0 54.0
54 48.2 39.6 59.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.012 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04

Tgt Ion:164 Resp: 298754
Ion Ratio Lower Upper
164 100
162 102.6 81.8 122.6
160 45.4 36.7 55.1









#42
 2,4,6-Tribromophenol
 Concen: 154.096 ng
 RT: 10.698 min Scan# 1463
 Delta R.T. -0.006 min
 Lab File: BF142116.D
 Acq: 27 Mar 2025 10:04




Instrument :
 BNA_F
 ClientSampleId :
 PB167321BL

Tgt Ion:330 Resp: 584038
 Ion Ratio Lower Upper
 330 100
 332 97.7 77.6 116.4
 141 27.2 24.7 37.1



#45
 2-Fluorobiphenyl
 Concen: 95.027 ng
 RT: 9.228 min Scan# 1213
 Delta R.T. -0.012 min
 Lab File: BF142116.D
 Acq: 27 Mar 2025 10:04

Tgt Ion:172 Resp: 1866741
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.3 43.9
 170 23.9 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04




Instrument :
BNA_F
ClientSampleId :
PB167321BL


Tgt Ion:188 Resp: 544722
Ion Ratio Lower Upper
188 100
94 8.7 6.8 10.2
80 9.3 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF142116.D
Acq: 27 Mar 2025 10:04

Tgt Ion:240 Resp: 365974
Ion Ratio Lower Upper
240 100
120 9.3 8.4 12.6
236 25.6 20.5 30.7









#79
 Terphenyl-d14
 Concen: 101.732 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.006 min
 Lab File: BF142116.D
 Acq: 27 Mar 2025 10:04

Instrument :
 BNA_F
 ClientSampleId :
 PB167321BL

Tgt Ion:244 Resp: 2518253
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 9.3 7.7 11.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2281
 Delta R.T. 0.000 min
 Lab File: BF142116.D
 Acq: 27 Mar 2025 10:04

Tgt Ion:264 Resp: 349739
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.1 28.7
 265 21.6 17.5 26.3

