

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032725\
 Data File : BF142137.D
 Acq On : 27 Mar 2025 21:11
 Operator : RC/JU
 Sample : Q1648-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-3

Quant Time: Mar 28 01:57:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	155651	20.000	ng	-0.01
21) Naphthalene-d8	8.151	136	613037	20.000	ng	-0.01
39) Acenaphthene-d10	9.904	164	306461	20.000	ng	-0.01
64) Phenanthrene-d10	11.392	188	518163	20.000	ng	-0.01
76) Chrysene-d12	14.033	240	294147	20.000	ng	0.00
86) Perylene-d12	15.504	264	134910	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	1174605	125.946	ng	0.01
7) Phenol-d6	6.498	99	1227289	103.356	ng	0.00
23) Nitrobenzene-d5	7.434	82	1058853	97.201	ng	-0.01
42) 2,4,6-Tribromophenol	10.698	330	649528	167.066	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	2204283	109.387	ng	-0.01
79) Terphenyl-d14	12.980	244	2054717	103.275	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032725\
Data File : BF142137.D
Acq On : 27 Mar 2025 21:11
Operator : RC/JU
Sample : Q1648-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-3

Quant Time: Mar 28 01:57:26 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 814
Delta R.T. -0.012 min
Lab File: BF142137.D
Acq: 27 Mar 2025 21:11




Instrument :
BNA_F
ClientSampleId :
TP-3


Tgt Ion:152 Resp: 155651
Ion Ratio Lower Upper
152 100
150 155.9 127.4 191.2
115 62.5 51.9 77.9



#5
2-Fluorophenol
Concen: 125.946 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF142137.D
Acq: 27 Mar 2025 21:11

Tgt Ion:112 Resp: 1174605
Ion Ratio Lower Upper
112 100
64 54.5 46.5 69.7
63 30.1 25.4 38.2









#7
Phenol-d6
Concen: 103.356 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF142137.D
Acq: 27 Mar 2025 21:11




Instrument :
BNA_F
ClientSampleId :
TP-3


Tgt Ion: 99 Resp: 1227289
Ion Ratio Lower Upper
99 100
42 17.1 14.6 21.8
71 38.9 30.8 46.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.012 min
Lab File: BF142137.D
Acq: 27 Mar 2025 21:11

Tgt Ion:136 Resp: 613037
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 6.4 5.8 8.8
68 4.7 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 97.201 ng
 RT: 7.434 min Scan# 90
 Delta R.T. -0.012 min
 Lab File: BF142137.D
 Acq: 27 Mar 2025 21:11

Instrument :
 BNA_F
 ClientSampleId :
 TP-3

Tgt Ion: 82 Resp: 1058853




Ion	Ratio	Lower	Upper
82	100		
128	47.2	36.0	54.0
54	47.9	39.6	59.4




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.904 min Scan# 1328
 Delta R.T. -0.012 min
 Lab File: BF142137.D
 Acq: 27 Mar 2025 21:11

Tgt Ion:164 Resp: 306461

Ion	Ratio	Lower	Upper
164	100		
162	103.5	81.8	122.6
160	46.0	36.7	55.1





#42

2,4,6-Tribromophenol

Concen: 167.066 ng

RT: 10.698 min Scan# 1463

Delta R.T. -0.006 min

Lab File: BF142137.D

Acq: 27 Mar 2025 21:11

Instrument :

BNA_F

ClientSampleId :

TP-3





Tgt Ion:330 Resp: 649528

Ion Ratio Lower Upper

330 100

332 96.7 77.6 116.4

141 26.6 24.7 37.1



#45

2-Fluorobiphenyl

Concen: 109.387 ng

RT: 9.228 min Scan# 1213

Delta R.T. -0.012 min

Lab File: BF142137.D

Acq: 27 Mar 2025 21:11




Tgt Ion:172 Resp: 2204283


Ion Ratio Lower Upper

172 100

171 36.3 29.3 43.9

170 23.9 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF142137.D
Acq: 27 Mar 2025 21:11




Instrument :
BNA_F
ClientSampleId :
TP-3


Tgt Ion:188 Resp: 518163
Ion Ratio Lower Upper
188 100
94 8.1 6.8 10.2
80 8.8 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF142137.D
Acq: 27 Mar 2025 21:11


Tgt Ion:240 Resp: 294147
Ion Ratio Lower Upper
240 100
120 9.1 8.4 12.6
236 25.8 20.5 30.7








#79
 Terphenyl-d14
 Concen: 103.275 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.006 min
 Lab File: BF142137.D
 Acq: 27 Mar 2025 21:11

Instrument :
 BNA_F
 ClientSampleId :
 TP-3



Tgt Ion:244 Resp: 2054717
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 8.7 7.7 11.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2280
 Delta R.T. -0.006 min
 Lab File: BF142137.D
 Acq: 27 Mar 2025 21:11

Tgt Ion:264 Resp: 134910
 Ion Ratio Lower Upper
 264 100
 260 25.1 19.1 28.7
 265 20.3 17.5 26.3

