

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032725\
 Data File : BF142141.D
 Acq On : 27 Mar 2025 23:09
 Operator : RC/JU
 Sample : Q1648-14
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-2

Quant Time: Mar 28 01:58:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	177748	20.000	ng	-0.01
21) Naphthalene-d8	8.151	136	702161	20.000	ng	-0.01
39) Acenaphthene-d10	9.904	164	402212	20.000	ng	-0.01
64) Phenanthrene-d10	11.392	188	645035	20.000	ng	-0.01
76) Chrysene-d12	14.033	240	375966	20.000	ng	0.00
86) Perylene-d12	15.504	264	346790	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	1257704	118.092	ng	0.01
7) Phenol-d6	6.498	99	1439234	106.138	ng	0.00
23) Nitrobenzene-d5	7.434	82	1144320	91.714	ng	-0.01
42) 2,4,6-Tribromophenol	10.698	330	738775	144.784	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	2424597	91.677	ng	-0.01
79) Terphenyl-d14	12.980	244	2546763	100.149	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032725\
Data File : BF142141.D
Acq On : 27 Mar 2025 23:09
Operator : RC/JU
Sample : Q1648-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-2

Quant Time: Mar 28 01:58:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 814
Delta R.T. -0.012 min
Lab File: BF142141.D
Acq: 27 Mar 2025 23:09




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:152 Resp: 177748
Ion Ratio Lower Upper
152 100
150 153.7 127.4 191.2
115 63.2 51.9 77.9



#5
2-Fluorophenol
Concen: 118.092 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF142141.D
Acq: 27 Mar 2025 23:09

Tgt Ion:112 Resp: 1257704
Ion Ratio Lower Upper
112 100
64 54.5 46.5 69.7
63 30.0 25.4 38.2





#7
Phenol-d6
Concen: 106.138 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF142141.D
Acq: 27 Mar 2025 23:09





Instrument :

BNA_F

ClientSampleId :




TP-2


Tgt Ion: 99 Resp: 1439234
Ion Ratio Lower Upper
99 100
42 16.9 14.6 21.8
71 38.5 30.8 46.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.012 min
Lab File: BF142141.D
Acq: 27 Mar 2025 23:09

Tgt Ion:136 Resp: 702161
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 6.5 5.8 8.8
68 4.8 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 91.714 ng
 RT: 7.434 min Scan# 90
 Delta R.T. -0.012 min
 Lab File: BF142141.D
 Acq: 27 Mar 2025 23:09




Instrument :
 BNA_F
 ClientSampleId :
 TP-2


Tgt Ion: 82 Resp: 1144320
 Ion Ratio Lower Upper
 82 100
 128 46.5 36.0 54.0
 54 47.3 39.6 59.4



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.904 min Scan# 1328
 Delta R.T. -0.012 min
 Lab File: BF142141.D
 Acq: 27 Mar 2025 23:09

Tgt Ion:164 Resp: 402212
 Ion Ratio Lower Upper
 164 100
 162 101.6 81.8 122.6
 160 44.5 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 144.784 ng

RT: 10.698 min Scan# 1463

Delta R.T. -0.006 min

Lab File: BF142141.D

Acq: 27 Mar 2025 23:09

Instrument :

BNA_F

ClientSampleId :

TP-2





Tgt Ion:330 Resp: 738775

Ion Ratio Lower Upper

330 100

332 95.5 77.6 116.4

141 26.0 24.7 37.1



#45

2-Fluorobiphenyl

Concen: 91.677 ng

RT: 9.228 min Scan# 1213

Delta R.T. -0.012 min

Lab File: BF142141.D

Acq: 27 Mar 2025 23:09




Tgt Ion:172 Resp: 2424597


Ion Ratio Lower Upper

172 100

171 36.3 29.3 43.9

170 24.0 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF142141.D
Acq: 27 Mar 2025 23:09




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:188 Resp: 645035
Ion Ratio Lower Upper
188 100
94 8.2 6.8 10.2
80 8.9 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF142141.D
Acq: 27 Mar 2025 23:09

Tgt Ion:240 Resp: 375966
Ion Ratio Lower Upper
240 100
120 9.2 8.4 12.6
236 25.3 20.5 30.7









#79
 Terphenyl-d14
 Concen: 100.149 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.006 min
 Lab File: BF142141.D
 Acq: 27 Mar 2025 23:09

Instrument :
 BNA_F
 ClientSampleId :
 TP-2

Tgt Ion:244 Resp: 2546763
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 8.8 7.7 11.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.504 min Scan# 2280
 Delta R.T. -0.006 min
 Lab File: BF142141.D
 Acq: 27 Mar 2025 23:09

Tgt Ion:264 Resp: 346790
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.1 28.7
 265 21.5 17.5 26.3

