

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032816\
 Data File : BF085800.D
 Acq On : 28 Mar 2016 14:33
 Operator : UM/SJ
 Sample : H1885-10
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-15C

Quant Time: Mar 28 16:08:19 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 28 15:50:00 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	119863	20.00	ng	-0.01
21) Naphthalene-d8	8.10	136	482599	20.00	ng	-0.01
38) Acenaphthene-d10	9.85	164	215058	20.00	ng	-0.01
63) Phenanthrene-d10	11.34	188	429784	20.00	ng	-0.01
75) Chrysene-d12	13.97	240	314080	20.00	ng	-0.01
86) Perylene-d12	15.39	264	217653	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.43	112	900224	125.08	ng	0.02
7) Phenol-d6	6.46	99	1061097	115.96	ng	0.00
23) Nitrobenzene-d5	7.38	82	780125	91.03	ng	-0.01
41) 2,4,6-Tribromophenol	10.65	330	343561	168.14	ng	0.00
44) 2-Fluorobiphenyl	9.18	172	1194253	92.78	ng	-0.01
78) Terphenyl-d14	12.93	244	1241905	81.32	ng	0.00
Target Compounds						
31) Naphthalene	8.12	128	140250	5.77	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF032816\
Data File : BF085800.D
Acq On : 28 Mar 2016 14:33
Operator : UM/SJ
Sample : H1885-10
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-15C

Quant Time: Mar 28 16:08:19 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 28 15:50:00 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.81 min Scan# 396

Delta R.T. -0.01 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-15C


Tgt Ion:152 Resp: 119863

Ion Ratio Lower Upper

152 100

150 158.1 124.2 186.2




115 68.6 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 125.08 ng

RT: 5.43 min Scan# 275

Delta R.T. 0.02 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33


Tgt Ion:112 Resp: 900224

Ion Ratio Lower Upper

112 100

64 53.1 39.9 59.9



63 27.1 20.2 30.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 115.96 ng

RT: 6.46 min Scan# 365

Delta R.T. -0.00 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-15C


Tgt Ion: 99 Resp: 1061097

Ion Ratio Lower Upper

99 100

42 14.9 11.1 16.7




71 33.0 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.10 min Scan# 509

Delta R.T. -0.01 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33

Tgt Ion: 136 Resp: 482599


Ion Ratio Lower Upper

136 100

137 10.7 9.1 13.7

54 5.2 7.4 11.0#

68 4.4 5.8 8.8#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 91.03 ng
 RT: 7.38 min Scan# 446
 Delta R.T. -0.01 min
 Lab File: BF085800.D
 Acq: 28 Mar 2016 14:33

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-15C

Tgt Ion: 82 Resp: 780125
 Ion Ratio Lower Upper
 82 100
 128 45.8 41.8 62.8
 54 44.9 33.4 50.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#31
 Naphthalene
 Concen: 5.77 ng
 RT: 8.12 min Scan# 510
 Delta R.T. -0.02 min
 Lab File: BF085800.D
 Acq: 28 Mar 2016 14:33

Tgt Ion: 128 Resp: 140250
 Ion Ratio Lower Upper
 128 100
 129 11.3 9.4 14.0
 127 13.0 11.0 16.6



Abundance Ion 128.00 (127.70 to 128.70): E
 Ion 129.00 (128.70 to 129.70): E
 Ion 127.00 (126.70 to 127.70): E





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.85 min Scan# 662

Delta R.T. -0.01 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-15C


Tgt Ion:164 Resp: 215058

Ion Ratio Lower Upper

164 100

162 103.8 82.1 123.1




160 47.6 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 168.14 ng

RT: 10.65 min Scan# 732

Delta R.T. -0.00 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33


Tgt Ion:330 Resp: 343561

Ion Ratio Lower Upper

330 100

332 96.9 78.2 117.2



141 29.2 31.5 47.3#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 92.78 ng
 RT: 9.18 min Scan# 603
 Delta R.T. -0.01 min
 Lab File: BF085800.D
 Acq: 28 Mar 2016 14:33

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-15C

Tgt Ion:172 Resp: 1194253
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.4 44.2
 170 24.6 19.8 29.6




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.34 min Scan# 792
 Delta R.T. -0.01 min
 Lab File: BF085800.D
 Acq: 28 Mar 2016 14:33

Tgt Ion:188 Resp: 429784
 Ion Ratio Lower Upper
 188 100
 94 9.7 5.4 8.0#
 80 9.9 5.5 8.3#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.97 min Scan# 1022

Delta R.T. -0.01 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-15C


Tgt Ion:240 Resp: 314080

Ion Ratio Lower Upper

240 100

120 17.8 13.8 20.8




236 26.4 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 81.32 ng

RT: 12.93 min Scan# 931

Delta R.T. -0.00 min

Lab File: BF085800.D

Acq: 28 Mar 2016 14:33


Tgt Ion:244 Resp: 1241905

Ion Ratio Lower Upper

244 100

212 7.2 6.1 9.1



122 11.0 10.2 15.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.39 min Scan# 1146
Delta R.T. -0.01 min
Lab File: BF085800.D
Acq: 28 Mar 2016 14:33

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-15C

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.4	29.2
265	20.8	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

