

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
 Data File : BF094012.D
 Acq On : 29 Mar 2017 00:16
 Operator : SJ/MA
 Sample : I2422-02
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 HHD-S1

Quant Time: Mar 29 02:41:35 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 27 16:10:49 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.93	152	158690	20.00	ng	-0.02
21) Naphthalene-d8	7.43	136	628874	20.00	ng	-0.03
38) Acenaphthene-d10	9.57	164	288274	20.00	ng	-0.03
63) Phenanthrene-d10	11.39	188	525275	20.00	ng	-0.03
75) Chrysene-d12	14.64	240	365189	20.00	ng	-0.04
86) Perylene-d12	16.27	264	258679	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	4.47	112	1247304	132.76	ng	0.00
7) Phenol-d6	5.53	99	1502144	129.24	ng	-0.02
23) Nitrobenzene-d5	6.58	82	1033874	93.82	ng	-0.02
41) 2,4,6-Tribromophenol	10.55	330	373205	163.83	ng	-0.03
44) 2-Fluorobiphenyl	8.76	172	1873582	99.13	ng	-0.02
78) Terphenyl-d14	13.38	244	1539856	94.51	ng	-0.02
Target Compounds						
10) Phenol	5.55	94	34458	2.61	ng	Qvalue 89
19) n-Nitroso-di-n-propylamine	6.58	70	137222	18.37	ng	# 78
31) Naphthalene	7.45	128	66513	2.20	ng	99
50) 2,6-Dinitrotoluene	9.57	165	37861	8.06	ng	# 34
56) 2,4-Dinitrotoluene	9.57	165	37861	6.42	ng	# 33


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
Data File : BF094012.D
Acq On : 29 Mar 2017 00:16
Operator : SJ/MA
Sample : I2422-02
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
HHD-S1

Quant Time: Mar 29 02:41:35 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 27 16:10:49 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 5.93 min Scan# 687
 Delta R.T. -0.02 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16

Instrument :
 BNA_F
 ClientSampleId :
 HHD-S1

Tot Ion:152 Resp: 158690
 Ion Ratio Lower Upper
 152 100
 150 153.5 126.2 189.2
 115 61.1 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 132.76 ng
 RT: 4.47 min Scan# 440
 Delta R.T. 0.00 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16

Tgt Ion:112 Resp: 1247304
 Ion Ratio Lower Upper
 112 100
 64 58.3 46.0 69.0
 63 29.6 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 129.24 ng

RT: 5.53 min Scan# 620

Delta R.T. -0.02 min

Lab File: BF094012.D

Acq: 29 Mar 2017 00:16

Instrument :

BNA_F

ClientSampled :

HHD-S1


Tot Ion: 99 Resp: 1502144

Ion Ratio Lower Upper

99 100

42 17.8 13.5 20.3




71 33.6 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.61 ng

RT: 5.55 min Scan# 622

Delta R.T. -0.02 min

Lab File: BF094012.D

Acq: 29 Mar 2017 00:16


Tgt Ion: 94 Resp: 34458

Ion Ratio Lower Upper

94 100

65 25.2 9.9 49.9



66 35.3 23.1 63.1




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 18.37 ng
RT: 6.58 min Scan# 798
Delta R.T. 0.14 min
Lab File: BF094012.D
Acq: 29 Mar 2017 00:16




Instrument :
BNA_F
ClientSampleId :
HHD-S1


Tot Ion: 70 Resp: 137222
Ion Ratio Lower Upper
70 100
42 46.5 47.2 70.8#
101 0.0 7.2 10.8#
130 2.5 15.9 23.9#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.43 min Scan# 942
Delta R.T. -0.03 min
Lab File: BF094012.D
Acq: 29 Mar 2017 00:16

Tgt Ion: 136 Resp: 628874
Ion Ratio Lower Upper
136 100
137 10.9 8.5 12.7
54 7.5 4.9 7.3#
68 5.8 4.1 6.1





#23

Nitrobenzene-d5

Concen: 93.82 ng

RT: 6.58 min Scan# 798

Delta R.T. -0.02 min

Lab File: BF094012.D

Acq: 29 Mar 2017 00:16

Instrument :

BNA_F

ClientSampleId :

HHD-S1


Tot Ion: 82 Resp: 1033874

Ion Ratio Lower Upper

82 100

128 47.8 34.0 51.0




54 48.9 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#31

Naphthalene

Concen: 2.20 ng

RT: 7.45 min Scan# 946

Delta R.T. -0.04 min

Lab File: BF094012.D

Acq: 29 Mar 2017 00:16


Tgt Ion:128 Resp: 66513

Ion Ratio Lower Upper

128 100

129 11.3 9.0 13.6



127 14.2 10.8 16.2




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.57 min Scan# 1306
 Delta R.T. -0.03 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16




Instrument :
 BNA_F
 ClientSampleId :
 HHD-S1


Tot Ion:164 Resp: 288274
 Ion Ratio Lower Upper
 164 100
 162 107.3 82.6 123.8
 160 46.0 36.2 54.2



#41
 2,4,6-Tribromophenol
 Concen: 163.83 ng
 RT: 10.55 min Scan# 1472
 Delta R.T. -0.03 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16

Tgt Ion:330 Resp: 373205
 Ion Ratio Lower Upper
 330 100
 332 96.7 76.6 115.0
 141 38.1 31.4 47.2









#44
 2-Fluorobiphenyl
 Concen: 99.13 ng
 RT: 8.76 min Scan# 1168
 Delta R.T. -0.02 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16

Instrument :
 BNA_F
 ClientSampleId :
 HHD-S1

Tot Ion:172 Resp: 1873582




Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.6	44.4
170	23.7	19.8	29.8




#50
 2,6-Dinitrotoluene
 Concen: 8.06 ng
 RT: 9.57 min Scan# 1306
 Delta R.T. 0.22 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16

Tgt Ion:165 Resp: 37861

Ion	Ratio	Lower	Upper
165	100		
63	1.7	34.3	51.5#
89	1.5	37.1	55.7#









#56
 2,4-Dinitrotoluene
 Concen: 6.42 ng
 RT: 9.57 min Scan# 1306
 Delta R.T. -0.28 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16




Instrument :
 BNA_F
 ClientSampleId :
 HHD-S1


Tot Ion:165 Resp: 37861
 Ion Ratio Lower Upper
 165 100
 63 1.7 25.4 38.0#
 89 1.5 46.4 69.6#
 182 0.0 1.8 2.6#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.39 min Scan# 1616
 Delta R.T. -0.03 min
 Lab File: BF094012.D
 Acq: 29 Mar 2017 00:16

Tgt Ion:188 Resp: 525275
 Ion Ratio Lower Upper
 188 100
 94 11.3 9.4 14.2
 80 11.9 10.2 15.2





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.64 min Scan# 2169

Delta R.T. -0.04 min

Lab File: BF094012.D

Acq: 29 Mar 2017 00:16

Instrument :

BNA_F

ClientSampleId :

HHD-S1


Tot Ion:240 Resp: 365189

Ion Ratio Lower Upper

240 100

120 13.1 5.8 8.8#




236 24.9 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 94.51 ng

RT: 13.38 min Scan# 1954

Delta R.T. -0.02 min

Lab File: BF094012.D

Acq: 29 Mar 2017 00:16


Tgt Ion:244 Resp: 1539856

Ion Ratio Lower Upper

244 100

212 7.1 6.0 9.0



122 12.7 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 16.27 min Scan# 2446
Delta R.T. -0.04 min
Lab File: BF094012.D
Acq: 29 Mar 2017 00:16

Instrument :
BNA_F
ClientSampleId :
HHD-S1

Tot Ion:264 Resp: 258679

Ion	Ratio	Lower	Upper
264	100		
260	22.7	19.5	29.3
265	21.0	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

