

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
 Data File : BF093999.D
 Acq On : 28 Mar 2017 18:17
 Operator : SJ/MA
 Sample : PB97859BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB97859BL

Quant Time: Mar 29 03:44:39 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 27 16:10:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.93	152	164015	20.00	ng	-0.02
21) Naphthalene-d8	7.43	136	661361	20.00	ng	-0.03
38) Acenaphthene-d10	9.57	164	304645	20.00	ng	-0.03
63) Phenanthrene-d10	11.39	188	536746	20.00	ng	-0.03
75) Chrysene-d12	14.64	240	369881	20.00	ng	-0.04
86) Perylene-d12	16.27	264	271256	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	4.47	112	1203426	123.93	ng	0.00
7) Phenol-d6	5.53	99	1510165	125.71	ng	-0.02
23) Nitrobenzene-d5	6.57	82	940609	81.16	ng	-0.03
41) 2,4,6-Tribromophenol	10.55	330	336955	139.97	ng	-0.03
44) 2-Fluorobiphenyl	8.76	172	1744470	87.34	ng	-0.02
78) Terphenyl-d14	13.38	244	1377256	83.46	ng	-0.02


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
Data File : BF093999.D
Acq On : 28 Mar 2017 18:17
Operator : SJ/MA
Sample : PB97859BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB97859BL

Quant Time: Mar 29 03:44:39 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 27 16:10:49 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.93 min Scan# 687
Delta R.T. -0.02 min
Lab File: BF093999.D
Acq: 28 Mar 2017 18:17

Instrument :
BNA_F
ClientSampleId :
PB97859BL

Tot Ion:152 Resp: 164015
Ion Ratio Lower Upper
152 100
150 156.1 126.2 189.2
115 60.2 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 123.93 ng
RT: 4.47 min Scan# 440
Delta R.T. 0.00 min
Lab File: BF093999.D
Acq: 28 Mar 2017 18:17

Tgt Ion:112 Resp: 1203426
Ion Ratio Lower Upper
112 100
64 58.3 46.0 69.0
63 29.4 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 125.71 ng

RT: 5.53 min Scan# 620

Delta R.T. -0.02 min

Lab File: BF093999.D

Acq: 28 Mar 2017 18:17

Instrument :

BNA_F

ClientSampleId :

PB97859BL


Tot Ion: 99 Resp: 1510165

Ion Ratio Lower Upper

99 100

42 17.7 13.5 20.3




71 33.8 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.43 min Scan# 942

Delta R.T. -0.03 min

Lab File: BF093999.D

Acq: 28 Mar 2017 18:17

Tgt Ion:136 Resp: 661361


Ion Ratio Lower Upper

136 100

137 11.0 8.5 12.7

54 7.5 4.9 7.3#

68 6.1 4.1 6.1#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 81.16 ng
 RT: 6.57 min Scan# 797
 Delta R.T. -0.03 min
 Lab File: BF093999.D
 Acq: 28 Mar 2017 18:17




Instrument :
 BNA_F
 ClientSampleId :
 PB97859BL


Tot Ion: 82 Resp: 940609
 Ion Ratio Lower Upper
 82 100
 128 46.9 34.0 51.0
 54 50.4 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.57 min Scan# 1306
 Delta R.T. -0.03 min
 Lab File: BF093999.D
 Acq: 28 Mar 2017 18:17

Tgt Ion:164 Resp: 304645
 Ion Ratio Lower Upper
 164 100
 162 104.3 82.6 123.8
 160 45.6 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 139.97 ng
 RT: 10.55 min Scan# 1472
 Delta R.T. -0.03 min
 Lab File: BF093999.D
 Acq: 28 Mar 2017 18:17

Instrument :
 BNA_F
 ClientSampleId :
 PB97859BL

Tot Ion:330 Resp: 336955
 Ion Ratio Lower Upper
 330 100
 332 96.6 76.6 115.0
 141 38.4 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.34 ng
 RT: 8.76 min Scan# 1168
 Delta R.T. -0.02 min
 Lab File: BF093999.D
 Acq: 28 Mar 2017 18:17

Tgt Ion:172 Resp: 1744470
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.6 44.4
 170 23.9 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.39 min Scan# 1616

Delta R.T. -0.03 min

Lab File: BF093999.D

Acq: 28 Mar 2017 18:17

Instrument :

BNA_F

ClientSampleId :

PB97859BL


Tot Ion:188 Resp: 536746

Ion Ratio Lower Upper

188 100

94 11.3 9.4 14.2




80 12.8 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.64 min Scan# 2169

Delta R.T. -0.04 min

Lab File: BF093999.D

Acq: 28 Mar 2017 18:17


Tgt Ion:240 Resp: 369881

Ion Ratio Lower Upper

240 100

120 14.1 5.8 8.8#



236 25.2 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 83.46 ng
 RT: 13.38 min Scan# 1954
 Delta R.T. -0.02 min
 Lab File: BF093999.D
 Acq: 28 Mar 2017 18:17

Instrument :
 BNA_F
 ClientSampled :
 PB97859BL

Tot Ion:244 Resp: 1377256
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 13.0 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.27 min Scan# 2446
 Delta R.T. -0.04 min
 Lab File: BF093999.D
 Acq: 28 Mar 2017 18:17

Tgt Ion:264 Resp: 271256
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.5 29.3
 265 21.4 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

