

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
 Data File : BF094006.D
 Acq On : 28 Mar 2017 21:31
 Operator : SJ/MA
 Sample : I2421-03
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 HHD-GW2

Quant Time: Mar 29 03:58:41 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 27 16:10:49 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.93	152	163260	20.00	ng	-0.02
21) Naphthalene-d8	7.43	136	667500	20.00	ng	-0.03
38) Acenaphthene-d10	9.57	164	309346	20.00	ng	-0.03
63) Phenanthrene-d10	11.39	188	536683	20.00	ng	-0.03
75) Chrysene-d12	14.64	240	370151	20.00	ng	-0.04
86) Perylene-d12	16.27	264	268526	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	4.45	112	415946	43.03	ng	-0.02
7) Phenol-d6	5.52	99	332611	27.82	ng	-0.03
23) Nitrobenzene-d5	6.57	82	738703	63.16	ng	-0.03
41) 2,4,6-Tribromophenol	10.55	330	280496	114.75	ng	-0.03
44) 2-Fluorobiphenyl	8.76	172	1457720	71.87	ng	-0.02
78) Terphenyl-d14	13.37	244	1241973	75.21	ng	-0.03
Target Compounds						
49) Dimethylphthalate	9.25	163	153569	6.98	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
Data File : BF094006.D
Acq On : 28 Mar 2017 21:31
Operator : SJ/MA
Sample : I2421-03
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
HHD-GW2

Quant Time: Mar 29 03:58:41 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 27 16:10:49 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 5.93 min Scan# 687

Delta R.T. -0.02 min

Lab File: BF094006.D

Acq: 28 Mar 2017 21:31

Instrument :

BNA_F

ClientSampleId :

HHD-GW2


Tot Ion:152 Resp: 163260

Ion Ratio Lower Upper

152 100

150 158.6 126.2 189.2




115 59.7 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 43.03 ng

RT: 4.45 min Scan# 436

Delta R.T. -0.02 min

Lab File: BF094006.D

Acq: 28 Mar 2017 21:31


Tgt Ion:112 Resp: 415946

Ion Ratio Lower Upper

112 100

64 58.6 46.0 69.0



63 29.6 23.4 35.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 27.82 ng

RT: 5.52 min Scan# 618

Delta R.T. -0.03 min

Lab File: BF094006.D

Acq: 28 Mar 2017 21:31

Instrument :

BNA_F

ClientSampleId :

HHD-GW2


Tot Ion: 99 Resp: 332611

Ion Ratio Lower Upper

99 100

42 16.6 13.5 20.3




71 31.8 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.43 min Scan# 942

Delta R.T. -0.03 min

Lab File: BF094006.D

Acq: 28 Mar 2017 21:31

Tgt Ion: 136 Resp: 667500


Ion Ratio Lower Upper

136 100

137 11.0 8.5 12.7

54 7.6 4.9 7.3#

68 6.1 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 63.16 ng
RT: 6.57 min Scan# 797
Delta R.T. -0.03 min
Lab File: BF094006.D
Acq: 28 Mar 2017 21:31




Instrument :
BNA_F
ClientSampleId :
HHD-GW2


Tot Ion: 82 Resp: 738703
Ion Ratio Lower Upper
82 100
128 46.2 34.0 51.0
54 48.9 42.2 63.2



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.57 min Scan# 1306
Delta R.T. -0.03 min
Lab File: BF094006.D
Acq: 28 Mar 2017 21:31

Tgt Ion:164 Resp: 309346
Ion Ratio Lower Upper
164 100
162 104.1 82.6 123.8
160 45.0 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 114.75 ng
 RT: 10.55 min Scan# 1472
 Delta R.T. -0.03 min
 Lab File: BF094006.D
 Acq: 28 Mar 2017 21:31




Instrument :
 BNA_F
 ClientSampleId :
 HHD-GW2


Tot Ion:330 Resp: 280496
 Ion Ratio Lower Upper
 330 100
 332 96.3 76.6 115.0
 141 39.5 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 71.87 ng
 RT: 8.76 min Scan# 1168
 Delta R.T. -0.02 min
 Lab File: BF094006.D
 Acq: 28 Mar 2017 21:31

Tgt Ion:172 Resp: 1457720
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.6 44.4
 170 24.4 19.8 29.8









#49
Dimethylphthalate
Concen: 6.98 ng
RT: 9.25 min Scan# 1252
Delta R.T. -0.04 min
Lab File: BF094006.D
Acq: 28 Mar 2017 21:31




Instrument :
BNA_F
ClientSampleId :
HHD-GW2


Tot Ion:163 Resp: 153569
Ion Ratio Lower Upper
163 100
194 3.8 2.6 4.0
164 10.2 8.4 12.6



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.39 min Scan# 1616
Delta R.T. -0.03 min
Lab File: BF094006.D
Acq: 28 Mar 2017 21:31

Tgt Ion:188 Resp: 536683
Ion Ratio Lower Upper
188 100
94 11.4 9.4 14.2
80 12.6 10.2 15.2





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.64 min Scan# 2169

Delta R.T. -0.04 min

Lab File: BF094006.D

Acq: 28 Mar 2017 21:31

Instrument :

BNA_F

ClientSampleId :

HHD-GW2


Tot Ion:240 Resp: 370151

Ion Ratio Lower Upper

240 100

120 14.2 5.8 8.8#




236 25.7 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 75.21 ng

RT: 13.37 min Scan# 1953

Delta R.T. -0.03 min

Lab File: BF094006.D

Acq: 28 Mar 2017 21:31


Tgt Ion:244 Resp: 1241973

Ion Ratio Lower Upper

244 100

212 7.1 6.0 9.0



122 14.5 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 16.27 min Scan# 2446
 Delta R.T. -0.04 min
 Lab File: BF094006.D
 Acq: 28 Mar 2017 21:31

Instrument :
 BNA_F
 ClientSampleId :
 HHD-GW2

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.8	19.5	29.3
265	21.2	17.2	25.8

