

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
 Data File : BF094007.D
 Acq On : 28 Mar 2017 21:58
 Operator : SJ/MA
 Sample : I2421-05
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FB-3-24-17

Quant Time: Mar 29 04:01:53 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 27 16:10:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.93	152	167342	20.00	ng	-0.02
21) Naphthalene-d8	7.43	136	682739	20.00	ng	-0.03
38) Acenaphthene-d10	9.57	164	311593	20.00	ng	-0.03
63) Phenanthrene-d10	11.39	188	534334	20.00	ng	-0.03
75) Chrysene-d12	14.64	240	341361	20.00	ng	-0.04
86) Perylene-d12	16.27	264	260558	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	4.46	112	721685	72.84	ng	-0.02
7) Phenol-d6	5.52	99	576002	46.99	ng	-0.03
23) Nitrobenzene-d5	6.58	82	1113220	93.05	ng	-0.02
41) 2,4,6-Tribromophenol	10.55	330	388976	157.98	ng	-0.02
44) 2-Fluorobiphenyl	8.76	172	1984873	97.16	ng	-0.02
78) Terphenyl-d14	13.38	244	1535678	100.84	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF032817\
Data File : BF094007.D
Acq On : 28 Mar 2017 21:58
Operator : SJ/MA
Sample : I2421-05
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FB-3-24-17

Quant Time: Mar 29 04:01:53 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 27 16:10:49 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 5.93 min Scan# 687

Delta R.T. -0.02 min

Lab File: BF094007.D

Acq: 28 Mar 2017 21:58

Instrument :

BNA_F

ClientSampleId :

FB-3-24-17


Tot Ion:152 Resp: 167342

Ion Ratio Lower Upper

152 100

150 158.0 126.2 189.2




115 59.3 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 72.84 ng

RT: 4.46 min Scan# 437

Delta R.T. -0.02 min

Lab File: BF094007.D

Acq: 28 Mar 2017 21:58


Tgt Ion:112 Resp: 721685

Ion Ratio Lower Upper

112 100

64 59.6 46.0 69.0



63 29.2 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 46.99 ng

RT: 5.52 min Scan# 618

Delta R.T. -0.03 min

Lab File: BF094007.D

Acq: 28 Mar 2017 21:58

Instrument :

BNA_F

ClientSampleId :

FB-3-24-17





Tot Ion: 99 Resp: 576002

Ion Ratio Lower Upper

99 100

42 17.8 13.5 20.3

71 32.4 24.5 36.7



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.43 min Scan# 942

Delta R.T. -0.03 min

Lab File: BF094007.D

Acq: 28 Mar 2017 21:58

Tgt Ion: 136 Resp: 682739




Ion Ratio Lower Upper


136 100

137 11.0 8.5 12.7

54 7.3 4.9 7.3#

68 5.9 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 93.05 ng
 RT: 6.58 min Scan# 798
 Delta R.T. -0.02 min
 Lab File: BF094007.D
 Acq: 28 Mar 2017 21:58

Instrument :
 BNA_F
 ClientSampleId :
 FB-3-24-17

Tot Ion: 82 Resp: 1113220
 Ion Ratio Lower Upper
 82 100
 128 48.0 34.0 51.0
 54 49.2 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.57 min Scan# 1306
 Delta R.T. -0.03 min
 Lab File: BF094007.D
 Acq: 28 Mar 2017 21:58

Tgt Ion:164 Resp: 311593
 Ion Ratio Lower Upper
 164 100
 162 102.9 82.6 123.8
 160 44.5 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 157.98 ng
 RT: 10.55 min Scan# 1473
 Delta R.T. -0.02 min
 Lab File: BF094007.D
 Acq: 28 Mar 2017 21:58




Instrument :
 BNA_F
 ClientSampleId :
 FB-3-24-17


Tot Ion:330 Resp: 388976
 Ion Ratio Lower Upper
 330 100
 332 95.4 76.6 115.0
 141 38.2 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 97.16 ng
 RT: 8.76 min Scan# 1168
 Delta R.T. -0.02 min
 Lab File: BF094007.D
 Acq: 28 Mar 2017 21:58

Tgt Ion:172 Resp: 1984873
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.6 44.4
 170 23.7 19.8 29.8





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.39 min Scan# 1616

Delta R.T. -0.03 min

Lab File: BF094007.D

Acq: 28 Mar 2017 21:58

Instrument :

BNA_F

ClientSampleId :

FB-3-24-17


Tot Ion:188 Resp: 534334

Ion Ratio Lower Upper

188 100

94 11.0 9.4 14.2




80 12.0 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.64 min Scan# 2169

Delta R.T. -0.04 min

Lab File: BF094007.D

Acq: 28 Mar 2017 21:58


Tgt Ion:240 Resp: 341361

Ion Ratio Lower Upper

240 100

120 13.7 5.8 8.8#



236 25.0 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 100.84 ng
 RT: 13.38 min Scan# 1954
 Delta R.T. -0.02 min
 Lab File: BF094007.D
 Acq: 28 Mar 2017 21:58

Instrument :
 BNA_F
 ClientSampleId :
 FB-3-24-17

Tot Ion:244 Resp: 1535678
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.0 9.0
 122 13.1 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.27 min Scan# 2446
 Delta R.T. -0.04 min
 Lab File: BF094007.D
 Acq: 28 Mar 2017 21:58

Tgt Ion:264 Resp: 260558
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.5 29.3
 265 21.6 17.2 25.8

