

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032822\
 Data File : BF127543.D
 Acq On : 28 Mar 2022 15:44
 Operator : CG\JU
 Sample : PB143603BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB143603BL

Quant Time: Mar 29 07:16:12 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 29 07:13:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	113827	20.000	ng	0.00
21) Naphthalene-d8	8.116	136	430340	20.000	ng	0.00
39) Acenaphthene-d10	9.869	164	250436	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	431041	20.000	ng	0.00
76) Chrysene-d12	14.010	240	290232	20.000	ng	0.00
86) Perylene-d12	15.492	264	217860	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	880817	123.519	ng	0.02
7) Phenol-d6	6.475	99	1218591	125.015	ng	0.00
23) Nitrobenzene-d5	7.404	82	845736	84.007	ng	0.00
42) 2,4,6-Tribromophenol	10.669	330	318666	119.450	ng	0.00
45) 2-Fluorobiphenyl	9.192	172	1416210	82.576	ng	0.00
79) Terphenyl-d14	12.951	244	1546990	87.256	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032822\
Data File : BF127543.D
Acq On : 28 Mar 2022 15:44
Operator : CG\JU
Sample : PB143603BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB143603BL

Quant Time: Mar 29 07:16:12 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 29 07:13:31 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.834 min Scan# 71
Delta R.T. 0.001 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44




Instrument :
BNA_F
ClientSampleId :
PB143603BL


Tgt Ion:152 Resp: 113827
Ion Ratio Lower Upper
152 100
150 142.0 117.2 175.8
115 59.7 49.8 74.6



#5
2-Fluorophenol
Concen: 123.519 ng
RT: 5.475 min Scan# 542
Delta R.T. 0.018 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44

Tgt Ion:112 Resp: 880817
Ion Ratio Lower Upper
112 100
64 71.4 58.4 87.6
63 37.3 30.1 45.1









#7
Phenol-d6
Concen: 125.015 ng
RT: 6.475 min Scan# 714
Delta R.T. -0.006 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44

Instrument :
BNA_F
ClientSampleId :
PB143603BL

Tgt Ion: 99 Resp: 1218591




Ion	Ratio	Lower	Upper
99	100		
42	23.2	17.8	26.6
71	38.2	29.6	44.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 991
Delta R.T. 0.000 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44

Tgt Ion: 136 Resp: 430340

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	13.0
54	11.1	9.2	13.8
68	7.1	5.4	8.0









#23
Nitrobenzene-d5
Concen: 84.007 ng
RT: 7.404 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44




Instrument :
BNA_F
ClientSampleId :
PB143603BL

Tgt Ion: 82 Resp: 845736
Ion Ratio Lower Upper
82 100
128 38.8 30.6 45.8
54 60.7 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.869 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44

Tgt Ion:164 Resp: 250436
Ion Ratio Lower Upper
164 100
162 99.2 81.2 121.8
160 43.3 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 119.450 ng

RT: 10.669 min Scan# 1428

Delta R.T. 0.000 min

Lab File: BF127543.D

Acq: 28 Mar 2022 15:44

Instrument :

BNA_F

ClientSampleId :

PB143603BL




Tgt Ion:330 Resp: 318666

Ion Ratio Lower Upper

330 100

332 96.9 79.1 118.7

141 31.8 26.2 39.4



#45

2-Fluorobiphenyl

Concen: 82.576 ng

RT: 9.192 min Scan# 1174

Delta R.T. 0.000 min

Lab File: BF127543.D

Acq: 28 Mar 2022 15:44




Tgt Ion:172 Resp: 1416210

Ion Ratio Lower Upper

172 100

171 36.3 28.4 42.6

170 24.1 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44




Instrument :
BNA_F
ClientSampleId :
PB143603BL


Tgt Ion:188 Resp: 431041
Ion Ratio Lower Upper
188 100
94 9.9 7.4 11.0
80 11.2 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.010 min Scan# 1993
Delta R.T. -0.006 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44

Tgt Ion:240 Resp: 290232
Ion Ratio Lower Upper
240 100
120 9.6 7.1 10.7
236 25.0 20.7 31.1








#79
Terphenyl-d14
Concen: 87.256 ng
RT: 12.951 min Scan# 1816
Delta R.T. 0.000 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44

Instrument :
BNA_F
ClientSampleId :
PB143603BL

Tgt Ion:244 Resp: 1546990
Ion Ratio Lower Upper
244 100
212 7.2 5.7 8.5
122 9.4 6.2 9.2#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.492 min Scan# 2245
Delta R.T. 0.000 min
Lab File: BF127543.D
Acq: 28 Mar 2022 15:44

Tgt Ion:264 Resp: 217860
Ion Ratio Lower Upper
264 100
260 23.6 19.1 28.7
265 22.0 17.4 26.2

