

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032922\
 Data File : BF127571.D
 Acq On : 29 Mar 2022 17:56
 Operator : CG\JU
 Sample : N2157-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MHD

Quant Time: Mar 30 08:32:10 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 29 07:13:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	81285	20.000	ng	0.00
21) Naphthalene-d8	8.116	136	298523	20.000	ng	0.00
39) Acenaphthene-d10	9.869	164	169317	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	275330	20.000	ng	0.00
76) Chrysene-d12	14.016	240	186906	20.000	ng	0.00
86) Perylene-d12	15.498	264	140528	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	653801	128.389	ng	0.02
7) Phenol-d6	6.481	99	826374	118.718	ng	0.00
23) Nitrobenzene-d5	7.404	82	630583	90.294	ng	0.00
42) 2,4,6-Tribromophenol	10.669	330	206310	114.384	ng	0.00
45) 2-Fluorobiphenyl	9.192	172	1050211	90.573	ng	0.00
79) Terphenyl-d14	12.945	244	946170	82.870	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032922\
Data File : BF127571.D
Acq On : 29 Mar 2022 17:56
Operator : CG\JU
Sample : N2157-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MHD

Quant Time: Mar 30 08:32:10 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 29 07:13:31 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.834 min Scan# 71
Delta R.T. 0.001 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56




Instrument :
BNA_F
ClientSampleId :
MHD


Tgt Ion:152 Resp: 81285
Ion Ratio Lower Upper
152 100
150 147.0 117.2 175.8
115 60.5 49.8 74.6



#5
2-Fluorophenol
Concen: 128.389 ng
RT: 5.475 min Scan# 542
Delta R.T. 0.018 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56

Tgt Ion:112 Resp: 653801
Ion Ratio Lower Upper
112 100
64 71.9 58.4 87.6
63 36.8 30.1 45.1









#7
Phenol-d6
Concen: 118.718 ng
RT: 6.481 min Scan# 714
Delta R.T. 0.000 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56




Instrument :
BNA_F
ClientSampleId :
MHD


Tgt Ion: 99 Resp: 826374
Ion Ratio Lower Upper
99 100
42 21.7 17.8 26.6
71 36.2 29.6 44.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 991
Delta R.T. 0.000 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56

Tgt Ion: 136 Resp: 298523
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 10.8 9.2 13.8
68 6.5 5.4 8.0









#23
Nitrobenzene-d5
Concen: 90.294 ng
RT: 7.404 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56




Instrument :
BNA_F
ClientSampleId :
MHD


Tgt Ion: 82 Resp: 630583
Ion Ratio Lower Upper
82 100
128 38.4 30.6 45.8
54 60.2 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.869 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56

Tgt Ion:164 Resp: 169317
Ion Ratio Lower Upper
164 100
162 101.9 81.2 121.8
160 44.3 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 114.384 ng

RT: 10.669 min Scan# 1428

Delta R.T. 0.000 min

Lab File: BF127571.D

Acq: 29 Mar 2022 17:56

Instrument :

BNA_F

ClientSampleId :

MHD





Tgt Ion:330 Resp: 206310

Ion Ratio Lower Upper

330 100

332 97.8 79.1 118.7

141 33.7 26.2 39.4



#45

2-Fluorobiphenyl

Concen: 90.573 ng

RT: 9.192 min Scan# 1174

Delta R.T. 0.000 min

Lab File: BF127571.D

Acq: 29 Mar 2022 17:56




Tgt Ion:172 Resp: 1050211


Ion Ratio Lower Upper

172 100

171 35.2 28.4 42.6

170 23.7 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56




Instrument :
BNA_F
ClientSampleId :
MHD


Tgt Ion:188 Resp: 275330
Ion Ratio Lower Upper
188 100
94 10.0 7.4 11.0
80 10.9 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.016 min Scan# 1994
Delta R.T. 0.000 min
Lab File: BF127571.D
Acq: 29 Mar 2022 17:56


Tgt Ion:240 Resp: 186906
Ion Ratio Lower Upper
240 100
120 9.3 7.1 10.7
236 25.4 20.7 31.1








#79
 Terphenyl-d14
 Concen: 82.870 ng
 RT: 12.945 min Scan# 1812
 Delta R.T. -0.006 min
 Lab File: BF127571.D
 Acq: 29 Mar 2022 17:56

Instrument :
 BNA_F
 ClientSampleId :
 MHD



Tgt Ion:244 Resp: 946170
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.7 8.5
 122 10.3 6.2 9.2#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.498 min Scan# 2246
 Delta R.T. 0.006 min
 Lab File: BF127571.D
 Acq: 29 Mar 2022 17:56

Tgt Ion:264 Resp: 140528
 Ion Ratio Lower Upper
 264 100
 260 22.9 19.1 28.7
 265 22.1 17.4 26.2

