

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032922\
 Data File : BF127574.D
 Acq On : 29 Mar 2022 19:21
 Operator : CG\JU
 Sample : N2157-04
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP2

Quant Time: Mar 30 08:32:37 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 29 07:13:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	78796	20.000	ng	0.00
21) Naphthalene-d8	8.116	136	277594	20.000	ng	0.00
39) Acenaphthene-d10	9.869	164	152171	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	233776	20.000	ng	0.00
76) Chrysene-d12	14.010	240	180291	20.000	ng	# 0.00
86) Perylene-d12	15.492	264	193195	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	474226	96.067	ng	0.00
7) Phenol-d6	6.475	99	636889	94.386	ng	0.00
23) Nitrobenzene-d5	7.398	82	427461	65.823	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	119910	73.972	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	701755	67.340	ng	0.00
79) Terphenyl-d14	12.945	244	564845	51.287	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032922\
Data File : BF127574.D
Acq On : 29 Mar 2022 19:21
Operator : CG\JU
Sample : N2157-04
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP2

Quant Time: Mar 30 08:32:37 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF032122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 29 07:13:31 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.834 min Scan# 71
Delta R.T. 0.001 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21




Instrument :
BNA_F
ClientSampleId :
TP2


Tgt Ion:152 Resp: 78796
Ion Ratio Lower Upper
152 100
150 143.2 117.2 175.8
115 56.8 49.8 74.6



#5
2-Fluorophenol
Concen: 96.067 ng
RT: 5.457 min Scan# 539
Delta R.T. 0.000 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21

Tgt Ion:112 Resp: 474226
Ion Ratio Lower Upper
112 100
64 78.3 58.4 87.6
63 41.1 30.1 45.1









#7
Phenol-d6
Concen: 94.386 ng
RT: 6.475 min Scan# 714
Delta R.T. -0.006 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21




Instrument :
BNA_F
ClientSampleId :
TP2


Tgt Ion: 99 Resp: 636889
Ion Ratio Lower Upper
99 100
42 22.1 17.8 26.6
71 35.5 29.6 44.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 991
Delta R.T. 0.000 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21

Tgt Ion: 136 Resp: 277594
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 11.6 9.2 13.8
68 7.2 5.4 8.0









#23
Nitrobenzene-d5
Concen: 65.823 ng
RT: 7.398 min Scan# 80
Delta R.T. -0.012 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21




Instrument :
BNA_F
ClientSampleId :
TP2


Tgt Ion: 82 Resp: 427461
Ion Ratio Lower Upper
82 100
128 37.5 30.6 45.8
54 62.3 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.869 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21

Tgt Ion: 164 Resp: 152171
Ion Ratio Lower Upper
164 100
162 98.8 81.2 121.8
160 43.7 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 73.972 ng

RT: 10.663 min Scan# 1424

Delta R.T. -0.006 min

Lab File: BF127574.D

Acq: 29 Mar 2022 19:21

Instrument :

BNA_F

ClientSampleId :

TP2





Tgt Ion:330 Resp: 119910

Ion Ratio Lower Upper

330 100

332 95.7 79.1 118.7

141 35.4 26.2 39.4



#45

2-Fluorobiphenyl

Concen: 67.340 ng

RT: 9.186 min Scan# 1173

Delta R.T. -0.006 min

Lab File: BF127574.D

Acq: 29 Mar 2022 19:21




Tgt Ion:172 Resp: 701755


Ion Ratio Lower Upper

172 100

171 35.3 28.4 42.6

170 23.7 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21




Instrument :
BNA_F
ClientSampleId :
TP2


Tgt Ion:188 Resp: 233776
Ion Ratio Lower Upper
188 100
94 9.5 7.4 11.0
80 10.6 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.010 min Scan# 1993
Delta R.T. -0.006 min
Lab File: BF127574.D
Acq: 29 Mar 2022 19:21


Tgt Ion:240 Resp: 180291
Ion Ratio Lower Upper
240 100
120 11.2 7.1 10.7#
236 25.8 20.7 31.1








#79
 Terphenyl-d14
 Concen: 51.287 ng
 RT: 12.945 min Scan# 1816
 Delta R.T. -0.006 min
 Lab File: BF127574.D
 Acq: 29 Mar 2022 19:21

Instrument :
 BNA_F
 ClientSampleId :
 TP2



Tgt Ion:244 Resp: 564845
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.7 8.5
 122 9.1 6.2 9.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.492 min Scan# 2245
 Delta R.T. 0.000 min
 Lab File: BF127574.D
 Acq: 29 Mar 2022 19:21

Tgt Ion:264 Resp: 193195
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.1 28.7
 265 20.7 17.4 26.2

