

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
 Data File : BF085896.D
 Acq On : 30 Mar 2016 19:53
 Operator : UM/SJ
 Sample : H2027-03
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GRID-17COMP

Quant Time: Mar 31 04:11:21 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 30 12:31:18 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	105495	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	431413	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	183942	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	314174	20.00	ng	-0.01
75) Chrysene-d12	13.96	240	222861	20.00	ng	-0.01
86) Perylene-d12	15.37	264	217760	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	919523	145.16	ng	0.00
7) Phenol-d6	6.45	99	1268824	157.54	ng	0.00
23) Nitrobenzene-d5	7.36	82	745677	97.34	ng	-0.01
41) 2,4,6-Tribromophenol	10.63	330	262473	150.19	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	1293838	117.52	ng	0.00
78) Terphenyl-d14	12.90	244	883574	81.54	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.56	163	213643	15.31	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
Data File : BF085896.D
Acq On : 30 Mar 2016 19:53
Operator : UM/SJ
Sample : H2027-03
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GRID-17COMP

Quant Time: Mar 31 04:11:21 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 30 12:31:18 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.80 min Scan# 395

Delta R.T. -0.00 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53

Instrument :

BNA_F

ClientSampleId :

GRID-17COMP


Tgt Ion:152 Resp: 105495

Ion Ratio Lower Upper

152 100

150 151.5 124.2 186.2




115 54.1 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 145.16 ng

RT: 5.40 min Scan# 272

Delta R.T. -0.00 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53


Tgt Ion:112 Resp: 919523

Ion Ratio Lower Upper

112 100

64 56.9 39.9 59.9



63 28.9 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 157.54 ng

RT: 6.45 min Scan# 364

Delta R.T. -0.00 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53

Instrument :

BNA_F

ClientSampleId :

GRID-17COMP


Tgt Ion: 99 Resp: 1268824

Ion Ratio Lower Upper

99 100

42 14.1 11.1 16.7




71 32.0 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.08 min Scan# 507

Delta R.T. -0.01 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53

Tgt Ion: 136 Resp: 431413


Ion Ratio Lower Upper

136 100

137 11.0 9.1 13.7

54 7.3 7.4 11.0#

68 6.0 5.8 8.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 97.34 ng
 RT: 7.36 min Scan# 444
 Delta R.T. -0.01 min
 Lab File: BF085896.D
 Acq: 30 Mar 2016 19:53

Instrument :
 BNA_F
 ClientSampleId :
 GRID-17COMP

Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.9	41.8	62.8
54	46.8	33.4	50.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 661
 Delta R.T. -0.00 min
 Lab File: BF085896.D
 Acq: 30 Mar 2016 19:53

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.2	82.1	123.1
160	49.1	37.4	56.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 150.19 ng
 RT: 10.63 min Scan# 730
 Delta R.T. -0.00 min
 Lab File: BF085896.D
 Acq: 30 Mar 2016 19:53

Instrument :
 BNA_F
 ClientSampleId :
 GRID-17COMP

Tgt Ion:330 Resp: 262473
 Ion Ratio Lower Upper
 330 100
 332 96.6 78.2 117.2
 141 37.6 31.5 47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 117.52 ng
 RT: 9.17 min Scan# 602
 Delta R.T. -0.00 min
 Lab File: BF085896.D
 Acq: 30 Mar 2016 19:53

Tgt Ion:172 Resp: 1293838
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.4 44.2
 170 24.8 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 15.31 ng

RT: 9.56 min Scan# 636

Delta R.T. -0.01 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53

Instrument :

BNA_F

ClientSampleId :

GRID-17COMP


Tgt Ion:163 Resp: 213643

Ion Ratio Lower Upper

163 100

194 3.1 2.9 4.3




164 10.3 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 790

Delta R.T. -0.01 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53


Tgt Ion:188 Resp: 314174

Ion Ratio Lower Upper

188 100

94 12.8 5.4 8.0#



80 14.1 5.5 8.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.96 min Scan# 1021

Delta R.T. -0.01 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53

Instrument :

BNA_F

ClientSampleId :

GRID-17COMP


Tgt Ion:240 Resp: 222861

Ion Ratio Lower Upper

240 100

120 12.0 13.8 20.8#




236 26.1 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 81.54 ng

RT: 12.90 min Scan# 929

Delta R.T. -0.00 min

Lab File: BF085896.D

Acq: 30 Mar 2016 19:53


Tgt Ion:244 Resp: 883574

Ion Ratio Lower Upper

244 100

212 7.6 6.1 9.1



122 13.7 10.2 15.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.37 min Scan# 1145
Delta R.T. -0.00 min
Lab File: BF085896.D
Acq: 30 Mar 2016 19:53

Instrument :
BNA_F
ClientSampleId :
GRID-17COMP

Tgt Ion: 264 Resp: 217760

Ion	Ratio	Lower	Upper
264	100		
260	24.7	19.4	29.2
265	21.0	17.2	25.8

